

1470-19 (3/11)

4

3

2

1

THIS DRAWING IS UNPUBLISHED.



RELEASED FOR PUBLICATION

SEP, 2005.




© COPYRIGHT 2005 By -

ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			DATE	DWN	APVD
		P	LTR	DESCRIPTION			
-	-	-	-	SEE SHEET 1	-	-	-




PANEL CUT OUT DIMENSION (REFERENCE)



P.C.B LAYOUT (REFERENCE)
SHOWN AS CONNECTOR MOUNTING SIDE
TOLERANCE: NON-CUMULATIVE

BRASS	CONTACT	(3)
PHOSPHOR BRONZE	SHELL	(2)
GLASS FILLED LCP UL94V-0, BLACK COLOR	HOUSING	(1)
MATERIAL	DESCRIPTION	ITEM

CONNECTOR: WITHOUT FLANGE THROUGH HOLE TYPE



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN		TE Connectivity	
DIMENSIONS: 單位: 毫米 mm		CHK			
TOLERANCES UNLESS OTHERWISE SPECIFIED: 一般公差		APVD		NAME 名稱	
0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ±		PRODUCT SPEC 製品規格		HDMI 19 POS RECEPTACLE ASSY SMT SHORT TYPE	
MATERIAL 材料		FINISH 仕上		SIZE CAGE CODE DRAWING NO A3 00779 C=1903015	
		WEIGHT		RESTRICTED TO	
		CUSTOMER DRAWING		SCALE 4:1 SHEET 2 OF 12 REV R	

4

3

2

1

THIS DRAWING IS UNPUBLISHED.



RELEASED FOR PUBLICATION

SEP, 2005.




© COPYRIGHT 2005 By -

ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			DATE	DWN	APVD
		P	LTR	DESCRIPTION			
-	-	-	-	SEE SHEET 1	-	-	-




PANEL CUT OUT DIMENSION (REFERENCE)

P.C.B LAYOUT (REFERENCE)
SHOWN AS CONNECTOR MOUNTING SIDE
TOLERANCE: NON-CUMULATIVE

POLYIMIDE	TAPE	(4)
BRASS	CONTACT	(3)
PHOSPHOR BRONZE	SHELL	(2)
GLASS FILLED LCP UL94V-0, BLACK COLOR	HOUSING	(1)
MATERIAL	DESCRIPTION	ITEM


CONNECTOR: WITH FLANGE THROUGH HOLE TYPE



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
單位: 毫米
mmTOLERANCES UNLESS
OTHERWISE SPECIFIED:
一般公差

0 PLC	±
1 PLC	±
2 PLC	±
3 PLC	±
4 PLC	±
ANGLES	±
FINISH	仕上

MATERIAL
材料

DWN

CHK

APVD

PRODUCT SPEC
製品規格APPLICATION SPEC
取付適用規格

WEIGHT

CUSTOMER DRAWING



TE Connectivity

HDMI 19 POS RECEPTACLE ASSY
SMT SHORT TYPE

SIZE

CAGE CODE

DRAWING NO
番号

RESTRICTED TO




A3

00779

C=1903015


SCALE
尺度 4:1SHEET
3 OF 12REV
R

	-
--	---



P.C.B LAYOUT (REFERENCE)
SHOWN AS CONNECTOR MOUNTING SIDE
TOLERANCE: NON-CUMULATIVE

POLYIMIDE	TAPE	④
BRASS	CONTACT	③
PHOSPHOR BRONZE	SHELL	②
GLASS FILLED LCP UL94V-0, BLACK COLOR	HOUSING	①
MATERIAL	DESCRIPTION	ITEM



CONNECTOR: WITH FLANGE THROUGH HOLE TYPE

MATERIAL	材料
----------	----

CUSTOMER DRAWING

TE Connectivity

HDMI 19 POS RECEPTACLE ASSY
SMT SHORT TYPE

DRAWING NO
番号
C-1903015

RESTRICTED ~~K~~

SCALE	尺度
-------	----

SHEET

12	REV	R
----	-----	---

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

SEP, 2005.



© COPYRIGHT 2005 By --

ALL RIGHTS RESERVED.


1903015-1, 2-1903015-2, 5-1903015-1

5-1903015-5, 7-1903015-1; AS SHOWN

LOC	DIST	REVISIONS			DATE	DWN	APVD
		P	LTR	DESCRIPTION			
				SEE SHEET 1			



B-B



SEE DETAIL A


WEEDING THE COVER TAPE: 300 MIN
(NOT INCLUDE EMPTINESS POCKET)PEELING ANGLE: 165°~180°
PEELING STRENGTH:
0.1~0.7N (300mm/min.)

PLASTIC REEL


PULL OUT DIRECTION

CARRIER TAPE


LABEL

400 MIN. WITH PRODUCT CHARGE 25 HOLES MIN.
QTY: T PCS5-1903015-3; AS SHOWN
(SCALE 1:1)


DETAIL A




B-B

5-1903015-9; AS SHOWN
(SCALE 1:1)


DETAIL A




B-B

9-1903015-3; AS SHOWN
(SCALE 1:1)


DETAIL A



B-B

1903015-3; AS SHOWN
(SCALE 1:1)

DETAIL A



B-B



LABEL DESCRIPTION

TYCO P/N: *-1903015-*

QTY: * pcs

D/C: *

MADE IN CHINA

PET	COVER TAPE
PS	CARRIER TAPE
PLASTIC	REEL
MATERIAL	DESCRIPTION

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
單位: 毫米TOLERANCES UNLESS
OTHERWISE SPECIFIED:
一般公差

0 PLC ±

1 PLC ±


2 PLC ±

3 PLC ±

4 PLC ±

ANGLES ±

FINISH 仕上

MATERIAL
材料

DWN

CHK

APVD

PRODUCT SPEC
製品規格APPLICATION SPEC
取付適用規格

WEIGHT

CUSTOMER DRAWING



TE Connectivity

HDMI 19 POS RECEPTACLE ASSY
SMT SHORT TYPE

SIZE

CAGE CODE

DRAWING NO
番号

A3

00779

C=1903015

RESTRICTED TO

SCALE
尺度 4:1

SHEET

6 OF 12

REV
R

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION




SEP, 2005.

© COPYRIGHT 2005 By -


ALL RIGHTS RESERVED.

1903015-2, 1903015-5, 4-1903015-1, 5-1903015-2, 5-1903015-4
8-1903015-4, 9-1903015-4; AS SHOWN

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
—	—		—	SEE SHEET 1	—	—	—



DETAIL C
(SCALE 2:1)



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN		CHK	
DIMENSIONS: 單位: 毫米 mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 一般公差		APVD	
0 PLC ±		1 PLC ±		PRODUCT SPEC 製品規格	
2 PLC ±		3 PLC ±		APPLICATION SPEC 取付適用規格	
4 PLC ±		ANGLES ±		WEIGHT	
FINISH 仕上		CUSTOMER DRAWING		SCALE 尺度 4:1	
MATERIAL 材料		SIZE A3		CAGE CODE 00779	
		DRAWING NO C=1903015		RESTRICTED TO	
		SHEET 7 OF 12		REV R	

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION




SEP ,2005.

© COPYRIGHT 2005 By --


ALL RIGHTS RESERVED.

1903015-4; AS SHOWN

LOC	DIST	REVISIONS			DATE	DWN	APVD
		P	LTR	DESCRIPTION			
--	--	--	--	SEE SHEET 1	--	--	--

DETAIL C
(SCALE 2:1)

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
單位: 毫米
mmMATERIAL
材料TOLERANCES UNLESS
OTHERWISE SPECIFIED:
一般公差0 PLC
1 PLC
2 PLC
3 PLC
4 PLC
ANGLES
FINISH
仕上

DWN

CHK

APVD

PRODUCT SPEC
製品規格APPLICATION SPEC
取付適用規格

WEIGHT

CUSTOMER DRAWING



TE Connectivity

HDMI 19 POS RECEPTACLE ASSY
SMT SHORT TYPE

SIZE

A3

CAGE CODE

00779

DRAWING NO





C=1903015

RESTRICTED TO

SCALE
尺度 4:1SHEET
8 of 12REV
R

1903015-7, 1903015-8; AS SHOWN

LOC	DIST	REVISIONS				DATE	DWN	APVD
		P	LTR	変更	DESCRIPTION			
-	-	-	-	SEE SHEET 1		-	-	-



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN		TE Connectivity							
		CHK									
DIMENSIONS: 単位： 純 mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 一般公差		NAME 名称		HDMI 19 POS RECEPTACLE ASSY SMT SHORT TYPE					
		1 PLC ±		APVD		SIZECAGE CODEDRAWING NO 番号 A300779C-1903015		RESTRICTED TO —			
		2 PLC ±		PRODUCT SPEC 製品規格							
		3 PLC ±		APPLICATION SPEC 取付適用規格							
		4 PLC ±		WEIGHT							
MATERIAL 材料		FINISH 仕上		CUSTOMER DRAWING		SCALE 尺度 4:1		SHEET 9 of 12		REV R	

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

SEP, 2005.

© COPYRIGHT 2005 By --

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

変更

DESCRIPTION

DATE

DWN

APVD

P

LTR

SEE SHEET 1

8-1903015-4; AS SHOWN

D

D

C


C

B


B

A

A




TRAY A




TRAY B

TRAY B (EMPTY)




TRAY B

TRAY A

Y-Y
(SCALE 2:1)

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
単位: 話
mmMATERIAL
材料TOLERANCES UNLESS
OTHERWISE SPECIFIED:
一般公差0 PLC ±
1 PLC ±
2 PLC ±
3 PLC ±
4 PLC ±
ANGLES ±FINISH
仕上

DWN

CHK

APVD

PRODUCT SPEC
製品規格APPLICATION SPEC
取付適用規格

WEIGHT

CUSTOMER DRAWING

NAME
名称

TE Connectivity

HDMI 19 POS RECEPTACLE ASSY
SMT SHORT TYPE

SIZE

CAGE CODE

DRAWING NO
番号

A3

00779

C=1903015

RESTRICTED TO

SCALE
尺度 4:1

SHEET

10 OF 12

REV

R

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

SEP ,2005.

© COPYRIGHT 2005 By -

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

変更

DESCRIPTION

DATE

DWN

APVD

P

LTR

SEE SHEET 1

-

-

-

PLUG CONNECTOR

RECEPTACLE
CONNECTOR
WITHOUT FLANGE TYPE

2 MAX

1.6 REF

2 MIN

SCREW

PLUG CONNECTOR

RECEPTACLE
CONNECTOR
WITH FLANGE TYPE

2 MAX

1.6 REF

2 MIN

MAX
ø6MATING CONDITION (REFERENCE)
(SCALE 2:1)

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN

CHK

APVD

PRODUCT SPEC

製品規格

APPLICATION SPEC

取付適用規格

WEIGHT

CUSTOMER DRAWING

DIMENSIONS:
単位: 話
mmTOLERANCES UNLESS
OTHERWISE SPECIFIED:
一般公差0 PLC ±
1 PLC ±
2 PLC ±
3 PLC ±
4 PLC ±
ANGLES ±FINISH
仕上MATERIAL
材料

TE

TE Connectivity

HDMI 19 POS RECEPTACLE ASSY
SMT SHORT TYPE

SIZE

CAGE CODE

DRAWING NO

A3 00779 C=1903015

RESTRICTED TO

SCALE
尺度 4:1

SHEET

11 OF 12

REV

R

4

3

2

1

THIS DRAWING IS A CONTROLLED DOCUMENT.

NOT RELEASED FOR PUBLICATION

SEP, 2005.

COPYRIGHT 2005, By --

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P LTR

DESCRIPTION





DATE

DWN


APVD

SEE SHEET 1

P/N:6-1903015-3



TRAY B (EMPTY)



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
單位: 毫米TOLERANCES UNLESS
OTHERWISE SPECIFIED:
一般公差0 PLC ±
1 PLC ±
2 PLC ±
3 PLC ±
4 PLC ±
ANGLES ±MATERIAL
材料FINISH
仕上

DWN

CHK

APVD

PRODUCT SPEC
製品規格APPLICATION SPEC
取付適用規格

WEIGHT

CUSTOMER DRAWING

TE

TE Connectivity

HDMI 19 POS RECEPTACLE ASSY
SMT SHORT TYPENAME
名称

SIZE

CAGE CODE

DRAWING NO
番号

A300779C-1903015

RESTRICTED TO

REV R

SCALE
尺度 4:1

SHEET

12 OF 12

REV R



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.