






LOC		DIST		REVISIONS					
GP		00		P	LTR	DESCRIPTION	DATE	DWN	APVD
					A	RELEASED PER ECO-10-025263	11FEB2011	CJV	JTL




- △ MATERIAL:
CAGE ASSEMBLY: NICKEL SILVER ALLOY, 0.25mm THK
GASKET RETENTION PLATE: STAINLESS STEEL
EMI GASKET: PLATED FILLED SILICONE.
- △ DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
3. MATES WITH SFP MSA COMPLIANT RECIEVERS.
- △ PADS AND VIAS CHASSIS GROUND.
5. INTERPRETATION OF DATUM REFERENCE FRAME IN ACCORDANCE WITH SECT 4.4.1.1 OR ASME Y14.5M-1994.
- △ MINIMUM PC BOARD THICKNESS:
SINGLE SIDED: 1.45mm
- △ HOLE PATTERN REPEATS FOR EACH PORT, SPACING BETWEEN PORTS IS 14.25mm.
- △ REFERENCE APPLICATION SPEC. 114-13120, HOLE A, FOR RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESS.
- △ REFERENCE APPLICATION SPEC. 114-13120, HOLE B, FOR RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESS.




RECOMMENDED BEZEL CUT-OUT
SCALE 4:1


0.23^{+0.10}_{-0.14}
TOP OF PCB
TO INSIDE OF
BEZEL CUTOUT



TYPICAL DIMENSIONS TO CENTERLINE UNLESS OTHERWISE SPECIFIED. TYPICAL DIMENSIONS TO CENTERLINE UNLESS OTHERWISE SPECIFIED. TYPICAL DIMENSIONS TO CENTERLINE UNLESS OTHERWISE SPECIFIED.				DWN B. MCMASTER 02OCT08	Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS: mm				CHK M. SCHMITT 02OCT08	NAME SFP+ ENHANCED 1X2 CAGE ASSEMBLY, PRESS-FIT, EMI GASKET	
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±0.13 1 PLC ±0.1 2 PLC ±0.08 3 PLC ±0.05 4 PLC ±0.05 ANGLES ±1				APVD M. SCHMITT 02OCT08	SIZE 108-2364	
MATERIAL FINISH				PRODUCT SPEC 114-13120	DRAWING NO A100779	
CUSTOMER DRAWING				WEIGHT -	RESTRICTED TO -	
				C=2057555	SCALE 6:1	
					SHEET 1 OF 2	
					REV A	



DETAIL G
SCALE 1/2" = 1'



THIS DRAWING IS A CONTROLLED DOCUMENT FOR THE ELECTRICAL CONNECTION INDUSTRY. IT IS THE PROPERTY OF TYCO ELECTRONICS CORPORATION AND IS LOANED TO YOUR FIRM UNDER THE FOLLOWING CONDITIONS: 1. IT IS TO BE USED ONLY FOR THE PROJECT AND FOR THE CLIENT'S USE ONLY. 2. IT IS NOT TO BE REPRODUCED OR COPIED IN ANY MANNER. 3. IT IS NOT TO BE LOANED TO ANY OTHER FIRM. 4. IT IS TO BE RETURNED TO TYCO ELECTRONICS CORPORATION UPON COMPLETION OF THE PROJECT.		DWN MCMMASTER 020CT08 CHK M SCHMITT 020CT08		 Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 0.13 1 PLC ± 0.1 2 PLC ± 0.08 3 PLC ± 0.05 4 PLC ± 0.05 ANGLES ± 1		NAME SFP+ ENHANCED 112 CAGE ASSEMBLY, PRESS-FIT, EMI GASKET	
		PART M SCHMITT 020CT08 PRODUCT SPEC 108-2364 APPLICATION SPEC 114-13120		SIZE CAGE CODE DRAWING NO A100779C2057555	
MATERIAL -		FINISH -		RESTRICTED TO -	
CUSTOMER DRAWING					
		SCALE 6:1		SHEET 2 of 2	
REV A					



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.