THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION -,- .
© COPYRIGHT 2011 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST
DW	—

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	REVISED (ECR-12-002645)	03AUG12	JC	WK













RECOMMENDED PCB LAYOUT

NOTE:
1. MATERIAL:
   HOUSING: THERMOPLASTIC HIGH TEMP., UL 94V-0, BLACK COLOR.
   CONTACT: BRASS, THICKNESS=0.25mm.
   SHELL: PHOSPHOR BRONZE, THICKNESS=0.40mm
2. FINISH:
   CONTACT: 0.762μm [30μ"] MIN. GOLD PLATED ON CONTACT AREA,
   2.54μm [100μ"] MIN. TIN-Cu PLATED ON SOLDERTAILS,
   1.27μm [50μ"] MIN. NICKEL UNDERPLATED ALL OVER.
   SHELL: 3.048μm [120μ"] MIN. NICKEL PLATED ALL OVER
   2.54μm [100μ"] MIN. Cu UNDERPLATED ALL OVER
3. REFLOW SOLDER CAPABLE TO 260°C PER TEST SPEC. 109-201, CONDITION B.

DIM D	PART NUMBER
3.18	1734290-2
2.69	1734290-1

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	± 0.38
1 PLC	± 0.25
2 PLC	± 0.13
3 PLC	± 0.05
4 PLC	± -
ANGLES	± 3°

MATERIAL: SEE NOTE

FINISH: SEE NOTE

DWN	O. HU	23DEC2005
CHK	S. HOU	23DEC2005
APVD	W.J. KE	23DEC2005

PRODUCT SPEC: 108-57599

APPLICATION SPEC: —

WEIGHT: 2.62 GRAMS

CUSTOMER DRAWING

TE Connectivity

NAME: IEEE 1394, RCPT, 6P VERTICAL, T/H

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C-1734290	—

SCALE	SHEET	REV
—	1 OF 2	A

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION –,– .
© COPYRIGHT 2011 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST
DW	—

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
		SEE SHEET 1.			





(BOTTOM COVER)



(TOP COVER)

NOTES:
1. MATERIAL:
   TRAY: PET
   SHIPPING BOX: CORRUGATED FIBER.
2. DIMENSION:
   TRAY: L=315mm, W=230mm, H=6mm
   SHIPPING BOX: 509mm*345mm*248mm
3. QUANTITY: SEE TABLE.
4. WEIGHT: SEE TABLE.

15.0	14.0	4000	20	100
N.W(KGS)	N.W(KGS)	PACKAGING QTY'S/ OUTER BOX	TRAYS/ INNER BOX	PCS/ TRAY

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ± –
1 PLC ± –
2 PLC ± –
3 PLC ± –
4 PLC ± –
ANGLES ± –

MATERIAL –

FINISH –

DWN –
CHK –
APVD –
PRODUCT SPEC —
APPLICATION SPEC —
WEIGHT —

TE Connectivity

NAME
IEEE 1394, RCPT, 6P
VERTICAL, T/H

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C-1734290	—

CUSTOMER DRAWING | SCALE — | SHEET 2 OF 2 | REV A

Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits,General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)
Факс: 8 (812) 320-02-42
Электронная почта: org@eplast1.ru
Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.