

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0387007508](#)
Status: **Active**
Description: 8.26mm (.325") Pitch Beau™ PCB Terminal Strip, without Mounting Ends, 8 Circuits, with Screw Clamp Washer

Documents:
[3D Model](#) [RoHS Certificate of Compliance \(PDF\)](#)
[Drawing \(PDF\)](#)


General
Product Family Terminal Blocks
Series [38700](#)
Application Wire-to-Board
Component Type One Piece
Product Name Fixed Mount Barrier
Type Barrier Strip

Physical
Circuits (Loaded) 8
Circuits (maximum) 8
Entry Angle Horizontal
Lock to Mating Part None
Material - Metal Brass
Material - Plating Mating Tin
Material - Plating Termination Tin
Number of Rows 1
Orientation Horizontal
PC Tail Length (in) 0.140 In
PC Tail Length (mm) 3.56 mm
PCB Retention None
Panel Mount No
Pitch - Mating Interface (in) 0.325 In
Pitch - Mating Interface (mm) 8.26 mm
Pitch - Term. Interface (in) 0.325 In
Pitch - Term. Interface (mm) 8.25 mm
Plating min: Mating (µin) 150
Plating min: Mating (µm) 3.75
Plating min: Termination (µin) 150
Plating min: Termination (µm) 3.75
Polarized to Mating Part No
Shrouded Dual-Barrier
Stackable Yes
Surface Mount Compatible (SMC) No
Temperature Range - Operating -40°C to +130°C
Termination Interface: Style Through Hole
Wire Size AWG 12, 14, 16, 18, 20, 22
Wire Size mm² 0.50 - 2.50

Electrical
Current - Maximum per Contact 20A
Voltage - Maximum 300V

Solder Process Data
Lead-free Process Capability Wave Capable (TH only)

Material Info
Old Part Number 70508-C-50



EU RoHS
ELV and RoHS
Compliant
REACH SVHC
Contains SVHC: No
Halogen-Free
Status
Not Reviewed

China RoHS



Need more information on product environmental compliance?
Email productcompliance@molex.com
For a multiple part number RoHS Certificate of Compliance, [click here](#)
Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series
[38700Series](#)

Mates With
N/A






Reference - Drawing Numbers

Sales Drawing

SD-38700-001

This document was generated on 04/26/2010

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION



NOTES:

1. MATERIAL: SEE TABLE.
2. FINISHES: SEE TABLE.
3. PRODUCT SPECIFICATION: NOT REQUIRED.
4. INCH DIMENSIONS ARE SHOWN IN BRACKETS [XXX].
5. "XX" REFERS TO THE QUANTITY OF CIRCUITS POSITIONS.
6. MATERIAL NUMBER 387090319 IS THE SAME AS MATERIAL NUMBER 387007516, EXCEPT BY THE SPECIAL PACKING.
7. ROHS COMPLIANT

5	"XX"	SCREW, #6-32, PAN HD, PH-SL, W/SQ WSHR (-50-92)	STEEL	ZN, NOKROM COATING
4	"XX"	SCREW, #6-32, PAN HD, PH-SL, W/SQ WSHR (-50)	STEEL	ZN, CLEAR CHROMATE
3	"XX"	SCREW, #6-32, PAN HD, PH-SL (STANDARD)	STEEL	ZN, CLEAR CHROMATE
2	"XX"	TERMINAL	BRASS	TIN
1	1	BARRIER	THERMOPLASTIC	BLACK
ITEM	QTY	DESCRIPTION	MATERIAL	FINISH

ADD 1 CIRC. OPTION	EC NO: WNA2008-0019	2008/01/23	2008/01/24	2008/01/24
DRWN: JENCINAS	CHKD: CYORK	APPR: JACNE IL	REV	DESCRIPTION

QUALITY SYMBOLS
▽=0
▽=0

GENERAL TOLERANCES (UNLESS SPECIFIED)		
	mm	INCH
4 PLACES	±---	±---
3 PLACES	±---	±.005
2 PLACES	±0.13	±.01
1 PLACE	±0.3	±---
ANGULAR ± 2 °		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		

DIMENSION STYLE		MM/IN
DRAWN BY	DATE	
R. KEMP	2003/07/16	
CHECKED BY	DATE	
R. STONE	2003/07/16	
APPROVED BY	DATE	
P. WALTZ	2003/07/17	
MATERIAL NO.		
SEE CHART		
SIZE	B	

SCALE	2:1	DESIGN UNITS	INCH	THIRD ANGLE PROJECTION
TITLE				
8.26/.325 SR BTS ASSY, PC, NO MTG ENDS				
MOLEX INCORPORATED				
DOCUMENT NO.				SHEET NO.
SD-38700-001				1 OF 2
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				

	NUMBER OF CIRCUITS "XX"	DIM "A"	DIM "B"	STANDARD MATERIAL NO.	-50 OPTION MATERIAL NO.	-50-92 OPTION MATERIAL NO.	BARRIER MATERIAL NO.
(C)	01	10.2 [40]	-	387006301	387007501	-	387080034
	02	18.5 [73]	8.26 [325]	387006302	387007502	387090370	387080035
	03	26.9 [106]	16.51 [650]	387006303	387007503	-	387080036
	04	35.1 [138]	24.77 [975]	387006304	387007504	-	387080037
	05	43.2 [170]	33.02 [1300]	387006305	387007505	-	387080038
	06	51.2 [203]	41.28 [1625]	387006306	387007506	-	387080039
	07	59.7 [235]	49.53 [1950]	387006307	387007507	-	387080040
	08	68.1 [268]	57.79 [2275]	387006308	387007508	387090371	387080041
	09	76.2 [300]	66.04 [2600]	387006309	387007509	-	387080042
	10	84.6 [333]	74.30 [2925]	387006310	387007510	-	387080043
	11	92.7 [365]	82.55 [3250]	387006311	387007511	-	387080044
	12	101.0 [398]	90.81 [3575]	387006312	387007512	-	387080045
	13	109.2 [430]	99.06 [3900]	387006313	387007513	-	387080046
	14	117.5 [463]	107.32 [4225]	387006314	387007514	-	387080047
	15	125.7 [495]	115.57 [4550]	387006315	387007515	-	387080048
	16	134.0 [528]	123.83 [4875]	387006316	387007516	387090368	387080049
	17	142.2 [560]	132.80 [5200]	387006317	387007517	-	387080050
	18	150.5 [593]	140.34 [5525]	387006318	387007518	-	387080051
	19	158.8 [625]	148.59 [5850]	387006319	387007519	-	387080052
	20	167.0 [658]	156.85 [6175]	387006320	387007520	-	387080053
	21	175.3 [690]	165.10 [6500]	387006321	387007521	-	387080054
	22	183.5 [723]	173.36 [6825]	387006322	387007522	-	387080055
	23	191.8 [755]	181.61 [7150]	387006323	387007523	-	387080056
	24	200.0 [788]	189.87 [7475]	387006324	387007524	387090372	387080057
	25	208.3 [820]	198.12 [7800]	387006325	387007525	-	387080058
	26	216.5 [853]	206.38 [8125]	387006326	387007526	-	387080059
	27	224.8 [885]	214.63 [8450]	387006327	387007527	-	387080060
	28	233.0 [918]	222.89 [8775]	387006328	387007528	-	387080061
	29	241.3 [950]	231.14 [9100]	387006329	387007529	-	387080062
	30	249.6 [983]	239.40 [9425]	387006330	387007530	387090373	387080063

MAT. #387090319 IS THE SAME AS 387007516 (SEE NOTE 6, SHEET #1)

SEE SHEET 1 EC NO: WNA2008-0019 DRWN: JENC INAS 2008/01/23 CHKD: CYORK 2008/01/24 APPR: JMACNEIL 2008/01/24	DESCRIPTION	QUALITY SYMBOLS  = 0  = 0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE		DESIGN UNITS		THIRD ANGLE PROJECTION		
				mm	INCH	MM/IN		2:1		INCH			
			4 PLACES	± ---	± ---	DRAWN BY	DATE	TITLE 8.26/.325 SR BTS ASSY, PC, NO MTG ENDS					
			3 PLACES	± ---	± .005	CHECKED BY	DATE						
			2 PLACES	± 0.13	± .01	R. KEMP	2003/07/16	R. STONE	2003/07/16	MOLEX MOLEX INCORPORATED			
1 PLACE	± 0.3	± ---	APPROVED BY	DATE	MOLEX MOLEX INCORPORATED								
ANGULAR ± 2 °			P. WALTZ	2003/07/17							DOCUMENT NO.		SHEET NO.
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			MATERIAL NO.		SD-38700-001		2 OF 2						
			SIZE B		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION								



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.