










STANDARD HARDWARE OPTION
(SLOTTED HEAD SCREW)



HARDWARE OPTION E
(EXTENDED SCREW)



HARDWARE OPTION H
(SOCKET HEAD SCREW)

D09-1-60-07-1-B-A-H

CONNECTOR TYPE
SHELL SIZE (TABLE 1)
ENTRY POSITION (1 - TOP ENTRY)
TERMINATION STYLE
ENTRY SIZE (SEE TABLE 2)
MATERIAL (1-ALUMINIUM ALLOY)
PLATING (SEE TABLE 3)
RING OPTION (A - RING TO SUIT SINGLE BRAID
B - RING TO SUIT DOUBLE BRAID, OMIT FOR STANDARD)
HARDWARE OPTION
(OMIT FOR STANDARD)



DRAWN	ADP	DATE 07/01/2009	 3RD ANGLE PROJECTION NOT TO SCALE	 POLAMCO LTD	WESTON LOCK LOWER BRISTOL ROAD BATH BA2 1EP	PAGE 1	UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS IN MILLIMETRES
SALES APPR							
DESIGN APPR							
QUAL APPR			THIS DRAWING IS COPYRIGHTANDTHE PROPERTY OF POLAMCO LTD IT MUST NOT BE COPIED, USED FOR MANUFACTURE OR OTHERWISE DISCLOSED WITHOUT PRIOR WRITTEN CONSENT OF THE COMPANY.	ASSY USED ON: MIL-DTL-24308			MATERIAL ALUMINIUM ALLOY
ISSUE 3	DCR 4828			TITLE: MEMORY RING BACKSHELL			
WEIGHT		GENERAL TOL LINEAR +/-0.1MM ANGULAR +/- 1°		PART NUMBER: D**-1-60-**-**-*			NCAGE CODE U5792
							DRAWING NO: P8516

TABLE 1 SHELL SIZE	A	B	C
09	31,19	25,00	12,93
15	39,52	33,33	12,93
25	53,42	47,02	12,93
37	69,76	63,50	12,93
50	67,31	61,12	15,75
104	69,70	63,50	17,35

TABLE 2 ENTRY SIZE	G	D MAX	E MAX
04	6,35	9,53	14,3
05	7,92	11,10	15,8
06	9,53	12,70	17,4
07	11,10	14,30	19,0

TABLE 3	
CODE	PLATING
B	CADMIUM OLIVE DRAB OVER ELECTROLESS NICKEL
C	ELECTROLESS NICKEL
U	UNPLATED
Y	YELLOW CHROMATE OVER CADMIUM
ZB	ZINC COBALT OLIVE DRAB OVER ELECTROLESS NICKEL

DRAWN	ADP	DATE 07/01/2009	 3RD ANGLE PROJECTION NOT TO SCALE	 POLAMCO LTD WESTON LOCK LOWER BRISTOL ROAD BATH BA2 1EP	PAGE 2	UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS IN MILLIMETRES
SALES APPR						
DESIGN APPR			THIS DRAWING IS COPYRIGHTANDTHE PROPERTY OF POLAMCO LTD IT MUST NOT BE COPIED, USED FOR MANUFACTURE OR OTHERWISE DISCLOSED WITHOUT PRIOR WRITTEN CONSENT OF THE COMPANY.	ASSY USED ON: MIL-DTL-24308		MATERIAL ALUMINIUM ALLOY
QUAL APPR				TITLE: MEMORY RING BACKSHELL		
ISSUE 3	DCR 4828			PART NUMBER: D**-1-60-**-**-*		NCAGE CODE U5792
WEIGHT		GENERAL TOL LINEAR +/-0.1MM ANGULAR +/- 1°				DRAWING NO: P8516



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.