








REVISIONS				
P.	LTR.	DESCRIPTION	DATE	DWN. APVD.
	C	REVISED PER ECR-07-016022	30JUL2007	DLD DCS
	C1	REVISED PER ECO-13-019739	06JAN2014	DD RL

- 1 TE CONNECTIVITY ASSY PART-NO. ACCORDING TO TABLE, LASER PRINTED, WHITE INK PERMITTED AS ALTERNATIVE.
- 2 DATE CODE, FORMAT, YY=YEAR JJJ=DAY HH=HOUR, LASER PRINTED, WHITE INK PERMITTED AS ALTERNATIVE. SINGLE DIGIT HOUR NOTE ACCEPTABLE.
- 3 TERMINAL CAVITY ID.
- 4 MATERIAL ID.
- 5 MOLD CAVITY ID.
- 6 TE LOGO.
- 7 KEY "A" NOT RECOMMENDED FOR NEW APPLICATIONS.
8. PACKING:
PARTS BULK PACKED IN CARDBOARD BOX.



ASSEMBLY WITH CPA





1456989-7	1456989-6	1456989-5	1456989-4	1456989-3	1456989-2	1456989-1	<----- ASSEMBLY PN			
-	-	-	-	-	I	-	CPA	PBT-GF20	RED	3
I	I	I	I	I	I	I	SPACER	PBT+PC-GF30	RED	2
I	-	-	-	-	-	-	HOUSING; KEY F	PA66-GF35	BLACK	I
-	I	-	-	-	-	-	HOUSING; KEY E	PA66-GF35	BLACK	I
-	-	I	-	-	-	-	HOUSING; KEY D	PA66-GF35	BLACK	I
-	-	-	I	-	-	-	HOUSING; KEY C	PA66-GF35	BLACK	I
-	-	-	-	I	-	-	HOUSING; KEY A	PA66-GF35	LT. GREY	I
-	-	-	-	-	I	I	HOUSING; KEY A	PA66-GF35	BLACK	I
							DESCRIPTION	MATERIAL	COLOR	ITEM NO
QTY REQ'D PER ASSY							REVISION OF EACH ASSY NO (WHEN BLANK, USE DWG REVISION)			
							WEIGHT OF EACH ASSY NO (g)			
PARTS LIST										

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN. R. VESTAL 30OCT2006	NAME	
DIMENSIONS:		CHK. D. STRAUSSER 30OCT2006	TE Connectivity	
mm		APVD. D. STRAUSSER 30OCT2006	2X8 POSITION, GET FEMALE CONNECTOR UNSEALED ASSEMBLY	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC	SIZE CAGE CODE DRAWING NO RESTRICTED TO	
0 PLC ±		APPLICATION SPEC	A100779C=1456989	
1 PLC ±		WEIGHT	SCALE 5:1 SHEET 1 OF 2 REV C1	
2 PLC ±		CUSTOMER DRAWING		
3 PLC ±				
4 PLC ±				
ANGLES FINISH				
MATERIAL SEE TABLE				

REVISIONS					
P.	LTR.	DESCRIPTION	DATE	DWN.	APVD.
	-	SEE SHEET 1	-	-	-



KEYING OPTION
A



4:1

(SHOWN WITH CPA)



KEYING OPTION
C



4:1

(SHOWN WITH CPA)



KEYING OPTION
D



4:1

(SHOWN WITH CPA)



KEYING OPTION
E



4:1


(SHOWN WITH CPA)

KEYING OPTION
F



4:1

(SHOWN WITH CPA)

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. VESTAL	30OCT2006	 TE Connectivity	
DIMENSIONS:		CHK D. STRAUSSER	30OCT2006		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD D. STRAUSSER	30OCT2006	NAME	
	0 PLC	±	PRODUCT SPEC	2X8 POSITION, GET FEMALE CONNECTOR UNSEALED ASSEMBLY	
	1 PLC	±	APPLICATION SPEC		
	2 PLC	±	408-8599		
	3 PLC	±	WEIGHT		
MATERIAL		FINISH	Customer Drawing	RESTRICTED TO	
SEE TABLE		-	-	-	
-		-	-	-	
		Customer Drawing		SCALE	5:1
				SHEET	2
				OF	2
				REV	C1



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.