






RECOMMENDED PCB LAYOUT

NOTES:

1. MATERIAL:
HOUSING: PA6T, UL94 V-O, NATURAL COLOR.
CONTACTS: PHOSPHOR BRONZE.
PEGS: BRASS.
2. FINISH:
CONTACTS: (SEE TABLE)
PLATING A: 100 μ " MIN. MATTE-TIN ON ENTIRE CONTACT.
PLATING B: GOLD FLASH.
(WITH ENTIRE CONTACT UNDERPLATED 50 μ " MIN. NICKEL)
PEGS: 100 μ " MIN. TIN OR MATTE-TIN OVER 50 μ " MIN. NICKEL.
3. PART NUMBER OF MATING RECEPTACLE: X-1775013-X
4. REFLOW SOLDER CAPABLE TO 260°C AS PER TEC-109-201,
CONDITION B.

A	15.2	16.2	13.5	8.8	11.2	30	3-1775015-0
	11.2	12.2	9.5	12.8	7.2	20	2-1775015-0
	8	9	6.3	5.6	4.0	12	1-1775015-2
B	11.2	12.2	9.5	8.8	7.2	20	1775015-5
	15.2	16.2	13.5	12.8	11.2	30	1775015-3
	8	9	6.3	5.6	4.0	12	1775015-1
CONTACT PLATING	E	D	C	B	A	NO. OF CONTACTS	PART NUMBER
	DIMENSIONS						

5. SUBSTANCE RESTRICTIONS FOR LOW HALOGEN (BY WEIGHT):
BROMINE (Br) ≤ 900 PPM (0.09%)
CHLORINE (Cl) ≤ 900 PPM (0.09%)
TOTAL CONCENTRATION OF (Cl) + (Br) ≤ 1500 PPM (0.15%)

THIS DRAWING IS A CONTROLLED DOCUMENT

DIMENSIONS:	
MM	
	
MATERIAL	
SEE NOTE	

TOLERANCES UNLESS OTHERWISE SPECIFIED:		
0 PLC	±	—
1 PLC	±	0.2
2 PLC	±	0.15
3 PLC	±	—
4 PLC	±	—
ANGLES		±
FINISH		
SEE NOTE		

DWN	11JUN200
A. WU	
CHK	11JUN200
S. HOU	
APVD	11JUN200
W.J. KE	
PRODUCT SPEC	
108-57488	
APPLICATION SPEC	
—	
WEIGHT	SEE TABLE
CUSTOMER DRAWING	







TE Connectivity

BOARD TO BOARD CONNECTOR,
0.8mm PITCH, FINE-STACK,
5H, PLUG

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C-1775015	—
		SCALE	SHEET
		—	1 of 2
			REV
			D

NOTES:

- MATERIAL:
BOX: FIBREBOARD, CORRUGATED, DOUBLE WALL.
COVER TAPE: PET, TRANSPARENT COLOR.
CARRIER TAPE: POLYSTYRENES, TRANSPARENT COLOR.
REEL: HIPS, BLUE COLOR.
BAG: POLYETHYLENES, TRANSPARENT COLOR.
- EACH BAG SHALL BE INCLUDED DESICCANT.
- PEELING STRENGTH: 0.1 ~ 1.3 N (10 ~ 130 GRAMS).
- PEELING SPEED: 300 mm/min.



8000	800	10	9.42	3.28	30
			10.25	4.55	20
			8.5	2.5	12
PCS /BOX	PCS /REELS	REELS /BOX	GROSS WEIGHT (Kg)	NET WEIGHT (Kg)	NO. OF CONTACTS

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN —	TE TE Connectivity		
DIMENSIONS: MM		CHK —			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD —			
0 PLC ± -		PRODUCT SPEC —			
1 PLC ± -		APPLICATION SPEC —	NAME		
2 PLC ± -		WEIGHT —	SIZE CAGE CODE DRAWING NO		
3 PLC ± -		CUSTOMER DRAWING	A3 00779 C=1775015		
4 PLC ± -			RESTRICTED TO		
ANGLES ± -			SCALE — SHEET 2 OF 2 REV D		
FINISH					



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.