

8

7

6


5

4

3

2

THIRD ANGLE PROJECTION



1. ALL OF THE DIMENSIONS ARE INDICATED FOR THE CARD EJECTED EXCLUDE THE DIMENSION OF CARD LOCATION

2. KNOB STROKE 7.6mm

△ MATERIAL

① FRAME : STAINLESS t=0.3

② PUSHER : STAINLESS t=1

③ KNOB : THERMAL PLASTIC (UL-94V0)

④ ARM BAR : STAINLESS t=0.4

⑤ LIFT BLADE : STAINLESS t=0.3.

△ MEMORY CARD LENGTH 85.6mm

△ ARROW MARK AT FRONT END OF LARGE KNOB (SEE 2ND PAGE FIG-1)
DIM 1.6 HOLE FOR SMALL KNOB (SEE 2ND PAGE, FIG-2)

△ SEE 2ND PAGE FOR EJECTOR FRAME W/RIB

△ SEE 2ND PAGE FOR EJECTOR FRAME W/O KNOB (HOOK); W/ GUIDE

△ SEE 3RD PAGE FOR PCB LAYOUT

△ SEE 2ND PAGE FOR EJECTOR USING USA HDR

△ OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI


DIMENSIONS IN mm DO NOT SCALE PRINT

4-XXXX-2	SMALL KNOB LONG	90.2	21.3	4.6	2.3		Black	USA Cardbus HDR	△ 8 △ 9
4-XXXX-1	SMALL KNOB SHORT	82.2	13.3	4.6	2.3		Black	USA Cardbus HDR	△ 8 △ 9
3-XXXX-2	SMALL KNOB LONG	90.2	21.3	4.6	2.3		Blue	USA Cardbus HDR	△ 8 △ 9
3-XXXX-1	SMALL KNOB SHORT	82.2	13.3	4.6	2.3		Blue	USA Cardbus HDR	△ 8 △ 9
2-XXXX-1	SMALL KNOB SHORT FRAME W/ RIB	82.2	13.3	4.6	2.3		Blue	△ 6	
1-XXXX-1	SMALL KNOB SHORT (Y3)	82.2	14.8	4.6	2.3		Blue		△ 10
-7	WITHOUT KNOB (HOOK)						Blue	△ 7	OBSOLETE
-6	WITHOUT KNOB					91.3	Blue		
-5	WITHOUT KNOB					83.3	Blue		
-4	LARGE KNOB LONG	90.2	21.3	8.3	2.0		Blue		
-3	LARGE KNOB SHORT	82.2	13.3	8.3	2.0		Blue		
-2	SMALL KNOB LONG	90.2	21.3	4.6	2.3		Blue		
-1	SMALL KNOB SHORT	82.2	13.3	4.6	2.3		Blue		
P/N	PART NAME	A	B	C	D	F	Knob Color	Remark	

F1	REVISED PER ECO-10-000444	KK	AEG	JAN10
F	ADD P/N (PER FW00-076-96)	YU	JY	APR14 1996
E	MODIFIED (PER FW00-010-96)	YU	JY	JAN18 1996
D	MODIFIED (PER FW00-145-95)	YU	JY	DEC 1995
C	MODIFIED (PER FW00-008-95)	YU	CHEN	JAN03 1995
B	MODIFIED (PER FW00-002-95)	YU	CHEN	JAN02 1995
A1	RELEASED	YU	CHEN	JUN17 1994
LTR	REVISION RECORD	DR	CHK	DATE

© 1993 BY AMP MANUFACTURING TAIWAN LTD ALL RIGHTS RESERVED. PRODUCTS ARE COVERED BY PATENTS AND/OR PATENTS PENDING.				AMP MANUFACTURING TAIWAN LTD			
(WIRE RANGE)		(INSULATION DIA)		(DESCRIPTION)			
				PCMCIA SINGLE EJECTOR ASSY F KNOB R			
(MATERIAL)		(FINISH)		GENERAL TOLERANCE	SIZE	LDC	(CHK)
△					A3	DW	C-11404
DR ALBERT YU		RE		DECIMAL: ± 0.5	(SCALE)	REV	SHEET
CHK R. CHEN		APP JACK CHANG		ANGULAR: ± 2°	1:1	F1	1/3

(CUSTOMER DRAWING) C11404A



8

7

6




5

4

3

2

THIRD ANGLE PROJECTION



APPLIED FOR 3-11404-X & 4-11404-X SERIES.



FIG-2







FIG-1



APPLIED FOR 2-11404-1.

APPLIED FOR 0-11404-7. 
WITHOUT KNOB; WITH HOOK; NO PLASTIC GUIDE INSERTED.

SEE 1ST PAGE			
LTR	REVISION RECORD	DR	CHK
		DATE	

© 1993 BY AMP MANUFACTURING TAIWAN LTD.
ALL RIGHTS RESERVED.
PRODUCTS ARE COVERED BY PATENTS
AND/OR PATENTS PENDING.**AMP**AMP MANUFACTURING
TAIWAN LTD.

(WIRE RANGE)	(INSULATION DIA.)	(DISCRIPTION)			
(MATERIAL)	(FINISH)	PCMCIA SINGLE EJECTOR ASSY F KNOB R			
DR. ALBERT YU	RE.	GENERAL TOLERANCE	SIZE	LOC	(NO.)
CHK. ROBERT CHEN	APP. JACK CHANG	DECIMAL: ± 0.5	A3	DW	C-11404
		ANGULAR: $\pm 2^\circ$	(SCALE) 1:1	REV F1	SHEET 2/3

(CUSTOMER DRAWING) 2.07.3
2.11.4028

DIMENSIONS IN mm. DO NOT SCALE PRINT.

8

7

6


5

4





3

2


THIRD ANGLE PROJECTION



- △ FOR JPN PCMCIA HDR, REFER PCB LAYOUT OF C-179034 OR C-179035
△ FOR USA CARDBUS HDR, REFER PCB LAYOUT OF C-146739-1
△ FOR USA CARDBUS HDR, REFER PCB LAYOUT OF C-146740-1



DETAIL F



© 1993 BY AMP MANUFACTURING TAIWAN LTD. ALL RIGHTS RESERVED. PRODUCTS ARE COVERED BY PATENTS AND/OR PATENTS PENDING.				AMP AMP MANUFACTURING TAIWAN LTD.	
(VIRE RANGE)		(INSULATION DIA)		(DESCRIPTION)	
(MATERIAL)		(FINISH)		PCMCIA SINGLE EJECTOR ASSY F KNOB R	
DR.		RE.		GENERAL TOLERANCE	
CHK.		APP.		SIZE LDC QND	
LTR.		DATE		A3 DW C-11404	
REVISION RECORD		DR. CHK. DATE		DECIMAL: ± 0.5 ANGULAR: $\pm 2^\circ$	
				(SCALE) 1:1	
				REV F1	
				SHEET 3/3	

(CUSTOMER DRAWING)

3 OF 3
C11404C

DIMENSIONS IN mm DO NOT SCALE PRINT.



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.