




PART NO.
10103269-001LF



* RANDOM ORIENTATION OF CONNECTORS ALLOWED
IN EMBOSSED TAPE.

TAPE AND REEL PACKAGING DETAILS



NOTES:

- 1) INSERTION FORCE - 12N MAX
- 2) WITHDRAWAL FORCE - 2N MIN
- 3) THIS PRODUCT MEETS THE EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
- 4). MAY BE EITHER GOLD OR GXT PLATED AT MANUFACTURER'S OPTION

LIST OF MATERIAL

NO.	ITEM	PART NUMBER	MATERIAL
1	HEADER	77311-101-02LF	HOUSING: HIGH TEMPERATURE THERMOPLASTIC (BLACK) TERMINAL: PHOSPHOR BRONZE PLATING: 0.76 um GOLD/GXT ON CONTACT AND 2 um TIN MIN ON SOLDERTAILS.
2	JUMPER	63429-142LF	HOUSING: POLYESTER (BLACK) TERMINAL: PHOSPHOR BRONZE PLATING: 0.38 um GOLD OR GXT ON CONTACT AREA OVER 1.27um Ni (note 4)
3	KAPTON TAPE	10103270-001	POLYAMIDE
4	EMBOSS TAPE	10103271-001	CONDUCTIVE POLYMER
-	-	-	-



mat'l. code				surface	tolerance	projection	product family
				ISO 1302	ISO 406 ISO 1101		MINITEK
ltr	ecn no	dr	date	tolerances unless otherwise specified			title
1	CONCEPT	KHL	2009-03-25	angles	linear		HEADER/JUMPER
A	S09-0211	KHL	2009-06-25				ASSEMBLY (2.54 mm)
B	S10-0146	AY	2010-07-19	±3°	±0.25	MM	
C	ELX-N-14097	GM	2013-02-25	dr		scale 10:1	dwg no
D	ELX-N-14750	ZK	2013-05-14	enr			sheet 1 of 2
				chr			size
				appd			10103269
							A
							type
							Product Customer Drawing
sheet	revision	D	D				
index	sheet	1	2				

PDS: Rev :D

STATUS: Released

Printed: May 16, 2013

PART NO.
10103269-002LF




2" MAX
(EITHER DIRECTION)
HEADER ASSEMBLY (AFTER TRIMMING SOLDER TAIL) WITH JUMPER

NOTES:

- 1) INSERTION FORCE - 24N MAX PER CONNECTOR PAIR
- 2) WITHDRAWAL FORCE - 4N MIN PER CONNECTOR PAIR
- 3) THIS PRODUCT MEETS THE EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
- 4). MAY BE EITHER GOLD OR GXT PLATED AT MANUFACTURER'S OPTION


LIST OF MATERIAL

NO.	ITEM	PART NUMBER	MATERIAL
1	HEADER	77313-101-04LF	HOUSING: HIGH TEMPERATURE THERMOPLASTIC (BLACK)
			TERMINAL: PHOSPHOR BRONZE
			PLATING: 0.76 um GOLD/GXT ON CONTACT AND 2 um TIN MIN ON SOLDER TAILS.
2	JUMPER	63429-142LF	HOUSING: POLYESTER (BLACK)
			TERMINAL: PHOSPHOR BRONZE
			PLATING: 0.38 um GOLD OR GXT ON CONTACT AREA OVER 1.27um Ni (note 4)
3	KAPTON TAPE	10103270-002	POLYAMIDE
4	EMBOSS TAPE	10103271-002	CONDUCTIVE POLYMER
-	-	-	-



* RANDOM ORIENTATION OF CONNECTORS ALLOWED IN EMBOSSED TAPE.

TAPE AND REEL PACKAGING DETAILS



HEADER (BEFORE TRIMMING SOLDER TAIL)

mat'l. code				surface ISO 1302 ✓	tolerance ISO 406 ISO 1101	projection 	product family MINITEK
ltr	ecn no	dr	date	tolerances unless otherwise specified		MM	title HEADER/JUMPER ASSEMBLY (2.54 mm)
D				angles	linear	±0.25	
				±3°		scale 10:1	
				dr	KH LEE	2009-03-25	dwg no
				enr	ANDREW YONG	2010-07-19	sheet 2 of 2
				chr	ANDREW YONG	2010-07-19	size 10103269 A
				appd	JOEY NG	2010-07-19	type Product Customer Drawing
sheet index	revision sheet						



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.