

Tilt Wall Mount for 60" to 100" Flat-Screen Displays

MODEL NUMBER: **DWT60100XX**



Highlights

- Low-profile mounting keeps unit out of sight for sleek, professional appearance
- Fits most flat-panel displays from 60 in. to 100 in.
- Supports up to 350 lbs.

Package Includes

- DWT60100XX Tilt Flat-Screen Wall Mount
- Mounting hardware
- Owner's manual

Description

Tripp Lite's VESA-compliant DWT60100XX Tilt Flat-Screen Wall Mount's low-profile design features an open frame for easy wall access and optimal flexibility for display positioning, allowing you to effortlessly reposition your display at any time, even after installation. It is ideal for freeing up valuable space in your workstation. The DWT60100XX packs a lot of functionality into an unobtrusive frame. It has a tilt adjustment with a wide range of motion (-15° to 15°) for improved viewing angles in applications where the audience is located below the display. Its durable, all-metal construction with scratch-resistant, powder-coat finish supports up to 350 lbs. and fits most 60" to 100" flat-screen displays. It comes with all the necessary mounting hardware. To help you install it perfectly, the DWT60100XX features a horizontal adjustment to compensate for off-center wall studs. For peace of mind, the DWT60100XX comes with a 5 year warranty.

Features

- Low-profile mounting keeps unit out of sight for sleek, professional appearance
- Fits most flat-panel displays from 60 in. to 100 in.
- Supports up to 350 lbs.
- Open frame for easy wall access
- Tilt adjustment improves viewing angles in applications where the audience is below the display
- Horizontal adjustment compensates for off-center wall studs
- Wide range of motion with -15° to 15° tilt capability

Specifications

PHYSICAL	
Mounting Location	Wall
Unit Dimensions (hwd / in.)	32.76 x 44.88 x 5.12
Unit Dimensions (hwd / cm)	83.2 x 113.0 x 113.0
Unit Weight (lbs.)	17.36



Tripp Lite
1111 W. 35th Street
Chicago, IL 60609 USA
Telephone: 773.869.1234
www.tripplite.com

Unit Weight (kg)	7.36
Color	Black
Monitor Display Size (in.)	60 - 100
Monitor Display Size (cm)	152.4 - 254
VESA Pattern (mm)	200x200; 400x200; 300x300; 400x400; 800x400; 800x600; 1000x400; 1000x600; 1000x800
Motion	Tilt
Degrees of Motion	-15/+15
Maximum Weight Capacity (lbs.)	350
Maximum Weight Capacity (kg)	158.8
FEATURES & SPECIFICATIONS	
Tools Necessary	Yes
Cord Management	No
WARRANTY	
Product Warranty Period (U.S. & Canada)	5-year limited warranty

© 2015 Tripp Lite. All rights reserved. All trademarks are the sole property of their respective owners. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Photos may differ slightly from final products.



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.