

## Type 4 Mild Steel Wallmount Enclosure w/ Sloped Top

### ST Series

#### Hinge Door with Quarter Turn



### Application

- Designed to enclose electrical and/or electronic equipment and protect against harsh, industrial environments for wallmount applications.
- Sloped top prevents water from resting on top as well as providing potential for controls mounting.
- Impressive styling features like hidden hinges and attractive latching systems make the Eclipse a suitable addition to any high-tech equipment installation.
- A wide range of sizes and practical accessories make this product line a complete package.

### Standards

- UL 508 Type 3R, 4 and 12
- CSA Type 3R, 4 and 12
- Complies with
  - NEMA 3R, 4 and 12
  - IEC 60529, IP66

### Construction

- Formed 14 or 16 gauge steel.
- Continuously welded seams ground smooth.
- Door stiffeners are provided where required for increased strength and rigidity - designed to also permit additional mounting options.
- Formed lip on enclosure to exclude flowing liquids and contaminants.
- Door latches feature the added safety of quarter turn slot requiring use of tool for opening.
- Doors may be easily removed for modifications and are interchangeable.
- Seamless poured-in place gasket.
- Collar studs provided for mounting inner panel.
- Includes hardware kit with panel mounting nuts and sealing washers for wall mounting holes.
- Bonding stud provided on door and grounding stud installed in enclosure.
- Hinges are finished in mild steel.
- Stainless steel hinge pins and quarter turns.


### Finish

- Cover and enclosure are finished in recoatable RAL 7035 light gray textured powder coating.

### Accessories

- [Cooling Products](#)
- [Blowers and Fans](#)

- [Breather Kits](#)
- [DIN Rail Mounting Kit](#)
- [Door Stop Kit](#)
- [Gland Plates](#)
- [Handles](#)
- [Inner Panels](#)
- [Mounting Foot Kit](#)
- [Swing Frame](#)
- [Replacement Hinge Pins](#)
- [Temperature Controls](#)
- [Type 4 Hardware Kits](#)
- [DIN Rails](#)
- [Drip Shield Kit](#)
- [Filtered Fans](#)
- [Heaters](#)
- [Quarter Turn Inserts and Keys](#)
- [Literature Pocket](#)
- [Swing Panel](#)
- [Rear Hole Plugs](#)
- [Quarter Turn Assemblies](#)
- [Touch-Up Spray Paint](#)
- [Padlock Adaptor](#)



Part No.	Overall Dimensions				Gauge		Panel Part No.	Latch Qty	Latch Style	Hinge Qty
	A1	A2	B	C	Door	Body				
ST12126LG	12.00	14.20	12.00	6.00	16.00	16.00	EP1212	1	Qtr Turn	2
ST16126LG	16.00	18.20	12.00	6.00	16.00	16.00	EP1612	1	Qtr Turn	2
ST20166LG	20.00	22.20	16.00	6.00	16.00	16.00	EP2016	1	Qtr Turn	2
ST20206LG	20.00	22.20	20.00	6.00	16.00	16.00	EP2020	1	Qtr Turn	2
ST16168LG	16.00	18.90	16.00	8.00	16.00	16.00	EP1616	1	Qtr Turn	2
ST20168LG	20.00	22.90	16.00	8.00	16.00	16.00	EP2016	1	Qtr Turn	2
ST20208LG	20.00	22.90	20.00	8.00	16.00	16.00	EP2020	1	Qtr Turn	2
ST24208LG	24.00	26.90	20.00	8.00	16.00	16.00	EP2420	1	Qtr Turn	2
ST24248LG	24.00	26.90	24.00	8.00	14.00	16.00	EP2424	2	Qtr Turn	2
ST30248LG	30.00	32.90	24.00	8.00	14.00	16.00	EP3024	2	Qtr Turn	3
ST30308LG	30.00	32.90	30.00	8.00	14.00	14.00	EP3030	2	Qtr Turn	3
ST36308LG	36.00	38.90	30.00	8.00	14.00	14.00	EP3630	2	Qtr Turn	3
ST242410LG	24.00	27.60	24.00	10.00	14.00	16.00	EP2424	2	Qtr Turn	2
ST302410LG	30.00	33.60	24.00	10.00	14.00	16.00	EP3024	2	Qtr Turn	3
ST363010LG	36.00	39.60	30.00	10.00	14.00	14.00	EP3630	2	Qtr Turn	3
ST483610LG	48.00	51.60	36.00	10.00	14.00	14.00	EP4836	1	3-point	4

<b>ST242412LG</b>	24.00	28.40	24.00	12.00	14.00	16.00	<b>EP2424</b>	2	Qtr Turn	2
<b>ST302412LG</b>	30.00	34.40	24.00	12.00	14.00	16.00	<b>EP3024</b>	2	Qtr Turn	3
<b>ST363012LG</b>	36.00	40.30	30.00	12.00	14.00	14.00	<b>EP3630</b>	2	Qtr Turn	3
<b>ST363612LG</b>	36.00	40.30	36.00	12.00	14.00	14.00	<b>EP3636</b>	2	Qtr Turn	3
<b>ST483612LG</b>	48.00	52.30	36.00	12.00	14.00	14.00	<b>EP4836</b>	1	3-point	4
<b>ST603612LG</b>	60.00	64.30	36.00	12.00	14.00	14.00	<b>EP6036</b>	1	3-point	4
<b>ST363016LG</b>	36.00	41.80	30.00	16.00	14.00	14.00	<b>EP3630</b>	2	Qtr Turn	3
<b>ST483616LG</b>	48.00	53.70	36.00	16.00	14.00	14.00	<b>EP4836</b>	1	3-point	4
<b>ST302420LG</b>	30.00	37.30	24.00	20.00	14.00	14.00	<b>EP3024</b>	2	Qtr Turn	3

*Data subject to change without notice.*

© 2012. Hammond Manufacturing Ltd. All rights reserved.



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



#### Как с нами связаться

**Телефон:** 8 (812) 309 58 32 (многоканальный)

**Факс:** 8 (812) 320-02-42

**Электронная почта:** [org@eplast1.ru](mailto:org@eplast1.ru)

**Адрес:** 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.