

THIS DRAWING IS UNPUBLISHED.		RELEASED FOR PUBLICATION	
© COPYRIGHT - BY TYCO ELECTRONICS CORPORATION.		ALL RIGHTS RESERVED.	
DESCRIPTION		MATERIAL	FINISH
GROMMET	FLUOROSILICONE 40/50 BLEND PER MIL-R-25988	COLOR: BLUE	
SPLICE ASSEMBLY HOUSING	EPOXY	COLOR: BLACK	
CONTACT FEMALE SOCKET	BERYLLIUM COPPER PER QQ-C-533	GOLD PLATE PER MIL-G-45204	
CLIP CONTACT RETAINING	BERYLLIUM COPPER PER QQ-C-533 OR STAINLESS STEEL PER QQ-S-766	NONE	
TUBE SHRINK	PER MIL-1-23053/8	COLOR TRANSPARENT	
CONTACTS 	COPPER ALLOY PER QQ-B-750	GOLD PLATE PER MIL-G-45204	

LOC	DIST	REVISIONS					
DF	AO	P	LTR	DESCRIPTION	DATE	DWN	APVD
			B	REV PER 0G3D-0083-01	07NOV01	MB	DM

- 6 A QUANTITY OF 2 CONTACTS ARE SUPPLIED WITH WIRE SPLICE.
- 5 PART NO. 592583-4 IS MARKED WITH MILITARY PART NO. M81714/11-22D.
.060 MINIMUM HIGH CHARACTERS AT APPROXIMATE AREA SHOWN.
- 4 PART NO. 592583-3 IS MARKED WITH MILITARY PART NO. M81714/11-20D.
.060 MINIMUM HIGH CHARACTERS AT APPROXIMATE AREA SHOWN.
- 3 PART NO. 592583-2 IS MARKED WITH MILITARY PART NO. M81714/11-16D.
.060 MINIMUM HIGH CHARACTERS AT APPROXIMATE AREA SHOWN.
- 2 PART NO. 592583-1 IS MARKED WITH MILITARY PART NO. M81714/11-12D.
.060 MINIMUM HIGH CHARACTERS AT APPROXIMATE AREA SHOWN.
- 1 MARK WIRE SPLICE WITH "AMP", AMP PART NO. AND DATE CODE
.060 MINIMUM HIGH CHARACTERS AT APPROXIMATE AREA SHOWN.


THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT - BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
DF	AD		—	SEE SHEET 1	—	—	—

DESCRIPTION	MATERIAL	FINISH
GROMMET	FLUOROSILICONE 40/50 BLEND PER MIL-R-25988	COLOR: BLUE
SPLICE ASSEMBLY HOUSING	EPOXY	COLOR: BLACK
CONTACT FEMALE SOCKET	BERYLLIUM COPPER PER QQ-C-533	GOLD PLATE PER MIL-G-45204
CLIP CONTACT RETAINING	BERYLLIUM COPPER PER QQ-C-533 OR STAINLESS STEEL PER QQ-S-766	NONE
TUBE SHRINK	PER MIL-1-23053/8	COLOR TRANSPARENT
CONTACTS 	COPPER ALLOY PER QQ-B-750	GOLD PLATE PER MIL-G-45204



THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN
J. MECK
04-10-93

CHK
R. RYAN
05-12-93

APVD
R. RYAN
05-12-93

PRODUCT SPEC

APPLICATION SPEC

WEIGHT -

CUSTOMER DRAWING

NAME

WIRE SPLICE, SINGLE
SIZE 12, 20/22
ASSEMBLY TJ

SIZE

A2

CAGE CODE

00779

DRAWING NO

C-592583

RESTRICTED TO

-

SCALE

4: 1

SHEET

2

OF

3

REV

B

AMP

Tyco Electronics Corporation
Harrisburg, PA 17105



THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT - BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
DF	AD		—	SEE SHEET 1	—	—	—

DESCRIPTION	MATERIAL	FINISH
GROMMET	FLUOROSILICONE 40/50 BLEND PER MIL-R-25988	COLOR: BLUE
SPLICE ASSEMBLY HOUSING	EPOXY	COLOR: BLACK
CONTACT FEMALE SOCKET	BERYLLIUM COPPER PER QQ-C-533	GOLD PLATE PER MIL-G-45204
CLIP CONTACT RETAINING	BERYLLIUM COPPER PER QQ-C-533 OR STAINLESS STEEL PER QQ-S-766	NONE
TUBE SHRINK	PER MIL-1-23053/8	COLOR TRANSPARENT
CONTACTS 	COPPER ALLOY PER QQ-B-750	GOLD PLATE PER MIL-G-45204



THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN
J. MECK
04-10-93


CHK
R. RYAN
05-12-93

APVD
R. RYAN
05-12-93

NAME

WIRE SPLICE, SINGLE
SIZE 12, 20/22
ASSEMBLY TJ

DIMENSIONS:
INCHES



TOLERANCES UNLESS
OTHERWISE SPECIFIED:

0 PLC ± -
1 PLC ± -
2 PLC ± .02
3 PLC ± -
4 PLC ± -
ANGLES ± -

MATERIAL
-

FINISH
-

DWN
J. MECK
04-10-93

CHK
R. RYAN
05-12-93

APVD
R. RYAN
05-12-93

PRODUCT SPEC
-

APPLICATION SPEC
-

WEIGHT
-

SIZE
A2

CAGE CODE
00779

DRAWING NO
C-592583

RESTRICTED TO
-

CUSTOMER DRAWING

SCALE
4: 1

SHEET
3 OF 3

REV
B



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.