


NOTES:

1. MATERIALS AND FINISHES:
 - 1.0/2.3 PLUG:
 - BODY - BRASS, NICKEL PLATING
 - CONTACT - BRASS, GOLD PLATING
 - BNC PLUG:
 - BODY - PHOSPHOR BRONZE, NICKEL PLATING
 - CONTACT - BRASS, GOLD PLATING
 - CABLE - RG-179
2. ELECTRICAL:
 - A. IMPEDANCE: 75 OHM
3. PACKAGING:
 - A. QUANTITY: SINGLE PACK
 - B. MARKING: BAG TO BE MARKED
"AMPHENOL, 95-850-201-XXX, AND DATE CODE"

THIRD ANGLE PROJ.

REVISIONS

| REV | DESCRIPTION | DATE | ECN | APPR |
|-----|-----------------|-----------|-------|------|
| A | RELEASE TO MFG. | 01-Oct-18 | 09290 | SV |



DESIGN REQUIREMENTS

- | | |
|--|--|
| <input checked="" type="checkbox"/> FREQUENCY: DC TO 4 GHz | <input checked="" type="checkbox"/> CONTINUITY |
| <input type="checkbox"/> VSWR: ---- :1 MAX | <input checked="" type="checkbox"/> HI-POT: 250 VRMS |
| <input type="checkbox"/> INS. LOSS: ---- dB MAX | <input type="checkbox"/> OTHER |

CUSTOMER OUTLINE DRAWING

ALL OTHER SHEETS ARE FOR INTERNAL USE ONLY

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN METRIC AND TOLERANCES ARE:
 <0.5mm ±0.05mm 0.5 - 6mm ±0.1mm 6 - 30mm ±0.2mm 30 - 120mm ±0.3mm ANGLES ±1°

NOTICE - These drawings, specifications, or other data (1) are, and remain the property of Amphenol corp. (2) must be returned upon request; and (3) are confidential and not to be disclosed to any person other than those to whom they are given by Amphenol Corp. the furnishing of these drawings, specifications, or other data by Amphenol Corp., or to any other person to anyone for any purpose is not to be regarded by implication or otherwise in any manner licensing, granting rights to permitting such holder or any other person to manufacture, use or sell any product, process or design, patented or otherwise, that may in any way be related to or disclosed by said drawings, specifications, or other data.

| | | |
|------------------------------------|------------------|-------------------|
| MATERIAL SEE NOTES | DRAWN S.VO | DATE 22-May-18 |
| REFERENCE EAR# 8193 REF: --- | ENGINEER S.VO | DATE 22-May-18 |
| CONFIGURATION LEVEL: In Work | APPROVED --- | DATE --- |
| FINISH | CAD FILE | |

| | | |
|---|----------------|--------------|
| TITLE 1.0/2.3 CRIMP PLUG TO BNC PLUG USING RG-179 CABLE, VARIOUS LENGTHS | SCALE: 2.0:1.0 | SHEET 3 OF 4 |
| DWG SIZE B | REV A | |

| |
|-----------------------------------|
| Amphenol RF www.amphenolrf.com |
| DRAWING NO. 95-850-201-XXX |
| ITEM NO. 95-850-201-XXX |
| PART NO. 95-850-201-XXX |

THIRD ANGLE PROJ. 

REVISIONS

| REV | DESCRIPTION | DATE | ECN | APPR |
|-----|-----------------|-----------|-------|------|
| A | RELEASE TO MFG. | 01-Oct-18 | 09290 | SV |

| PART NUMBER (IMPERIAL) | PART NUMBER (METRIC) | LENGTH AND TOLERANCE 'L' IN INCHES [METERS] | LENGTH 'X' IN INCHES [METERS] MIN |
|------------------------|----------------------|---|-----------------------------------|
| 95-850-201-240 | | 240.00 [6.096] | |
| 95-850-201-216 | | 216.00 [5.486] | |
| - | 95-850-201M500 | 196.85 [5.000] | |
| 95-850-201-192 | | 192.00 [4.877] | |
| 95-850-201-180 | | 180.00 [4.572] | |
| 95-850-201-168 | | 168.00 [4.267] | |
| - | 95-850-201M400 | 157.48 [4.000] | |
| 95-850-201-144 | | 144.00 [3.658] | |
| 95-850-201-120 | | 120.00 [3.048] | |
| - | 95-850-201M300 | 118.11 [3.000] | |
| 95-850-201-108 | | 108.00 [2.743] | |
| 95-850-201-096 | | 96.00 [2.438] | |
| 95-850-201-084 | | 84.00 [2.134] | |
| - | 95-850-201M200 | 78.74 [2.000] | |
| 95-850-201-072 | | 72.00 [1.829] | |
| 95-850-201-060 | | 60.00 [1.524] | |
| - | 95-850-201M150 | 59.06 [1.500] | |
| - | 95-850-201M125 | 49.21 [1.250] | |
| 95-850-201-048 | | 48.00 [1.219] | |
| - | 95-850-201M100 | 39.37 [1.000] | |
| 95-850-201-036 | | 36.00 [0.914] | |
| - | 95-850-201M075 | 29.53 [0.750] | |
| 95-850-201-024 | | 24.00 [0.610] | |
| - | 95-850-201M050 | 19.69 [0.500] | |
| 95-850-201-018 | | 18.00 [0.457] | |
| 95-850-201-012 | | 12.00 [0.305] | |
| - | 95-850-201M030 | 11.81 [0.300] | |
| - | 95-850-201M025 | 9.84 [0.250] | |
| - | 95-850-201M020 | 7.87 [0.200] | |
| 95-850-201-006 | | 6.00 [0.152] | |
| - | 95-850-201M015 | 5.91 [0.150] | |
| | | 1.50 [0.038] | |
| | | 0.75 [0.019] | |
| | | | |

| | |
|---------------------------------|----------------|
| 5.0' - 24.9' [1.524 - 7.617] | ±2.5% |
| 24.00" - 59.00" [0.610 - 1.499] | ±0.50" [0.013] |
| 0" - 23.90" [0 - 0.607] | ±0.25" [0.006] |
| LENGTH IN INCHES/FT [METERS] | TOLERANCE |
| TOLERANCE TABLE | |

| | | | | | | |
|--|---|-----------------------------|------------------------------|--|--|-----------------------------------|
| <p>UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN METRIC AND TOLERANCES ARE: <0.5mm 0.5 - 6mm 6 - 30mm 30 - 120mm ANGLES ± 0.05mm ±0.1mm ±0.2mm ± 0.3mm ±1°</p> <p>NOTICE - These drawings, specifications, or other data (1) are, and remain the property of Amphenol corp. (2) must be returned upon request; and (3) are confidential and not to be disclosed to any person other than those to whom they are given by Amphenol Corp. the furnishing of these drawings, specifications, or other data by Amphenol Corp., or to any other person to anyone for any purpose is not to be regarded by implication or otherwise in any manner licensing, granting rights to permitting such holder or any other person to manufacture, use or sell any product, process or design, patented or otherwise, that may in any way be related to or disclosed by said drawings, specifications, or other data.</p> | <p>MATERIAL</p> | <p>DRAWN</p> <p>S.VO</p> | <p>DATE</p> <p>25-Sep-18</p> | <p>TITLE</p> <p>1.0/2.3 CRIMP PLUG TO BNC PLUG USING RG-179 CABLE, VARIOUS LENGTHS</p> | <p>Amphenol RF</p> <p>www.amphenolrf.com</p> | |
| | <p>REFERENCE</p> <p>EAR# 8193</p> <p>REF: ---</p> | <p>ENGINEER</p> <p>S.VO</p> | <p>DATE</p> <p>25-Sep-18</p> | | | <p>DRAWING NO. 95-850-201-XXX</p> |
| | <p>CONFIGURATION LEVEL: In Work</p> | <p>APPROVED</p> <p>---</p> | <p>DATE</p> <p>---</p> | <p>SCALE: 2.0:1.0</p> | <p>SHEET 4 OF 4</p> | <p>ITEM NO. 95-850-201-XXX</p> |
| | <p>FINISH</p> | <p>CAD FILE</p> | <p>DWG SIZE</p> <p>B</p> | <p>REV</p> <p>A</p> | <p>PART NO. 95-850-201-XXX</p> | |



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.