

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT — By — ALL RIGHTS RESERVED.

LOC
GP

DIST
00

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	C3	REDRAWN PER ECO-11-017642	06JAN2012	CJV	CWR

2

1

1.27 TYP

B REF

2.9

2.54 TYP

0.50

A REF

3.81 TYP

1

2

3

6.7

0.32

2.54

CONNECTOR HEIGHT AFTER CABLE TERMINATION 1

1

2

3

4

CONNECTOR IS DESIGNED FOR FLAT RIBBON CABLE ON 1.27 CENTERS. FOR CABLE REQUIREMENTS SEE APPLICATION SPECIFICATION 114-19022.

INDICATION OF FIRST CABLE POSITION REFERRING TO CORRESPONDING CONTACT POSITION (BLACK INK MARKS)

SOLDER-TINES FOR 0.8±0.05 DIAMETER HOLES.

3.0-5.1µm TIN WITH ENTIRE NICKEL UNDERCOATING.

1000

86.36

78.74

64

6-216792-4

1000

81.28

73.66

60

6-216792-0

1000

68.58

60.96

50

5-216792-0

1500

60.96

53.34

44

4-216792-4

1500

55.88

48.26

40

4-216792-0

1500

48.26

40.64

34

3-216792-4

1500

38.10

30.48

26

2-216792-6

1500

30.48

22.86

20

2-216792-0

1500

25.40

17.78

16

1-216792-6

1500

22.86

15.24

14

1-216792-4

1500

17.78

10.16

10

1-216792-0

OBSOLETE

1500

12.70

5.08

6

216792-6

QUANTITY PER REEL

B

A

NO. OF DUAL POS.

PART NUMBER

4

PHOSPHOR BRONZE

CONTACTS

3

GREY

THERMOPLASTIC POLYESTER

HOUSING AND COVER

2

GREY

THERMOPLASTIC POLYESTER

HOUSING

1

PLATING AND COLOR

MATERIAL

DESCRIPTION

ITEM NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm

0 PLC

1 PLC

2 PLC

3 PLC

4 PLC

ANGLES

FINISH

± -

± -

± -

± -

± -

± -

-

MATERIAL

SEE TABLE

DWN
C. VALENTINE

06JAN2012

CHK
C. ROHDE

06JAN2012

APVD
C. ROHDE

06JAN2012

PRODUCT SPEC
108-19033

APPLICATION SPEC
-

WEIGHT
-

CUSTOMER DRAWING

STE

TE Connectivity

NAME

AMP LATCH 2.54 DIL-PLUG CONNECTOR,
W/ RETENTION FEATURE,
TAPE MOUNTED ON REEL

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A3

00779

C-216792

-

SCALE

NTS

SHEET


1 OF 2



REV

C3

1470-19


(3/11)





RECOMMENDED PCB-HOLE PATTERN

2.54 TYP



2.54 TYP


A REF

ø0.8±0.05 TYP

⌀0.05

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm



MATERIAL
—

TOLERANCES UNLESS
OTHERWISE SPECIFIED:

0 PLC	± —
1 PLC	± —
2 PLC	± —
3 PLC	± —
4 PLC	± —
ANGLES	± —
FINISH	—

DWN
C. VALENTINE
06JAN2012

CHK
C. ROHDE
06JAN2012

APVD
C. ROHDE
06JAN2012

PRODUCT SPEC
108-19033

APPLICATION SPEC
—

WEIGHT
—

CUSTOMER DRAWING

TE Connectivity

NAME
AMP LATCH 2.54 DIL-PLUG CONNECTOR,
W/ RETENTION FEATURE,
TAPE MOUNTED ON REEL

SIZE
A3

CAGE CODE
00779

DRAWING NO
C-216792

RESTRICTED TO
—

SCALE
NTS

SHEET
2 OF 2

REV
C3

1470-19 (3/11)



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.