







LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION		DATE	DWN	APVD	
-	-	SEE SHEET 1		-	-	-	



2198235-5 AS SHOWN WITH INSULATING TAPE
WITH PIN TYPE HEAT SINK




2198235-1,2,3,4 WITHOUT INSULATING TAPE
WITH PIN TYPE HEAT SINK




2198235-6,7,8,9 AS SHOWN WITHOUT INSULATING TAPE WITH FIN TYPE HEAT SINK

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN B. MATTHEWS	15NOV2011	 TE Connectivity			
		CHK M. SCHMITT	15NOV2011				
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME SFP+ ENHANCED 1X6 CAGE ASSEMBLY, PRESS FIT, EXTERNAL EMI SPRINGS WITH HEATSINK				
	0 PLC ±0.1 1 PLC ±0.1 2 PLC ±0.1 3 PLC ±0.1 4 PLC ±0.1 ANGLES ±1° FINISH						
			PRODUCT SPEC 108-2364		SIZE A100779	CAGE CODE C=2198235	RESTRICTED TO -
			APPLICATION SPEC 114-13120				
			WEIGHT -				
			Customer Drawing				
	MATERIAL		SCALE 4:1		SHEET 2 OF 7		REV B2


LOC		DIST		REVISONS			
GP		P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-




RECOMMENDED BEZEL CUT-OUT
SINGLE SIDED APPLICATIONS
SCALE 5:2



2198235
MOUNTED ON PC BOARD
SHOWN THRU RECOMMENDED BEZEL






RECOMMENDED BEZEL CUT-OUT
BELLY TO BELLY APPLICATIONS




2198235
MOUNTED BELLY TO BELLY ON PC BOARD
SHOWN THRU RECOMMENDED BEZEL

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN B. MATTHEWS 15NOV2011	TE Connectivity	
DIMENSIONS:		CHK M. SCHMITT 15NOV2011		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD M. SCHMITT 15NOV2011	NAME SFP+ ENHANCED 1X6 CAGE ASSEMBLY, PRESS FIT, EXTERNAL EMI SPRINGS WITH HEATSINK	
	0 PLC ±0.1 1 PLC ±0.1 2 PLC ±0.1 3 PLC ±0.1 4 PLC ±0.1 ANGLES ±1° FINISH	PRODUCT SPEC 108-2364 APPLICATION SPEC 114-13120	SIZE A100779	RESTRICTED TO -
MATERIAL		WEIGHT -	DRAWING NO. C=2198235	REV B2
Customer Drawing		SCALE 4:1	SHEET 3 OF 7	




—CROSS-HATCHED AREA
DENOTES COMPONENT
AND TRACE KEEP-OUT
(EXCEPT CHASSIS
GROUND)


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN B. MATTHEWS 15NOV2011 CHR M. SCHMITT 15NOV2011 APVD M. SCHMITT 15NOV2011		 TE Connectivity	
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	
mm		0 PLC ±0.1 1 PLC ±0.1 2 PLC ±0.1 3 PLC ±0.1 4 PLC ±0.1 ANGLES ±1°		SFP+ ENHANCED 1X6 CAGE ASSEMBLY, PRESS FIT, EXTERNAL EMI SPRINGS WITH HEATSINK	
		PRODUCT SPEC 108-2364 APPLICATION SPEC 114-13120		SIZE A1	
MATERIAL		FINISH		CAGE CODE DRAWING NO	
		WEIGHT -		00779 © 2198235	
Customer Drawing		SCALE		SHEET	
		4:1		4 of 7	
				REV B2	



THIS PRINT IS
PRELIMINARY
UNQUALIFIED PRODUCT
CONTACT PRODUCT ENGINEERING
BEFORE USING THIS PRINT

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN B. MATTHEWS 15NOV2011 CHK M. SCHMITT 15NOV2011		 TE Connectivity	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 0.1 1 PLC ± 0.1 2 PLC ± 0.1 3 PLC ± 0.1 4 ANGLES $\pm 1^\circ$		NAME SFP+ ENHANCED IXX6 GAGE ASSEMBLY, PRESS FIT, EXTERNAL EMI SPRINGS WITH HEATSINK	
		PRODUCT SPEC 108-2364 APPLICATION SPEC 114-13120		SIZE CASE CODE DRAWING NO A100779C=2198235	
MATERIAL 		FINISH WEIGHT -		RESTRICTED TO -	
		Customer Drawing		SCALE 4:1 SHEET 5 OF 7 REV B2	





THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN B. MATTHEWS	15NOV2011		
DIMENSIONS:		CHK M. SCHMITT	15NOV2011		
mm		APVD W. SCHMITT	15NOV2011	NAME SFP+ ENHANCED 1X6 CAGE ASSEMBLY, PRESS FIT, EXTERNAL EMI SPRINGS WITH HEATSINK	
		TOLERANCES UNLESS OTHERWISE SPECIFIED:		SIZE 108-2364	
		0 PLC ±0.1		APPLICATION SPEC 114-13120	
MATERIAL		1 PLC ±0.1		WEIGHT	
		2 PLC ±0.1		Customer Drawing	
FINISH		3 PLC ±0.1		SCALE 4:1	
		4 PLC ±0.1		SHEET 7 OF 7	
ANGLES		±1°		REV B2	



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.