

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

- - -

C



COPYRIGHT 2010 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
C2		REVISED(ECR-14-007434), ADD PN 2-1759500-4	19MAY14	S.C.	H.L



RECOMMENDED PCB LAYOUT (CONNECTOR MOUNT SIDE)
TOLERANCE: ±0.05, PCB THICKNESS: 1.6mm

NOTE:

1. MATERIAL:

HOUSING: SEE TABLE(PA46, UL94 V-0, COLOR: BLACK.
OR PA6T, HF, UL94 V-0, COLOR:BLACK)

CONTACTS: BRASS.

2. FINISH:

SEE TABLE.

(CONTACTS: 2.03um [80u"] MIN. MATTE-TIN PLATING ALL OVER
1.27um [50u"] MIN. NICKEL UNDERPLATED OVERALL.

OR




CONTACTS: GOLD FLASH PLATING ALL OVER
1.27um [50u"] MIN. NICKEL UNDERPLATED OVERALL.)

3. WAVE SOLDER CAPABLE TO 265°C PER TEST SPEC.

109-202, CONDITION B.

△ PIN NO.4 IS 5.60mm AND THE OTHERS ARE 5.10mm.

5. WEIGHT: SEE TABLE



PA6T	GF	6P	1.95g	WITH		3.30	5.1	12.00	5.08	8.80	15.00	2-1759500-4
PA46	TIN	6P	1.95g			2.10	5.1	12.00	5.08	8.80	15.00	1-1759500-4
		4P	1.67g				5.1	9.46	2.54	6.26	12.50	1-1759500-1
		10P		WITH		3.30	5.1	17.08	10.16	13.88	20.10	
		8P	2.07g				5.1					1759500-8
			2.08g	WITH			5.1	14.54	7.62	11.34	17.50	1759500-7
		6P	1.90g				△ 5.1					1759500-6
			1.90g				5.1	12.00	5.08	8.80	15.00	1759500-5
			1.95g	WITH			5.1					1759500-4
		4P	1.67g				△ 5.1					1759500-3
			1.67g				5.1	9.46	2.54	6.26	12.50	1759500-2
				WITH	WITH		5.1					
HSG MAT'L	CONT. Plated	N(POS.)	N.W	POST 2	POST 1	DIM. F	DIM.E	DIM. D	DIM. C	DIM. B	DIM. A	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN B. HSING 25JUN2009

CHK S. CHIEN 25JUN2009

APVD W. KODAMA 25JUN2009

PRODUCT SPEC

108-99100

APPLICATION SPEC

WEIGHT

SEE TABLE

CUSTOMER DRAWING

STE

TE Connectivity

BLIND MATE BOX HEADER

SIZE CAGE CODE DRAWING NO RESTRICTED TO

A3100779C=1759500

SCALE SHEET 1 OF 2 REV C2

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

-,-



COPYRIGHT 2010

BY TYCO ELECTRONICS CORPORATION.

ALL RIGHTS RESERVED.


LOC

DIST


DW

REVISIONS


P	LTR	DESCRIPTION	DATE	DWN	APVD
		SEE SHEET 1.			




PRODUCT




PAPER CLAPBOARD



INNER BOX



CARTON



NOTES :

1. MATERIAL :

1.1 INNER BOX : CORRUGATED FIBERBOARD

1.2 CARTON : CORRUGATED FIBERBOARD

2. DIMENSION : SEE TABLE

3. QUANTITY : SEE TABLE

4. WEIGHT : SEE TABLE

10.5KG	9.2KG	440x193x244	179x126x53	300PCS	3600PCS	8P
10.7KG	9.4KG	440x198x244	184x126x53	360PCS	4320PCS	6P
10.2KG	8.9KG	440x193x244	179x126x53	420PCS	5040PCS	4P
GROSS WEIGHT	NET WEIGHT	CARTON DIM. LxWxH(mm)	INNER BOX DIM. LxWxH(mm)	Q'TY/ INNER BOX	Q'TY/CARTON (12 INNER BOX)	PIN NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN	—
CHK	—
APVD	—
PRODUCT SPEC	—
APPLICATION SPEC	—
WEIGHT	—
CUSTOMER DRAWING	—




TE Connectivity

NAME			
BLIND MATE BOX HEADER			
SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C=1759500	—
SCALE		SHEET	REV
—		2 OF 2	C2

DIMENSIONS:

mm



TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	±	—
1 PLC	±	0.3
2 PLC	±	0.2
3 PLC	±	0.15
4 PLC	±	—
ANGLES	±	3°

MATERIAL

FINISH



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.