

## Protect It! Personal Charging Station w/ 3-Outlet Surge Protector, Direct Plug-In, 540 Joules, 4 USB Ports, 3 AC Outlets

MODEL NUMBER: **SK34USBB**



### Highlights

- 3 NEMA 5-15R outlets
- 4 USB charging ports (4.8A total)
- 2 slots for holding tablets and smartphones
- 540 joules of surge protection
- \$10,000 Ultimate Lifetime Insurance (U.S., Canada and Puerto Rico only)

### Package Includes

- SK34USBB Protect It! Personal Charging Station w/ 3-Outlet Surge Protector
- Owner's manual

### Description

The SK34USBB Protect It! Personal Charging Station charges your sensitive electronics and protects them against surges, power fluctuations and EMI/RFI line noise that can damage devices and destroy data. Ideal for home, office, workstations, dorm rooms and hotel rooms, the SK34USBB features 540 joules of surge protection. Because of its small size and direct plug-in design, you can take it anywhere.

With three NEMA 5-15R AC outlets and four USB ports with 4.8 total amps, the SK34USBB can charge multiple power-hungry devices, such as tablets, MP3 players and smartphones. A built-in top slot and an additional slide-out slot hold your devices to keep them safe and organized and avoid cable clutter. A diagnostic LED confirms protection status at a glance. An automatic shutoff feature cuts power to the outlets if the protection circuit has been compromised. Backed by \$10,000 of Ultimate Lifetime Insurance in the U.S., Canada and Puerto Rico only.

### Features

#### Charges and Protects Your Portable Devices

- Charges mobile devices, such as tablets, MP3 players and smartphones
- Ideal for home, office, workstations, dorm rooms and hotel rooms
- 540 joules protect against surges, power fluctuations and EMI/RFI line noise
- Diagnostic LED confirms protection status at a glance
- Cuts power to outlets automatically if protection circuit is compromised
- Direct plug-in design for easy transport anywhere

#### Easily Handles Multiple Devices

- 3 NEMA 5-15R outlets
- 4 USB charging ports (4.8A total)

#### Stores Mobile Devices While Charging

- Built-in top slot and additional pull-out slot hold 2 devices



- Keeps devices safe and organized
- Cuts down on cable clutter

## Specifications

| OUTPUT                             |  |
|------------------------------------|--|
| Charging Ports / Amps              | (4) 4.8A   |
| Frequency Compatibility            | 60 Hz  |
| Output Receptacles                 | (3) 5-15R  |
| Output (Watts)                     | 1800   |
| Circuit Breaker (amps)             | 15   |
| Right-Angle Outlets                | No   |
| INPUT                              |  |
| Nominal Input Voltage(s) Supported | 120V AC  |
| Recommended Electrical Service     | 120V   |
| Input Connection Type              | NEMA 5-15P input plug  |
| Input Plug Features                | 120V, 15A  |
| Input Cord Length (ft.)            | 0  |
| Input Cord Length (m)              | 0.00   |
| Input Cord Length Details          | Direct Plug-In   |
| Voltage Compatibility (VAC)        | 120  |
| Right-Angle Plug                   | No   |
| SURGE / NOISE SUPPRESSION          |  |
| AC Suppression Joule Rating        | 540  |
| AC Suppression Response Time       | < 1ns  |
| Protection Modes                   | Includes full normal mode (H-N) and common mode (N-G / H-G) line suppression |
| Clamping Voltage (RMS)             | 600  |
| UL1449 Let Through Rating          | 600, 700, 700  |
| Immunity                           | Conforms to IEE 587/ANSI C62.41  |
| DATALINE SURGE SUPPRESSION         |  |
| Telephone/DSL Protection           | No   |
| Cable (Coax) Protection            | No   |
| Network (Ethernet) Protection      | No   |



| <b>PHYSICAL</b>  |  |
|--|--|
| Unit Dimensions (hwd / in.)                                | 4.96 x 3.70 x 1.32   |
| Unit Dimensions (hwd / cm)                                 | 12.6 x 9.5 x 3.35  |
| Unit Weight (lbs.)   | 0.57   |
| Unit Weight (kg)   | 0.26   |
| Material of Construction                                   | Plastic  |
| Integrated Keyhole Mounting Tabs                           | Direct plug-in suppressor mounts directly to a wall receptacle |
| Housing Color  | Black  |
| Receptacle Color   | Black  |
| <b>CERTIFICATIONS</b>                                      |  |
| UL1449 3rd Edition (AC Suppression)                        | UL1449 3rd Edition   |
| Approvals  | RoHS   |
| <b>WARRANTY</b>  |  |
| Product Warranty Period (Worldwide)                        | Lifetime limited warranty                                      |
| Connected Equipment Insurance (U.S., Canada & Puerto Rico) | \$10,000 <a href="#">Ultimate Lifetime Insurance</a>           |

© 2017 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: <https://www.tripplite.com/products/product-certification-agencies>



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



#### Как с нами связаться

**Телефон:** 8 (812) 309 58 32 (многоканальный)

**Факс:** 8 (812) 320-02-42

**Электронная почта:** [org@eplast1.ru](mailto:org@eplast1.ru)

**Адрес:** 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.