






This document is the property of and embodies
CONFIDENTIAL and PROPRIETARY information of FCI.
No part of the information shown on this
document may be used in any way or disclosed
to others without the written consent of FCI.
Copyright FCI.

REV E - 2006-04-18

PRODUCT NUMBER
85674-XYX OR 85674-XXXX
85674-XYXLF OR 85674-XXXXLF



mat'l code				SEE NOTES				tolerances unless otherwise specified				CUSTOMER			FCI		
ltr	ecn no.	dr	date	linear	0.X ±0.3	projection	0.XX ±0.13	dr	T.BRUNGARD	11/19/99	scale	COPY			www.fciconnect.com		
CD	DG07-0409	Cenh	10/18/07	angles	.XXX ±.051	projection	0° ±2°	enr	M.STRAWER	11/19/99	scale	MIM			title		
CE	DG07-0487	Cenh	12/04/07	dr		projection		chr	M.STRAWER	11/19/99	scale	2:1			product family		
CF	DG08-0246	Cenh	09/26/08	enr		projection		appd	M.STRAWER	02/29/00	scale	A			METRAL		
CG	DG08-0303	Cenh	10/30/08	enr		projection		appd	M.STRAWER	02/29/00	scale	A			code		
CH	DG09-0073	Cenh	03/05/09	enr		projection		appd	M.STRAWER	02/29/00	scale	A			size		
-	-	-	-	-	-	-	-	-	-	-	-	2:1			dwg no		
sheet	revision	CH	CH	CH	CH	CH	CH	CH	CH	CH	CH	85674			213		
index	sheet	1	2	3	4	5	6	7	8	9	10	A			sheet		
												cage code			1 of 10		
												22526			4		

Pro/E

PDM: Rev:CH


STATUS: Released

Printed: May 16, 2009



This document is the property of and embodies
CONFIDENTIAL and PROPRIETARY information of FCI.
No part of the information shown on this
document may be used in any way or disclosed
to others without the written consent of FCI.
Copyright FCI.

REV E - 2006-04-18



3 | 4

KEY (SIGNAL PRESS-FIT)		
CODE	DIMENSIONS	
	DIM "A" MATE	DIM "B" TAIL
1	5.00	4.30
2	5.75	4.30
3	6.50	4.30
4	7.25	4.30
5	5.00	13.60
6	5.75	13.60
7	6.50	13.60
8	7.25	13.60
11	6.50	17.00
19	8.00	4.30
20	8.00	13.60
21	8.00	17.00
22	5.00	12.10
29	8.00	14.60
30	5.00	12.90
31	5.75	12.90
40	5.00	15.60
41	6.50	15.60
49	5.75	15.10
52	8.00	15.10
59	5.00	11.80
61	6.50	11.80
64	5.75	14.90
65	5.00	16.30
67	7.25	16.30

A

mat'l code				- -		tolerances unless otherwise specified		CUSTOMER				www.fciconnect.com		
ltr	ecn no.	dr	date	linear	0. X ±0.3		COPY			title METRAL SIGNAL HEADER I MOD, 5 ROW PRESS-FIT				
CH					0. XX ±0.13		projection							
					.XXX ±.051									
				angles	0° ±2°					product family METRAL			code 213	
			dr	T.BRUNGARD	11/19/99	scale 3:2								
			enrg	M. STRAWSER	11/19/99									
			chr	M. STRAWSER	11/19/99			size A		dwg no 85674		sheet 2		
				appd	M. STRAWSER	02/29/00								
sheet index		revision sheet												

Pro/E

cage code 22526

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X01	E	1	1	1	1	1	1
	D	1	1	1	1	1	1
-----	C	1	1	2	2	2	2
85674-X01LF	B	1	1	1	1	1	1
	A	1	1	1	1	1	1

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X07	E	5	5	5	5	5	5
	D	5	5	5	5	5	5
-----	C	8	8	8	8	8	8
85674-X07LF	B	5	5	5	5	5	5
	A	5	5	5	5	5	5

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X13	E	I	I	-	I	I	
	D	I	I	-	I	I	
-----	C	I	I	-	-	-	
85674-X13LF	B	I	I	-	I	I	
	A	I	I	-	I	I	

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X17	E	22	22	22	22	22	22
	D	22	22	22	31	22	22
-----	C	22	22	22	22	22	22
:85674-X17LF	B	22	22	22	22	22	22
	A	22	22	22	22	7	2

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X2I	E	1	2	4	4	2	4
	D	1	2	4	4	2	4
-----	C	1	2	4	4	2	4
85674-X2ILF	B	1	2	4	4	2	4
	A	1	2	4	4	2	4

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X02	E	5	5	5	5	5	5
	D	5	5	5	5	5	5
-----	C	5	5	6	6	6	6
85674-X02LF	B	5	5	5	5	5	5
	A	5	5	5	5	5	5

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X08	E	8	8	8	8	8	5
	D	8	8	8	8	8	5
-----	C	8	8	8	8	8	5
85674-X08LF	B	8	8	8	8	8	5
	A	8	8	8	8	8	5

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X14	E	2	2	49	49	49	4
	D	2	2	49	49	49	4
-----	C	2	2	49	49	49	4
85674-X14LF	B	2	2	49	49	49	4
	A	2	2	49	49	49	4

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X18	E	7	7	7	7	7	7
	D	7	7	7	7	7	7
-----	C	7	7	7	7	7	7
85674-X18LF	B	-	7	7	7	7	7
	A	-	7	7	7	7	7

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X22	E	7	7	7	7	7	7
	D	7	7	7	3	7	7
85674-X22LF	C	7	7	7	7	7	7
	B	7	7	7	7	7	7
	A	7	7	7	7	7	7

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X03	E	I	I	I	I	I	I
	D	I	I	I	I	I	I
-----	C	4	4	4	4	4	4
85674-X03LF	B	I	I	I	I	I	I
	A	I	I	I	I	I	I

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X09	E	5	5	5	5	5	5
	D	5	5	5	5	5	5
-----	C	5	5	5	5	5	5
85674-X09LF	B	5	5	5	5	5	8
	A	5	5	5	5	5	8

METRAL P/N	ROW	CONTACT CODE MOD. I					
		I	2	3	4	5	
85674-X15	E	49	49	49	49	2	
	D	49	49	49	49	2	
-----	C	49	49	49	49	2	
85674-X15LF	B	49	49	49	49	2	
	A	49	49	49	49	2	

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X19 ----- 85674-X19LF	E	3	3	3	3	3	-
	D	3	3	3	3	3	-
	C	3	3	3	3	3	-
	B	-	3	3	3	3	-
	A	-	3	3	3	3	-

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X23	E	7	7	7	7	7	7
	D	7	7	7	7	7	7
-----	C	7	7	7	7	7	7
85674-X23LF	B	3	7	7	7	7	7
	A	7	7	7	7	7	7



This document is the property of and embodies
CONFIDENTIAL and PROPRIETARY information of FCI.
No part of the information shown on this
document may be used in any way or disclosed
to others without the written consent of FCI.
Copyright FCI.

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X04	E	I	I	I	I	I	I
	D	I	I	I	I	I	I
-----	C	8	8	8	8	8	8
85674-X04LF	B	I	I	I	I	I	I
	A	I	I	I	I	I	I

METRAL P/N	ROW	CONTACT CODE MOD. I					
		I	2	3	4	5	6
85674-X10	E	2	2	2	2	2	2
	D	2	2	2	2	2	2
-----	C	2	2	2	2	2	2
85674-X10LF	B	2	-	-	-	-	2
	A	2	-	2	-	-	2

METRAL P/N	ROW	CONTACT CODE MOD. I					
		I	2	3	4	5	6
85674-X16	E	2	2	2	2	2	
	D	1	3	2	3	2	
-----	C	1	3	2	3	2	
85674-X16LF	B	1	3	2	3	2	
	A	1	3	2	3	2	

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X20 ----- 85674-X20LF	E	2	2	2	2	2	2
	D	2	2	2	2	2	2
	C	2	2	2	2	2	2
	B	2	2	2	2	1	2
	A	2	2	2	1	1	2

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X24	E	52	7	7	7	7	7
	D	52	7	22	7	7	7
-----	C	52	7	7	7	7	7
85674-X24LF	B	52	7	7	7	7	7
	A	52	7	7	7	7	7

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X05	E	8	8	8	8	8	8
	D	8	8	8	8	8	8
-----	C	8	8	8	8	8	8
85674-X05LF	B	5	5	5	5	5	5
	A	5	5	5	5	5	5

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-XII	E	6	6	6	6	20	6
	D	6	6	6	6	20	6
-----	C	6	6	6	20	20	6
85674-XIIIF	B	6	6	6	6	20	6
	A	6	6	6	6	20	6

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X06	E	5	5	5	5	5	5
	D	5	5	5	5	5	5
-----	C	5	5	5	5	5	5
85674-X06LF	B	5	5	5	8	8	5
	A	5	5	5	8	8	5

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X12	E	3	2	2	2	2	2
	D	3	2	2	2	1	2
-----	C	3	2	2	2	2	2
85674-X12LF	B	3	2	2	2	2	2
	A	3	2	2	2	2	2

mat'l code				- -		tolerances unless otherwise specified		CUSTOMER		 www.fciconnect.com		
ltr	ecn no.	dr	date	linear	0.X ± 0.3		COPY			title		
CH					0.XX ± 0.13		projection			METRAL SIGNAL HEADER		
					.XXX ± .051					I MOD, 5 ROW PRESS-FIT		
				angles	0° ± 2°							
			dr	T.BRUNGARD	11/19/99				product family		METRAL	code
			engr	M.STRAWSER	11/19/99				size		dwg no	213
			chr	M.STRAWSER	11/19/99				scale			sheet
			appd	M.STRAWSER	02/29/00		1:1		A	85674	3	
sheet index	revision sheet											

This document is the property of and embodies
CONFIDENTIAL and PROPRIETARY information of FCI.
No part of the information shown on this
document may be used in any way or disclosed
to others without the written consent of FCI.
Copyright FCI.

[illegible]



This document is the property of and embodies
CONFIDENTIAL and PROPRIETARY information of FCI.
No part of the information shown on this
document may be used in any way or disclosed
to others without the written consent of FCI.
Copyright FCI.

REV E - 2006-04-18

A

B

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X49	E	3	3	3	3	3
	D	3	3	3	3	3
85674-X49LF	C	-	-	3	3	3
	B	-	-	-	-	3
	A	3	3	-	-	3

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X50	E	3	3	3	3	3
	D	3	3	19	3	3
85674-X50LF	C	3	3	19	3	3
	B	3	3	3	3	3
	A	3	3	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X51	E	5	5	5	5	5
	D	6	6	6	6	6
85674-X51LF	C	6	6	6	5	5
	B	6	5	5	5	5
	A	5	5	5	5	5

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X52	E	1	1	1	1	1
	D	1	1	1	1	1
85674-X52LF	C	3	1	1	1	3
	B	1	1	1	1	1
	A	1	1	1	1	1

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X53	E	3	3	3	3	3
	D	2	2	2	2	3
85674-X53LF	C	2	2	2	1	1
	B	2	2	2	1	1
	A	3	2	3	1	1

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X54	E	2	2	2	2	2
	D	2	2	1	1	3
85674-X54LF	C	2	2	1	1	3
	B	2	2	1	1	3
	A	3	2	1	1	1

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X55	E	1	3	1	1	1
	D	1	3	1	1	1
85674-X55LF	C	1	3	1	1	1
	B	1	3	1	1	1
	A	1	3	1	1	1

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X56	E	5	6	6	6	6
	D	5	6	6	6	6
85674-X56LF	C	5	6	6	6	6
	B	5	6	6	6	6
	A	5	6	6	6	6

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X57	E	5	6	6	6	6
	D	5	6	6	6	6
85674-X57LF	C	5	6	6	6	6
	B	6	6	6	6	6
	A	6	6	6	6	6

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X58	E	1	2	2	2	2
	D	1	2	2	2	2
85674-X58LF	C	1	2	2	2	2
	B	2	2	2	2	2
	A	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X59	E	3	3	3	1	3
	D	3	3	19	3	3
85674-X59LF	C	19	3	19	3	3
	B	3	19	3	3	3
	A	3	3	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X60	E	-	1	1	1	-
	D	-	1	1	1	-
85674-X60LF	C	-	1	1	1	-
	B	-	1	1	1	-
	A	-	1	1	1	-

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X61	E	3	19	3	3	3
	D	3	19	3	3	3
85674-X61LF	C	3	19	3	3	3
	B	3	19	3	3	3
	A	3	19	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X62	E	2	2	2	1	2
	D	2	2	2	1	2
85674-X62LF	C	2	2	2	1	2
	B	2	2	2	1	2
	A	1	2	2	1	2

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X63	E	2	2	2	1	1
	D	2	2	2	1	1
85674-X63LF	C	1	2	2	1	1
	B	2	2	2	1	1
	A	1	2	1	2	1

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X64	E	2	1	2	2	1
	D	2	2	2	1	1
85674-X64LF	C	2	2	1	1	1
	B	2	2	2	2	1
	A	2	2	1	1	1

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X65	E	3	3	3	3	3
	D	3	3	3	3	3
85674-X65LF	C	3	3	3	3	3
	B	3	3	3	3	3
	A	3	3	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X66	E	2	2	2	2	2
	D	2	2	2	2	2
85674-X66LF	C	2	2	2	2	2
	B	2	2	2	2	2
	A	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X67	E	2	2	2	2	2
	D	2	1	2	2	1
85674-X67LF	C	2	2	2	2	2
	B	2	2	2	2	2
	A	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X68	E	7	7	7	7	8
	D	7	7	7	7	8
85674-X68LF	C	7	7	7	7	8
	B	7	7	7	7	8
	A	7	7	7	7	8

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X69	E	6	6	6	6	6
	D	6	5	6	6	6
85674-X69LF	C	6	6	6	6	6
	B	6	6	6	6	6
	A	6	6	6	6	6

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X70	E	19	2	4	4	2
	D	19	2	4	4	2
85674-X70LF	C	19	2	4	4	2
	B	19	2	4	4	2
	A	19	2	4	4	2

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X71	E	2	2	2	2	19
	D	2	2	2	2	19
85674-X71LF	C	2	2	2	2	19
	B	2	2	2	2	19
	A	2	2	2	2	19

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X72	E	6	6	6	6	6
	D	6	6	6	6	6
85674-X72LF	C	20	6	6	6	6
	B	6	6	6	6	6
	A	6	6	6	6	6

mat'l code		--		tolerances unless otherwise specified		CUSTOMER		FCI	
ltr	ecn no.	dr	date	linear	0.X ±0.3	COPY	www.fciconnect.com		
CH					0.XX ±0.13	projection	title		
					.XXX ±.051		METRAL SIGNAL HEADER		
				angles	0° ±2°		1 MOD, 5 ROW PRESS-FIT		
				dr	T.BRUNGARD 11/19/99	product family	METRAL		code
				enrg	M.STRAWER 11/19/99	size	dwg no		213
				chr	M.STRAWER 11/19/99	scale	85674		sheet
				appd	M.STRAWER 02/29/00	1:1	A		5
sheet index	revision								
	sheet								

A

B

1 | 2

Pro/E

3 |

cage code 22526

4



This document is the property of and embodies
CONFIDENTIAL and PROPRIETARY information of FCI.
No part of the information shown on this
document may be used in any way or disclosed
to others without the written consent of FCI.
Copyright FCI.

REV E - 2006-04-18

A

B

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X73	E	20	6	8	8	6
	D	20	6	8	8	6
	C	20	6	8	8	6
85674-X73LF	B	20	6	8	8	6
	A	20	6	8	8	6

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X74	E	2	2	2	2	2
	D	2	2	2	2	2
	C	2	2	2	2	2
85674-X74LF	B	2	2	2	2	2
	A	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X75	E	2	2	2	2	3
	D	2	2	2	2	3
	C	2	2	2	2	3
85674-X75LF	B	4	4	4	4	3
	A	4	4	4	4	3

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X76	E	2	2	2	3	3
	D	2	2	2	3	3
	C	2	2	2	3	3
85674-X76LF	B	2	2	2	3	3
	A	2	2	2	3	3

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X77	E	3	3	3	2	2
	D	3	3	3	2	2
	C	3	3	3	2	2
85674-X77LF	B	3	3	3	2	2
	A	3	3	3	2	2

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X78	E	3	4	2	2	2
	D	3	4	2	2	2
	C	3	4	2	2	2
85674-X78LF	B	3	4	2	2	2
	A	3	4	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X79	E	3	2	2	2	2
	D	3	2	2	2	2
	C	3	2	2	2	2
85674-X79LF	B	3	2	2	2	2
	A	3	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X80	E	2	2	1	1	3
	D	2	2	3	3	3
	C	2	2	3	3	3
85674-X80LF	B	1	2	3	3	3
	A	1	2	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X81	E	2	2	3	3	4
	D	2	2	3	3	4
	C	2	2	3	3	4
85674-X81LF	B	2	2	3	3	4
	A	2	2	3	3	4

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X82	E	3	3	3	3	1
	D	3	3	3	3	1
	C	3	3	3	3	1
85674-X82LF	B	3	3	3	3	1
	A	3	3	3	3	1

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X83	E	1	3	3	3	3
	D	1	3	3	3	3
	C	1	3	3	3	3
85674-X83LF	B	1	3	3	3	3
	A	1	3	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X84	E	3	3	1	2	2
	D	3	3	1	2	2
	C	3	3	1	2	2
85674-X84LF	B	3	3	1	2	2
	A	3	3	1	2	2

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X85	E	7	7	6	8	3
	D	7	7	6	8	3
	C	7	7	6	8	3
85674-X85LF	B	7	7	6	8	3
	A	7	7	6	8	3

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X86	E	4	4	4	4	3
	D	4	4	4	4	3
	C	4	4	4	4	3
85674-X86LF	B	4	4	4	4	3
	A	4	4	4	4	3

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X87	E	3	4	3	4	3
	D	3	4	3	4	3
	C	3	4	4	4	4
85674-X87LF	B	3	4	2	4	2
	A	3	4	2	4	2

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X88	E	8	7	8	8	7
	D	8	7	8	8	7
	C	8	7	8	8	7
85674-X88LF	B	8	7	8	8	7
	A	8	7	8	8	7

mat'l code		tolerances unless otherwise specified		CUSTOMER		FCI	
lfr	ecn no.	dr	date	linear	0.X ±0.3	COPY	www.fciconnect.com
CH					0.XX ±0.13	projection	
					.XXX ±.051		
				angles	0° ±2°		
				dr	T.BRUNGARD 11/19/99		
				enrg	M.STRAWER 11/19/99		
				chr	M.STRAWER 11/19/99		
				appd	M.STRAWER 02/29/00		
sheet	revision						
index	sheet						

Pro/E

3

cage code 22526

4

Printed: May 16, 2009

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X12I	E	6	6	6	5	6	6
	D	6	6	6	6	6	6
-----	C	6	6	6	6	6	6
85674-X12ILF	B	6	6	6	6	6	6
	A	6	6	6	6	6	6

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X127	E	4	2	2	2	2	2
	D	4	2	2	2	2	2
-----	C	4	2	2	2	2	2
85674-X127LF	B	4	2	2	2	2	4
	A	4	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. I							
		1	2	3	4	5	6		
85674-X133	E	5	9	7	3	1	7	5	9
	D	5	9	7	3	1	7	5	9
-----	C	5	9	7	3	1	7	5	9
85674-X133LF	B	5	9	7	3	1	7	5	9
	A	5	9	7	3	1	7	5	9

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X137	E	2	2	2	2	2
	D	2	2	2	2	2
-----	C	-	-	-	-	-
85674-X137LF	B	2	2	2	2	2
	A	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X141	E	I	I	I	I	I	I
	D	I	I	3	3	I	I
-----	C	I	I	3	3	I	I
85674-X141LF	B	I	I	I	I	I	I
	A	I	I	I	I	I	I

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X122	E	6	5	6	6	6	6
	D	6	6	6	6	6	6
-----	C	6	6	6	6	6	6
85674-X122LF	B	6	6	6	6	6	6
	A	6	6	6	6	6	6

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X128 -----	E	19	2	2	2	2	2
	D	2	2	2	2	2	2
	C	2	2	2	2	2	2
	B	2	2	2	2	2	2
85674-X128LF	A	2	1	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X134	E	2	2	2	2	1
	D	2	2	2	2	2
-----	C	2	2	2	2	2
85674-X134LF	B	2	2	2	2	2
	A	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X138	E	1	1	-	2	2
	D	1	1	-	2	2
-----	C	1	1	-	-	-
85674-X138LF	B	1	1	-	2	2
	A	1	1	-	2	2

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X142LF	E	2	2	2	2	3	2
	D	2	2	2	2	3	2
	C	2	2	2	2	3	2
	B	2	2	2	2	3	2
	A	2	2	2	2	3	2

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X123	E	2	1	2	2	2	2
	D	2	2	2	2	2	2
-----	C	2	2	2	2	2	2
85674-X123LF	B	2	2	2	2	2	2
	A	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X129	E	19	2	2	2	2	2
	D	2	2	2	2	2	2
-----	C	2	2	2	2	2	2
85674-X129LF	B	1	2	2	2	2	2
	A	2	1	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. I					
		I	2	3	4	5	6
85674-X135	E	I	I	2	2	3	I
	D	I	I	2	2	3	I
----- 85674-X135LF	C	I	I	2	2	3	I
	B	I	I	2	2	3	I
	A	I	I	2	2	3	I

METAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X139 ----- 85674-X139LF	E	3	3	3	3	3
	D	3	3	3	3	3
	C	1	3	3	3	3
	B	3	3	3	3	3
	A	3	3	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X143	E	2	2	2	2	2	1
	D	2	2	2	2	2	1
-----	C	2	2	2	2	2	1
85674-X143LF	B	2	2	2	2	2	1
	A	2	2	1	2	2	1

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X124	E	6	6	6	7	8	8
	D	6	6	6	6	8	8
-----	C	6	8	8	6	6	6
85674-X124LF	B	6	6	6	6	8	8
	A	6	6	5	6	8	8

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X130 -----	E	6	6	6	6	6	2
	D	6	6	6	6	6	2
	C	6	6	6	6	6	2
	B	6	6	6	2	1	6
85674-X130LF	A	6	6	6	6	6	2

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X136	E	2	2	2	4	2	2
	D	2	2	2	2	2	2
-----	C	2	2	2	2	2	2
85674-X136LF	B	2	2	2	2	2	2
	A	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1				
		1	2	3	4	5
85674-X140	E	3	3	2	2	2
	D	3	3	2	2	2
-----	C	3	3	2	2	2
85674-X140LF	B	3	3	2	2	2
	A	3	3	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X144	E	19	2	19	2	19	1
	D	19	2	19	2	19	1
-----	C	19	2	19	2	19	1
85674-X144LF	B	19	2	19	2	19	1
	A	19	2	19	2	19	1

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X125	E	1	2	2	2	2	2
	D	1	2	2	2	2	2
-----	C	1	2	2	2	2	2
85674-X125LF	B	1	2	2	2	2	2
	A	1	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X13I	E	2	2	2	2	2	2
	D	2	2	2	2	2	2
-----	C	2	2	2	2	2	2
85674-X13ILF	B	2	2	2	19	2	2
	A	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X126	E	3	3	3	3	3	1
	D	3	3	3	3	3	3
-----	C	3	3	3	3	3	4
85674-X126LF	B	3	3	3	3	3	3
	A	3	3	3	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X132	E	I	3	3	I	3	3
	D	I	I	I	I	I	I
-----	C	I	I	I	I	I	I
85674-X132LF	B	I	I	I	I	I	I
	A	I	3	3	I	3	I

[illegible]

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X145	E	3	3	3	3	2	I
	D	3	3	3	3	2	I
-----	C	3	3	3	3	2	I
85674-X145LF	B	3	3	3	3	2	I
	A	3	3	3	3	2	I

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X15I	E	6	6	6	6	6	6
	D	6	6	6	6	6	5
-----	C	6	6	6	6	6	6
85674-X15ILF	B	6	6	6	6	6	6
	A	6	6	6	6	6	6

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X157	E	3	3	3	3	19	3
	D	3	3	3	3	19	3
-----	C	3	3	3	3	1	3
85674-X157LF	B	3	3	3	3	19	3
	A	3	3	3	3	19	3

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X161	E	3	3	3	3	3
	D	3	3	3	3	3
-----	C	19	19	19	19	3
85674-X161LF	B	3	3	3	3	3
	A	3	3	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X146	E	2	2	2	2	2	2
	D	2	2	2	2	2	2
-----	C	2	2	2	3	2	2
85674-X146LF	B	2	2	2	3	2	2
	A	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X152	E	7	6	6	6	6	6
	D	7	6	6	6	6	6
	C	6	6	6	6	6	6
85674-X152LF	B	7	6	6	6	6	6
	A	7	6	6	6	6	6

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X158	E	3	3	3	3	3	3
	D	3	3	3	3	3	3
-----	C	3	3	3	3	3	I
85674-X158LF	B	3	3	3	3	3	3
	A	3	3	3	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X147 ----- 85674-X147LF	E	2	2	2	2	2	2
	D	2	2	1	2	2	2
	C	2	2	2	2	2	2
	B	2	2	2	2	2	2
	A	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X153	E	2	2	2	2	2	2
	D	2	2	2	2	2	2
-----	C	2	2	2	2	2	2
85674-X153LF	B	2	2	2	2	2	2
	A	2	2	1	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X159	E	2	2	2	2	2	2
	D	2	2	2	2	2	2
-----	C	2	2	2	2	1	2
85674-X159LF	B	2	2	2	2	2	2
	A	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X148 -----	E	1	1	2	2	2	2
	D	1	1	2	2	2	2
	C	2	2	2	2	2	2
85674-X148LF	B	1	1	2	2	2	2
	A	1	1	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X154 ----- 85674-X154LF	E	2	2	2	2	2	2
	D	2	2	2	2	2	2
	C	2	2	2	1	2	2
	B	2	2	2	2	2	2
	A	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X160	E	3	3	3	3	3	3
	D	3	3	3	3	3	3
-----	C	3	3	3	3	3	3
85674-X160LF	B	1	1	3	3	3	3
	A	3	3	3	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X149	E	2	2	2	2	2	2
	D	2	2	2	2	1	2
-----	C	2	2	2	2	1	2
85674-X149LF	B	2	2	2	2	2	2
	A	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X155 ----- 85674-X155LF	E	1	19	3	3	3	3
	D	3	19	3	3	3	3
	C	3	19	3	3	3	3
	B	19	19	3	3	3	3
	A	19	19	3	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X150	E	1	1	2	4	2	2
	D	2	2	2	2	2	2
-----	C	2	2	2	2	2	2
85674-X150LF	B	2	2	2	2	2	2
	A	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X156	E	1	1	1	1	1	2
	D	1	1	1	1	1	2
----- 85674-X156LF	C	1	1	1	1	1	2
	B	1	1	1	1	1	2
	A	1	1	1	1	1	2

mat'l code				- -		tolerances unless otherwise specified		CUSTOMER		 www.fciconnect.com	
lfr	ecn no.	dr	date	linear	0.X ±0.3		COPY			title	
CH					0.XX ±0.13					METRAL SIGNAL HEADER	
					.XXX ±.051					I MOD, 5 ROW PRESS-FIT	
				angles	0° ±2°						
		dr			T.BRUNGARD	11/19/99	MM		product family		code
		engr			M. STRAWSER	11/19/99			METRAL		213
		chr			M. STRAWSER	11/19/99	scale		size		sheet
		appd			M. STRAWSER	02/29/00	1:1		dwg no		9
sheet index		revision sheet									

This document is the property of and embodies
CONFIDENTIAL and PROPRIETARY information of FCI.
No part of the information shown on this
document may be used in any way or disclosed
to others without the written consent of FCI.
Copyright FCI.



PRODUCT NUMBER
85674-XYX OR 85674-XXXX
85674-XYXLF OR 85674-XXXXLF

NOTES:

- FOR DIM A AND B SEE SHEET 2 AND UP.
- BODY MATERIAL: LIQUID CRYSTAL
POLYMER 30 % GLASS.
FLAME RETARDANT ACC. UL 94-V0.
- PIN MATERIAL:
PHOSPHOR BRONZE.
- PLATING ON PRESS-FIT TAIL:
85674-XYX IS SnPb
85674-XYXLF IS SN (LEAD FREE)
PLATING ON CONTACT AREA CONFORMS TO PERFORMANCE
LEVEL SHOWN IN TABLE BELOW.
- PRODUCT MARKING:
PART NUMBER DESIGNATION & BATCH I.D.
- ALL PRODUCTS WITH PART NUMBERS SHOWN IN
SUBSEQUENT TABLES WILL BE PACKAGED IN TUBES.
IF TRAY PACKAGING IS REQUIRED, A SUFFIX "P"
WILL BE ADDED TO THE END OF THE PART NUMBER.
EXAMPLE: XXXXX-XXXXP
- PRODUCT SPECIFICATION GS-12-180
APPLICATION SPECIFICATION BUS-20-073
- AFTER INSERTION INTO CIRCUIT BOARD WITH
QUALIFIED TOOL.
- THE PRODUCTS WHERE THE PART NUMBER ENDS IN LF MEET THE
EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS
AS DESCRIBED IN GS-22-008.

ALL PRODUCTS EXCEPT THOSE WITH PART NUMBERS CONTAINING
(DRAWING NO.)-N1--- OR (DRAWING NO.)-N5---WILL WITHSTAND EXPOSURE
TO 260°C FOR 60 SECONDS IN A CONVECTION, INFRARED OR
VAPOR PHASE REFLOW OVEN. PART NUMBERS (DRAWING NO.)-N1---
AND (DRAWINGS NO.)-N5---WILL NOT WITHSTAND REFLOW AND Au CONTACT
SURFACE OF THE CONTACTS SHALL BE EXPOSED TO A MAXIMUM 140°C FOR
NO LONGER THAN 15 SECONDS IN A WAVE SOLDER APPLICATION.

PLATING IN CONTACT AREA		
DASH NUMBER	PERFORMANCE LEVEL	NOTES
-PYY OR -PYXX	0.25 um GOLD MIN.	-
-N1YY OR -N1XXX	TELCORDIA CO (NXT)	-
-N5YY OR -N5XXX	TELCORDIA UE (NXT)	-
-1YY OR -1XXX	TELCORDIA CO	-
-2YY OR -2XXX	TELECOM CLASS	-
-3YY OR -3XXX	IEC CLASS I	-
-5YY OR -5XXX	TELCORDIA UE	-
-9YY OR -9XXX	TELCORDIA CO	-
-N1YYLF OR -N1XXXLF	TELCORDIA CO (NXT) IEC CLASS I	SEE NOTE 9
-N5YYLF OR -N5XXXLF	TELCORDIA UE (NXT)	SEE NOTE 9
-1YYLF OR -1XXXLF	TELCORDIA CO IEC CLASS I	SEE NOTE 9
-2YYLF OR -2XXXLF	TELECOM CLASS	SEE NOTE 9
-5YYLF OR -5XXXLF	TELCORDIA UE	SEE NOTE 9

mat'l code				tolerances unless otherwise specified		CUSTOMER		FCI	
litr	ecn no.	dr	date			COPY			www.fciconnect.com
CH				linear	0.X ±0.3	projection		title METRAL SIGNAL HEADER 1 MOD, 5 ROW PRESS-FIT	
					0.XX ±0.13				
					.XXX ±.051				
				angles	0° ±2°			product family METRAL	
				dr	T.BRUNGARD 11/19/99			code 213	
				engr	M.STRAWER 11/19/99			size	
				chr	M.STRAWER 11/19/99			dwg no	
				appd	M.STRAWER 02/29/00			85674	
sheet		revision				scale		sheet	
index		sheet						10	



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.