






This document is the property of and embodies
CONFIDENTIAL and PROPRIETARY information of FCI.
No part of the information shown on this
document may be used in any way or disclosed
to others without the written consent of FCI.
Copyright FCI.

REV E - 2006-04-18

PRODUCT NUMBER
85674-XYX OR 85674-XXXX
85674-XYXLF OR 85674-XXXXLF



mat'l code				SEE NOTES				tolerances unless otherwise specified				CUSTOMER			FCI		
ltr	ecn no.	dr	date	linear	0.X ±0.3	projection	0.XX ±0.13	dr	T.BRUNGARD	11/19/99	scale	COPY			www.fciconnect.com		
CD	DG07-0409	Cenh	10/18/07	angles	.XXX ±.051	projection	0° ±2°	enr	M.STRAWER	11/19/99	scale	MIM			title		
CE	DG07-0487	Cenh	12/04/07	dr		projection		chr	M.STRAWER	11/19/99	scale	2:1			product family		
CF	DG08-0246	Cenh	09/26/08	enr		projection		appd	M.STRAWER	02/29/00	scale	A			METRAL		
CG	DG08-0303	Cenh	10/30/08	enr		projection		appd	M.STRAWER	02/29/00	scale	A			size		
CH	DG09-0073	Cenh	03/05/09	enr		projection		appd	M.STRAWER	02/29/00	scale	A			dwg no		
-	-	-	-	-	-	-	-	-	-	-	-	2:1			85674		
sheet	revision	CH	CH	CH	CH	CH	CH	CH	CH	CH	CH	CH	CH	CH	code		
index	sheet	1	2	3	4	5	6	7	8	9	10	22526			213		
												1 of 10					

Pro/E

cage code 22526

PDM: Rev:CH


STATUS: Released

Printed: May 16, 2009



This document is the property of and embodies
CONFIDENTIAL and PROPRIETARY information of FCI.
No part of the information shown on this
document may be used in any way or disclosed
to others without the written consent of FCI.
Copyright FCI.

REV E - 2006-04-18



3 | 4

KEY (SIGNAL PRESS-FIT)		
CODE	DIMENSIONS	
	DIM "A" MATE	DIM "B" TAIL
1	5.00	4.30
2	5.75	4.30
3	6.50	4.30
4	7.25	4.30
5	5.00	13.60
6	5.75	13.60
7	6.50	13.60
8	7.25	13.60
11	6.50	17.00
19	8.00	4.30
20	8.00	13.60
21	8.00	17.00
22	5.00	12.10
29	8.00	14.60
30	5.00	12.90
31	5.75	12.90
40	5.00	15.60
41	6.50	15.60
49	5.75	15.10
52	8.00	15.10
59	5.00	11.80
61	6.50	11.80
64	5.75	14.90
65	5.00	16.30
67	7.25	16.30

1 | 2

mat'l code				tolerances unless otherwise specified		CUSTOMER	FCI		www.fciconnect.com	
ltr	ecn no.	dr	date	linear	0.X ±0.3	projection MIM	COPY		title	
CH					0.XX ±0.13		METAL SIGNAL HEADER		1 MOD, 5 ROW PRESS-FIT	
					.XXX ±.051		product family		METRAL	
				angles	0° ±2°	scale 3:2	size		dwg no	
				dr	T.BRUNGARD 11/19/99		A		85674	
				enr	M.STRAWSER 11/19/99				213	
				chr	M.STRAWSER 11/19/99	cage code			sheet	
				appd	M.STRAWSER 02/29/00				2	
sheet index	revision sheet									

Pro/E

3 | 4

cage code 22526

2



This document is the property of and embodies
CONFIDENTIAL and PROPRIETARY information of FCI.
No part of the information shown on this
document may be used in any way or disclosed
to others without the written consent of FCI.
Copyright FCI.

REV E - 2006-04-18

A

B

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X01	E	1	1	1	1	1
	D	1	1	1	1	1
85674-X01LF	C	1	1	2	2	2
	B	1	1	1	1	1
85674-X01LF	A	1	1	1	1	1

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X02	E	5	5	5	5	5
	D	5	5	5	5	5
85674-X02LF	C	5	5	6	6	6
	B	5	5	5	5	5
85674-X02LF	A	5	5	5	5	5

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X03	E	1	1	1	1	1
	D	1	1	1	1	1
85674-X03LF	C	4	4	4	4	4
	B	1	1	1	1	1
85674-X03LF	A	1	1	1	1	1

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X04	E	1	1	1	1	1
	D	1	1	1	1	1
85674-X04LF	C	8	8	8	8	8
	B	1	1	1	1	1
85674-X04LF	A	1	1	1	1	1

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X05	E	8	8	8	8	8
	D	8	8	8	8	8
85674-X05LF	C	8	8	8	8	8
	B	5	5	5	5	5
85674-X05LF	A	5	5	5	5	5

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X06	E	5	5	5	5	5
	D	5	5	5	5	5
85674-X06LF	C	5	5	5	5	5
	B	5	5	5	8	8
85674-X06LF	A	5	5	5	8	5

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X07	E	5	5	5	5	5
	D	5	5	5	5	5
85674-X07LF	C	8	8	8	8	8
	B	5	5	5	5	5
85674-X07LF	A	5	5	5	5	5

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X08	E	8	8	8	8	5
	D	8	8	8	8	5
85674-X08LF	C	8	8	8	8	5
	B	8	8	8	8	5
85674-X08LF	A	8	8	8	8	5

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X09	E	5	5	5	5	5
	D	5	5	5	5	5
85674-X09LF	C	5	5	5	5	5
	B	5	5	5	5	8
85674-X09LF	A	5	5	5	5	8

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X10	E	2	2	2	2	2
	D	2	2	2	2	2
85674-X10LF	C	2	2	2	2	2
	B	2	-	-	-	2
85674-X10LF	A	2	-	2	-	2

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X11	E	6	6	6	6	20
	D	6	6	6	6	20
85674-X11LF	C	6	6	6	20	20
	B	6	6	6	6	20
85674-X11LF	A	6	6	6	6	20

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X12	E	3	2	2	2	2
	D	3	2	2	2	1
85674-X12LF	C	3	2	2	2	2
	B	3	2	2	2	2
85674-X12LF	A	3	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X13	E	1	1	-	1	1
	D	1	1	-	1	1
85674-X13LF	C	1	1	-	-	-
	B	1	1	-	1	1
85674-X13LF	A	1	1	-	1	1

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X14	E	2	2	49	49	49
	D	2	2	49	49	49
85674-X14LF	C	2	2	49	49	49
	B	2	2	49	49	49
85674-X14LF	A	2	2	49	49	49

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X15	E	49	49	49	49	2
	D	49	49	49	49	2
85674-X15LF	C	49	49	49	49	2
	B	49	49	49	49	2
85674-X15LF	A	49	49	49	49	2

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X16	E	2	2	2	2	2
	D	1	3	2	3	2
85674-X16LF	C	1	3	2	3	2
	B	1	3	2	3	2
85674-X16LF	A	1	3	2	3	2

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X17	E	22	22	22	22	22
	D	22	22	22	31	22
85674-X17LF	C	22	22	22	22	22
	B	22	22	22	22	22
85674-X17LF	A	22	22	22	22	7

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X18	E	7	7	7	7	-
	D	7	7	7	7	-
85674-X18LF	C	7	7	7	7	-
	B	-	7	7	7	-
85674-X18LF	A	-	7	7	7	-

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X19	E	3	3	3	3	-
	D	3	3	3	3	-
85674-X19LF	C	3	3	3	3	-
	B	-	3	3	3	-
85674-X19LF	A	-	3	3	3	-

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X20	E	2	2	2	2	2
	D	2	2	2	2	2
85674-X20LF	C	2	2	2	2	2
	B	2	2	2	2	1
85674-X20LF	A	2	2	2	1	2

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X21	E	19	2	4	4	2
	D	19	2	4	4	2
85674-X21LF	C	19	2	4	4	2
	B	19	2	4	4	2
85674-X21LF	A	19	2	4	4	2

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X22	E	7	7	7	7	7
	D	7	7	7	3	7
85674-X22LF	C	7	7	7	7	7
	B	7	7	7	7	7
85674-X22LF	A	7	7	7	7	7

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X23	E	7	7	7	7	7
	D	7	7	7	7	7
85674-X23LF	C	7	7	7	7	7
	B	3	7	7	7	7
85674-X23LF	A	7	7	7	7	7

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X24	E	52	7	7	7	7
	D	52	7	22	7	7
85674-X24LF	C	52	7	7	7	7
	B	52	7	7	7	7
85674-X24LF	A	52	7	7	7	7

mat'l code		tolerances unless otherwise specified		CUSTOMER		FCI	
lfr	ecn no.	dr	date	linear	0.X ±0.3	www.fciconnect.com	
CH				angles	0.XX ±0.13	title	
				engr	.XXX ±.051	METRAL SIGNAL HEADER	
				chr	0° ±2°	I MOD, 5 ROW PRESS-FIT	
				appd	T.BRUNGARD 11/19/99	product family	
					M.STRAWER 11/19/99	METRAL	
					M.STRAWER 11/19/99	code	
					M.STRAWER 02/29/00	213	
sheet	revision					sheet	
index	sheet					3	
						B	

Pro/E

3

cage code 22526

4

A

B

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X25 -----	E	2	2	2	2	2	2
	D	2	2	2	2	2	2
	C	2	2	2	2	2	2
	B	2	-	-	-	-	2
85674-X25LF	A	2	-	2	2	-	2

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X26 ----- :85674-X26LF	E	2	2	2	6	6	6
	D	2	2	2	6	6	6
	C	2	2	2	6	6	6
	B	2	2	2	6	6	6
	A	2	2	2	6	6	6

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X27	E	2	2	6	6	6	2
	D	2	2	6	6	6	2
----- 85674-X27LF	C	2	2	6	6	6	2
	B	2	2	6	6	6	2
	A	2	2	6	6	6	2

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X28	E	3	3	3	3	3	3
	D						
----- 85674-X28LF	C						
	B						
	A						

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X29	E	3	3	3	3	1	3
	D	3	3	3	3	3	3
-----	C	3	3	3	3	3	3
85674-X29LF	B	3	3	3	3	3	3
	A	3	3	3	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X30	E	7	7	7	7	5	7
	D	7	7	7	7	7	7
	C	7	7	7	7	7	7
	B	7	7	7	7	7	7
:85674-X30LF	A	7	7	7	7	7	7

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X31 ----- 85674-X31LF	E	4	2	2	2	2	2
	D	4	2	2	2	1	2
	C	4	2	2	2	2	2
	B	4	2	2	2	2	2
	A	4	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X32	E	2	2	2	2	2	2
	D	2	2	2	2	2	2
----- 85674-X32LF	C	2	2	4	4	2	2
	B	2	2	2	2	2	2
	A	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X33	E	2	2	2	2	2	2
	D	2	2	2	2	2	2
----- 85674-X33LF	C	2	2	4	4	2	2
	B	2	2	2	2	2	2
	A	2	2	4	4	2	2

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X34	E	2	2	2	2	2	2
	D	2	2	2	2	2	2
----- 85674-X34LF	C	2	2	2	2	2	2
	B	2	2	2	2	2	4
	A	2	2	2	2	2	4

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X35	E	2	2	4	2	2	2
	D	2	2	2	2	2	2
	C	2	2	2	2	2	2
85674-X35LF	B	2	2	2	2	2	2
	A	2	2	2	4	2	2

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X36	E	2	2	4	4	2	2
	D	2	2	2	2	2	2
	C	2	2	4	4	2	2
85674-X36LF	B	2	2	2	2	2	2
	A	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X37	E	2	2	2	2	2	4
	D	2	2	2	2	2	4
-----	C	2	2	2	2	2	4
85674-X37LF	B	2	2	2	2	2	4
	A	2	2	2	2	2	4

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X38 -----	E	2	2	2	2	2	4
	D	2	2	2	2	2	4
	C	2	2	2	2	2	2
	B	2	2	2	2	2	2
85674-X38LF	A	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X39	E	6	6	6	6	6	8
	D	6	6	6	6	6	8
----- 85674-X39LF	C	6	6	6	6	6	6
	B	6	6	6	6	6	6
	A	6	6	6	6	6	6

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X40	E	1	1	1	1	1	1
	D	2	2	2	2	2	2
-----	C	2	2	2	1	1	1
85674-X40LF	B	2	1	1	1	1	1
	A	1	1	1	1	1	1

mat'l code				- -		tolerances unless otherwise specified		CUSTOMER		 www.fciconnect.com	
ltr	ecn no.	dr	date	linear	0. X $\pm$ 0.3		COPY			title	
CH					0. XX $\pm$ 0.13		projection			METRAL SIGNAL HEADER	
					.XXX $\pm$.051					I MOD, 5 ROW PRESS-FIT	
				angles	0° $\pm$ 2°						
				dr	T.BRUNGARD	11/19/99			product family		METRAL
				engr	M.STRAWSER	11/19/99			size		dwg no
				chr	M.STRAWSER	11/19/99	scale		A		85674
				appd	M.STRAWSER	02/29/00					213
											sheet
											4
sheet index		revision sheet									

Pro/E

3

cage code	22526
-----------	-------

4

A

B



This document is the property of and embodies
CONFIDENTIAL and PROPRIETARY information of FCI.
No part of the information shown on this
document may be used in any way or disclosed
to others without the written consent of FCI.
Copyright FCI.

REV E - 2006-04-18

A

B

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X73	E	20	6	8	8	6
	D	20	6	8	8	6
	C	20	6	8	8	6
85674-X73LF	B	20	6	8	8	6
	A	20	6	8	8	6

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X74	E	2	2	2	2	2
	D	2	2	2	2	2
	C	2	2	2	2	2
85674-X74LF	B	2	2	2	2	2
	A	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X75	E	2	2	2	2	3
	D	2	2	2	2	3
	C	2	2	2	2	3
85674-X75LF	B	4	4	4	4	3
	A	4	4	4	4	3

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X76	E	2	2	2	3	3
	D	2	2	2	3	3
	C	2	2	2	3	3
85674-X76LF	B	2	2	2	3	3
	A	2	2	2	3	3

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X77	E	3	3	3	2	2
	D	3	3	3	2	2
	C	3	3	3	2	2
85674-X77LF	B	3	3	3	2	2
	A	3	3	3	2	2

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X78	E	3	4	2	2	2
	D	3	4	2	2	2
	C	3	4	2	2	2
85674-X78LF	B	3	4	2	2	2
	A	3	4	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X79	E	3	2	2	2	2
	D	3	2	2	2	2
	C	3	2	2	2	2
85674-X79LF	B	3	2	2	2	2
	A	3	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X80	E	2	2	1	1	3
	D	2	2	3	3	3
	C	2	2	3	3	3
85674-X80LF	B	1	2	3	3	3
	A	1	2	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X81	E	2	2	3	3	4
	D	2	2	3	3	4
	C	2	2	3	3	4
85674-X81LF	B	2	2	3	3	4
	A	2	2	3	3	4

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X82	E	3	3	3	3	1
	D	3	3	3	3	1
	C	3	3	3	3	1
85674-X82LF	B	3	3	3	3	1
	A	3	3	3	3	1

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X83	E	1	3	3	3	3
	D	1	3	3	3	3
	C	1	3	3	3	3
85674-X83LF	B	1	3	3	3	3
	A	1	3	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X84	E	3	3	1	2	2
	D	3	3	1	2	2
	C	3	3	1	2	2
85674-X84LF	B	3	3	1	2	2
	A	3	3	1	2	2

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X85	E	7	7	6	8	3
	D	7	7	6	8	3
	C	7	7	6	8	3
85674-X85LF	B	7	7	6	8	3
	A	7	7	6	8	3

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X86	E	4	4	4	4	3
	D	4	4	4	4	3
	C	4	4	4	4	3
85674-X86LF	B	4	4	4	4	3
	A	4	4	4	4	3

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X87	E	3	4	3	4	3
	D	3	4	3	4	3
	C	3	4	4	4	4
85674-X87LF	B	3	4	2	4	2
	A	3	4	2	4	2

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X88	E	8	7	8	8	7
	D	8	7	8	8	7
	C	8	7	8	8	7
85674-X88LF	B	8	7	8	8	7
	A	8	7	8	8	7

mat'l code		tolerances unless otherwise specified		CUSTOMER		FCI	
lfr	ecn no.	dr	date	linear	0.X ±0.3	COPY	www.fciconnect.com
CH					0.XX ±0.13	projection	title
					.XXX ±.051		METRAL SIGNAL HEADER
				angles	0° ±2°		1 MOD, 5 ROW PRESS-FIT
				dr	T.BRUNGARD 11/19/99	product family	METRAL
				enrg	M.STRAWER 11/19/99	size	213
				chr	M.STRAWER 11/19/99	dwg no	85674
				appd	M.STRAWER 02/29/00	scale	6
					1:1	A	
sheet index	revision sheet						

A

B

1 | 2

Pro/E

3 |

cage code 22526

4

Printed: May 16, 2009



This document is the property of and embodies
CONFIDENTIAL and PROPRIETARY information of FCI.
No part of the information shown on this
document may be used in any way or disclosed
to others without the written consent of FCI.
Copyright FCI.

REV E - 2006-04-18

A

B

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X121	E	6	6	6	5	6
	D	6	6	6	6	6
	C	6	6	6	6	6
85674-X121LF	B	6	6	6	6	6
	A	6	6	6	6	6

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X122	E	6	5	6	6	6
	D	6	6	6	6	6
	C	6	6	6	6	6
85674-X122LF	B	6	6	6	6	6
	A	6	6	6	6	6

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X123	E	2	1	2	2	2
	D	2	2	2	2	2
	C	2	2	2	2	2
85674-X123LF	B	2	2	2	2	2
	A	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X124	E	6	6	6	7	8
	D	6	6	6	6	8
	C	6	8	8	6	6
85674-X124LF	B	6	6	6	6	8
	A	6	6	5	6	8

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X125	E	1	2	2	2	2
	D	1	2	2	2	2
	C	1	2	2	2	2
85674-X125LF	B	1	2	2	2	2
	A	1	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X126	E	3	3	3	3	3
	D	3	3	3	3	3
	C	3	3	3	3	3
85674-X126LF	B	3	3	3	3	3
	A	3	3	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X127	E	4	2	2	2	2
	D	4	2	2	2	2
	C	4	2	2	2	2
85674-X127LF	B	4	2	2	2	2
	A	4	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X128	E	1	9	2	2	2
	D	2	2	2	2	2
	C	2	2	2	2	2
85674-X128LF	B	2	2	2	2	2
	A	2	1	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X129	E	1	9	2	2	2
	D	2	2	2	2	2
	C	2	2	2	2	2
85674-X129LF	B	1	2	2	2	2
	A	2	1	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X130	E	6	6	6	6	2
	D	6	6	6	6	2
	C	6	6	6	6	2
85674-X130LF	B	6	6	6	2	6
	A	6	6	6	6	2

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X131	E	2	2	2	2	2
	D	2	2	2	2	2
	C	2	2	2	2	2
85674-X131LF	B	2	2	2	1	9
	A	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X132	E	1	3	3	1	3
	D	1	1	1	1	1
	C	1	1	1	1	1
85674-X132LF	B	1	1	1	1	1
	A	1	3	3	1	3

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X133	E	5	9	7	3	1
	D	5	9	7	3	1
	C	5	9	7	3	1
85674-X133LF	B	5	9	7	3	1
	A	5	9	7	3	1

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X134	E	2	2	2	2	1
	D	2	2	2	2	2
	C	2	2	2	2	2
85674-X134LF	B	2	2	2	2	2
	A	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X135	E	1	1	2	2	3
	D	1	1	2	2	3
	C	1	1	2	2	3
85674-X135LF	B	1	1	2	2	3
	A	1	1	2	2	3

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X136	E	2	2	2	2	2
	D	2	2	2	2	2
	C	2	2	2	2	2
85674-X136LF	B	2	2	2	2	2
	A	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X137	E	2	2	2	2	2
	D	2	2	2	2	2
	C	-	-	-	-	-
85674-X137LF	B	2	2	2	2	2
	A	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X138	E	1	1	-	2	2
	D	1	1	-	2	2
	C	1	1	-	-	-
85674-X138LF	B	1	1	-	2	2
	A	1	1	-	2	2

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X139	E	3	3	3	3	3
	D	3	3	3	3	3
	C	3	3	3	3	3
85674-X139LF	B	3	3	3	3	3
	A	3	3	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X140	E	3	3	2	2	2
	D	3	3	2	2	2
	C	3	3	2	2	2
85674-X140LF	B	3	3	2	2	2
	A	3	3	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X141	E	1	1	1	1	1
	D	1	1	3	3	1
	C	1	1	3	3	1
85674-X141LF	B	1	1	1	1	1
	A	1	1	1	1	1

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X142	E	2	2	2	2	3
	D	2	2	2	2	3
	C	2	2	2	2	3
85674-X142LF	B	2	2	2	2	3
	A	2	2	2	2	3

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X143	E	2	2	2	2	1
	D	2	2	2	2	1
	C	2	2	2	2	1
85674-X143LF	B	2	2	2	2	1
	A	2	2	1	2	1

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X144	E	1	9	2	1	9
	D	1	9	2	1	9
	C	1	9	2	1	9
85674-X144LF	B	1	9	2	1	9
	A	1	9	2	1	9

A

B

mat'l code		tolerances unless otherwise specified		CUSTOMER		FCI	
lfr	ecn no.	dr	date	linear	0.X ±0.3	www.fciconnect.com	
CH					0.XX ±0.13	title	
					.XXX ±.051	METRAL SIGNAL HEADER	
				angles	0° ±2°	I MOD, 5 ROW PRESS-FIT	
				dr	T.BRUNGARD 11/19/99	product family	
				enrg	M.STRAWSEY 11/19/99	METRAL	
				chr	M.STRAWSEY 11/19/99	code	
				appt	M.STRAWSEY 02/29/00	213	
sheet index		revision sheet		scale		size	
				1:1		dwg no	
						85674	
						sheet	
						8	
						cage code	
						22526	

Pro/E

3

22526

4

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X145	E	3	3	3	3	2	I
	D	3	3	3	3	2	I
-----	C	3	3	3	3	2	I
85674-X145LF	B	3	3	3	3	2	I
	A	3	3	3	3	2	I

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X151	E	6	6	6	6	6	6
	D	6	6	6	6	6	5
-----	C	6	6	6	6	6	6
85674-X151LF	B	6	6	6	6	6	6
	A	6	6	6	6	6	6

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X157	E	3	3	3	3	19	3
	D	3	3	3	3	19	3
-----	C	3	3	3	3	1	3
85674-X157LF	B	3	3	3	3	19	3
	A	3	3	3	3	19	3

METRAL P/N	ROW	CONTACT CODE MOD. I				
		1	2	3	4	5
85674-X161	E	3	3	3	3	3
	D	3	3	3	3	3
-----	C	19	19	19	19	3
85674-X161LF	B	3	3	3	3	3
	A	3	3	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X146	E	2	2	2	2	2	2
	D	2	2	2	2	2	2
-----	C	2	2	2	3	2	2
85674-X146LF	B	2	2	2	3	2	2
	A	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X152	E	7	6	6	6	6	6
	D	7	6	6	6	6	6
	C	6	6	6	6	6	6
85674-X152LF	B	7	6	6	6	6	6
	A	7	6	6	6	6	6

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X158	E	3	3	3	3	3	3
	D	3	3	3	3	3	3
-----	C	3	3	3	3	3	I
85674-X158LF	B	3	3	3	3	3	3
	A	3	3	3	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X147	E	2	2	2	2	2	2
	D	2	2	1	2	2	2
-----	C	2	2	2	2	2	2
85674-X147LF	B	2	2	2	2	2	2
	A	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X153	E	2	2	2	2	2	2
	D	2	2	2	2	2	2
-----	C	2	2	2	2	2	2
	B	2	2	2	2	2	2
	A	2	2	1	2	2	2
85674-X153LF							

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X159	E	2	2	2	2	2	2
	D	2	2	2	2	2	2
-----	C	2	2	2	2	1	2
85674-X159LF	B	2	2	2	2	2	2
	A	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X148 -----	E	1	1	2	2	2	2
	D	1	1	2	2	2	2
	C	2	2	2	2	2	2
85674-X148LF	B	1	1	2	2	2	2
	A	1	1	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X154	E	2	2	2	2	2	2
	D	2	2	2	2	2	2
----- 85674-X154LF	C	2	2	2	1	2	2
	B	2	2	2	2	2	2
	A	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X160	E	3	3	3	3	3	3
	D	3	3	3	3	3	3
-----	C	3	3	3	3	3	3
85674-X160LF	B	1	1	3	3	3	3
	A	3	3	3	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X149	E	2	2	2	2	2	2
	D	2	2	2	2	1	2
-----	C	2	2	2	2	1	2
85674-X149LF	B	2	2	2	2	2	2
	A	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X155	E	1	19	3	3	3	3
	D	3	19	3	3	3	3
-----	C	3	19	3	3	3	3
85674-X155LF	B	19	19	3	3	3	3
	A	19	19	3	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X150	E	1	1	2	2	2	2
	D	2	2	2	2	2	2
-----	C	2	2	2	2	2	2
85674-X150LF	B	2	2	2	2	2	2
	A	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
85674-X156	E	I	I	I	I	I	2
	D	I	I	I	I	I	2
----- 85674-X156LF	C	I	I	I	I	I	2
	B	I	I	I	I	I	2
	A	I	I	I	I	I	2

[illegible]

This document is the property of and embodies
CONFIDENTIAL and PROPRIETARY information of FCI.
No part of the information shown on this
document may be used in any way or disclosed
to others without the written consent of FCI.
Copyright FCI.






PRODUCT NUMBER
85674-XYX OR 85674-XXXX
85674-XYXLF OR 85674-XXXXLF

NOTES:

- FOR DIM A AND B SEE SHEET 2 AND UP.
- BODY MATERIAL: LIQUID CRYSTAL
POLYMER 30 % GLASS.
FLAME RETARDANT ACC. UL 94-V0.
- PIN MATERIAL:
PHOSPHOR BRONZE.
- PLATING ON PRESS-FIT TAIL:
85674-XYX IS SnPb
85674-XYXLF IS SN (LEAD FREE)
PLATING ON CONTACT AREA CONFORMS TO PERFORMANCE
LEVEL SHOWN IN TABLE BELOW.
- PRODUCT MARKING:
PART NUMBER DESIGNATION & BATCH I.D.
- ALL PRODUCTS WITH PART NUMBERS SHOWN IN
SUBSEQUENT TABLES WILL BE PACKAGED IN TUBES.
IF TRAY PACKAGING IS REQUIRED, A SUFFIX "P"
WILL BE ADDED TO THE END OF THE PART NUMBER.
EXAMPLE: XXXXX-XXXP
- PRODUCT SPECIFICATION GS-12-180
APPLICATION SPECIFICATION BUS-20-073
- AFTER INSERTION INTO CIRCUIT BOARD WITH
QUALIFIED TOOL.
- THE PRODUCTS WHERE THE PART NUMBER ENDS IN LF MEET THE
EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS
AS DESCRIBED IN GS-22-008.

ALL PRODUCTS EXCEPT THOSE WITH PART NUMBERS CONTAINING
(DRAWING NO.)-N1--- OR (DRAWING NO.)-N5---WILL WITHSTAND EXPOSURE
TO 260°C FOR 60 SECONDS IN A CONVECTION, INFRARED OR
VAPOR PHASE REFLOW OVEN. PART NUMBERS (DRAWING NO.)-N1---
AND (DRAWINGS NO.)-N5---WILL NOT WITHSTAND REFLOW AND Au CONTACT
SURFACE OF THE CONTACTS SHALL BE EXPOSED TO A MAXIMUM 140°C FOR
NO LONGER THAN 15 SECONDS IN A WAVE SOLDER APPLICATION.

PLATING IN CONTACT AREA		
DASH NUMBER	PERFORMANCE LEVEL	NOTES
-PYY OR -PYXX	0.25 um GOLD MIN.	-
-N1YY OR -N1YYX	TELCORDIA CO (NXT)	-
-N5YY OR -N5YYX	TELCORDIA UE (NXT)	-
-1YY OR -1YYX	TELCORDIA CO	-
-2YY OR -2YYX	TELECOM CLASS	-
-3YY OR -3YYX	IEC CLASS I	-
-5YY OR -5YYX	TELCORDIA UE	-
-9YY OR -9YYX	TELCORDIA CO	-
-N1YYLF OR -N1YYXLF	TELCORDIA CO (NXT) IEC CLASS I	SEE NOTE 9
-N5YYLF OR -N5YYXLF	TELCORDIA UE (NXT)	SEE NOTE 9
-1YYLF OR -1YYXLF	TELCORDIA CO IEC CLASS I	SEE NOTE 9
-2YYLF OR -2YYXLF	TELECOM CLASS	SEE NOTE 9
-5YYLF OR -5YYXLF	TELCORDIA UE	SEE NOTE 9

mat'l code				- -		tolerances unless otherwise specified		CUSTOMER				www.fciconnect.com				
ltr	ecn no.	dr	date	linear	0.X ±0.3			COPY			title METRAL SIGNAL HEADER 1 MOD, 5 ROW PRESS-FIT					
CH					0.XX ±0.13			projection								
					.XXX ±.051											
				angles	0° ±2°					product family METRAL			code			
				dr	T. BRUNGARD 11/19/99								size		dwg no	
				engr	M. STRAWSER 11/19/99								scale		213	
				chr	M. STRAWSER 11/19/99					1:1		sheet				
				appd	M. STRAWSER 02/29/00					A		85674		10		
sheet index		revision sheet														



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.