

## SurgeArrest Essential

### APC Power-Saving Essential SurgeArrest 7 outlet, with phone line protection, 120V



"Master/Controlled" outlets are designed to detect when your desktop computer is asleep where it then automatically powers "off" connected peripherals to prevent wasteful power consumption. NOTE: the Power-Saving SurgeArrest is NOT compatible with laptops and iMac computers.


**Includes:** User Manual

**Standard Lead Time:** Usually in Stock

#### Output

|                   |            |
|-------------------|------------|
| Number of Outlets | 7          |
| Receptacle Style  | NEMA 5-15R |

#### Input

|                                |  |
|--------------------------------|--|
| Nominal Input Voltage          | 120V   |
| Input Frequency                | 50/60 Hz +/- 5 Hz (auto sensing)   |
| Input Connections              | NEMA 5-15P  |
| Maximum Line Current per phase | 15A  |
| Cord Length                    | 1.83 meters  |
| Maximum Input Current          | 15A  |
| Input Breaker Capacity         | 15A  |

#### Surge Protection and Filtering

|  |  |
|--|--|
| Surge energy rating                    | 420 Joules   |
| eP Joule Rating                        | 1400   |
| Peak Current Normal Mode               | 10 kAmps   |
| Peak Current Common Mode               | 20 kAmps   |
| Data Line Protection                   | RJ-11 Modem/Fax protection (two wire single line),-- |
| Data Lines Protected (multi-line only) | --   |

|                            |      |
|----------------------------|------|
| Let Through Voltage Rating | < 85 |
|----------------------------|------|

#### Physical

|  |                    |
|--|--------------------|
| Net Weight   | 0.77 KG            |
| Maximum Height                                     | 51.00 mm           |
| Maximum Width                                      | 108.00 mm          |
| Maximum Depth                                      | 267.00 mm          |
| Shipping Weight                                    | 0.95 KG            |
| Shipping Height                                    | 53.00 mm           |
| Shipping Width                                     | 184.00 mm          |
| Shipping Depth                                     | 324.00 mm          |
| Master Carton Units                                | 12.00              |
| Master Carton Dimensions (Length x Width x Height) | 648 x 229 x 337 mm |
| Master Carton Weight                               | 26.40 lbs.         |
| Color  | Black              |
| Units per Pallet                                   | 384.00             |

#### Environmental

|                             |                |
|-----------------------------|----------------|
| Operating Environment       | 0 - 40 °C      |
| Operating Relative Humidity | 0 - 95%        |
| Operating Elevation         | 0-3000 meters  |
| Storage Temperature         | -15 - 45 °C    |
| Storage Relative Humidity   | 0 - 95%        |
| Storage Elevation           | 0-15000 meters |

#### Conformance

|                      |                     |
|----------------------|---------------------|
| Regulatory Approvals | CSA,UL 1363,UL 1449 |
| Standard Warranty    | Lifetime            |
| UL 1449 TVSS Rating  | 330V                |



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



#### Как с нами связаться

**Телефон:** 8 (812) 309 58 32 (многоканальный)

**Факс:** 8 (812) 320-02-42

**Электронная почта:** [org@eplast1.ru](mailto:org@eplast1.ru)

**Адрес:** 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.