





- NOTES:
1. HARDWARE SHIPPED UNASSEMBLED.
 2. MAXIMUM PANEL THICKNESS: 0.156
 3. MATERIALS:
HOUSING - POLYESTER GLASS FILLED, BLACK
BUSHING - BRASS, NICKEL PLATED
SLEEVE TERMINAL - BRASS, LEAD FREE ELECTRO-TIN PLATED
SPRINGS - NICKEL SILVER, LEAD FREE ELECTRO-TIN PLATED
LIFTERS - NYLON (113 & 113E CIRCUIT OPTIONS)
WASHER - STEEL, NICKEL PLATED
NUT - BRASS, NICKEL PLATED
 4. THIS PRODUCT IS RoHS COMPLIANT.

TERMINAL FINISH OPTIONS:

11

Blank - (STD) ELECTRO-TIN PLATED

M - GOLD PLATED SPRINGS WITH GOLD CONTACTS ON RING SPRINGS AND SHUNT SPRINGS (WHEN SHUNTS ARE USED)

X

RoHS COMPLIANT

TERMINAL OPTIONS:



Blank - SOLDER TERMINAL

PC - 0.078 WIDE PC TAILS

PCS - SNAP-IN PC TAILS

CIRCUITRY OPTIONS:

1 - TIP OPEN CIRCUIT	TIP SLEEVE
2A - TIP CLOSED CIRCUIT	TIP SLEEVE
2B - TIP & RING OPEN CIRCUIT	RING TIP SLEEVE
3 - TIP OPEN CIRCUIT AND ISOLATE "MAKE" CIRCUIT	TIP SLEEVE
3B - TIP CLOSED CIRCUIT AND RING OPEN CIRCUIT (I-C TRANSFER)	RING TIP SLEEVE
3D - 1 TIP CLOSED CIRCUIT AND 1 TIP OPEN CIRCUIT	TIP SLEEVE
3E - TIP OPEN CIRCUIT AND ISOLATED "BREAK" CIRCUIT	TIP SLEEVE
3F - TIP OPEN CIRCUIT AND RING CLOSED CIRCUIT	RING TIP SLEEVE
4B - TIP & RING CLOSED CIRCUIT	RING TIP SLEEVE



SOLDER TERMINAL OPTION

						★ STAR SYMBOL DENOTES CRITICAL DIMENSION					THIS DRAWING DESCRIBES A DESIGN CONSIDERED PROPRIETARY IN NATURE, DEVELOPED AND MANUFACTURED BY SWITCHCRAFT INC. AND IS RELEASED ON A CONFIDENTIAL BASIS FOR IDENTIFICATION PURPOSES ONLY.				
						UNLESS OTHERWISE SPECIFIED					SIZE				
						1. ALL DIMENSIONS IN INCHES					WIDTH				
						- TWO PLACE DECIMALS ±0.01					MULT				
						- THREE PLACE DECIMALS ±0.005					LBS/M				
						- ANGLES ±1°					TEMPER				
						- ALL DIA. CONCENTRIC WITHIN 0.005 T.I.R.					FINISH				
						2. FEATURES ON THE SAME CENTERLINE MUST BE ALIGNED WITHIN ±0.002					SPEC No.				
						3. REMOVE ALL BURRS					MATERIAL				
						DO NOT SCALE DRAWING					SPEC No.				
											FIRST USED ON				
											SCALE				
											3:1				
											DATE DRAWN				
											BY				
											CHKD				
											TJK				
											4-18-06				
											APVD				
											MW				
											4-18-06				
											NAME				
											#3/8-32 THREADED BUSHING				
											Ø0.25 I.D., HI-D JACK ASSY, RoHS				
											PART No.				
											110X SERIES				
											M10X SERIES				
											REV				
											A				

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Switchcraft:

[N113E](#) [111PCX](#) [111X](#) [112APCX](#) [112AX](#) [112BPCX](#) [112BX](#) [113BPCX](#) [113BX](#) [113DX](#) [113EPCX](#) [113EX](#) [113FX](#)
[113X](#) [114BPCX](#) [114BX](#) [L112BX](#) [L114BX](#) [M112BPCX](#) [M114BX](#) [N112BPCX](#) [N113BX](#) [N113X](#) [N114BPCX](#)
[NL112BX](#) [NL113BX](#) [NL114BX](#) [NL114BPC](#) [N113BPCSX](#) [N114BX](#) [N112BX](#) [NL-112AX](#) [M114BPCX](#) [112APCS](#)
[112BPCS](#)



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.