


PCS TERMINAL OPTION
PCB LAYOUT - COMPONENT SIDE

11 X

TERMINAL FINISH OPTIONS:

BLANK - (STD) ELECTRO-TIN PLATED

M - GOLD PLATED SPRINGS WITH GOLD CONTACTS ON RING SPRINGS AND SHUNT SPRINGS (WHEN SHUNTS ARE USED)

RoHS COMPLIANT

TERMINAL OPTIONS:


BLANK - SOLDER TERMINAL


PC - 0.078 WIDE PC TAILS

PCS - SNAP-IN PC TAILS


CIRCUITRY OPTIONS:


1 - TIP OPEN CIRCUIT	TIP, SLEEVE
2A - TIP CLOSED CIRCUIT	TIP, SLEEVE
2B - TIP & RING OPEN CIRCUIT	RING, TIP, SLEEVE
3 - TIP OPEN CIRCUIT AND ISOLATE "MAKE" CIRCUIT	TIP, SLEEVE
3B - TIP CLOSED CIRCUIT AND RING OPEN CIRCUIT (1-C TRANSFER)	RING, TIP, SLEEVE
3D - 1 TIP CLOSED CIRCUIT AND 1 TIP OPEN CIRCUIT	TIP, TIP, SLEEVE
3E - TIP OPEN CIRCUIT AND ISOLATED "BREAK" CIRCUIT	TIP, SLEEVE
3F - TIP OPEN CIRCUIT AND RING CLOSED CIRCUIT	RING, TIP, SLEEVE
4B - TIP & RING CLOSED CIRCUIT	RING, TIP, SLEEVE







PC TERMINAL OPTION
PCB LAYOUT - COMPONENT SIDE









NOTES:

1. HARDWARE SHIPPED UNASSEMBLED.
2. MAXIMUM PANEL THICKNESS: 0.156
3. MATERIALS:
   HOUSING - POLYESTER GLASS FILLED, BLACK
   BUSHING - BRASS, NICKEL PLATED
   SLEEVE TERMINAL - BRASS, LEAD FREE ELECTRO-TIN PLATED
   SPRINGS - NICKEL SILVER, LEAD FREE ELECTRO-TIN PLATED
   LIFTERS - NYLON (113 & 113E CIRCUIT OPTIONS)
   WASHER - STEEL, NICKEL PLATED
   NUT - BRASS, NICKEL PLATED
4. THIS PRODUCT IS RoHS COMPLIANT.

SOLDER TERMINAL OPTION

CUSTOMER DRAWING

REV	ECO NUMBER	DATE	BY	APVD
A	26032	3-25-11	TJK	MW

REVISIONS

☆ STAR SYMBOL DENOTES CRITICAL DIMENSION

UNLESS OTHERWISE SPECIFIED

1. ALL DIMENSIONS IN INCHES
   -TWO PLACE DECIMALS ±0.01
   -THREE PLACE DECIMALS ±0.005
   -ANGLES ±1°
   -ALL DIA. CONCENTRIC WITHIN 0.005 T.I.R.
2. FEATURES ON THE SAME CENTERLINE MUST BE ALIGNED WITHIN ±0.002
3. REMOVE ALL BURRS

DO NOT SCALE DRAWING

THIS DRAWING DESCRIBES A DESIGN CONSIDERED PROPRIETARY IN NATURE, DEVELOPED AND MANUFACTURED BY SWITCHCRAFT INC. AND IS RELEASED ON A CONFIDENTIAL BASIS FOR IDENTIFICATION PURPOSES ONLY.

SIZE	WIDTH	MULT	LBS/M	TEMPER

FINISH
SPEC No.

MATERIAL
SPEC No.

FIRST USED ON

SCALE 3:1

DATE DRAWN	BY	CHKD	APVD
4-18-06	TJK	TJK 4-18-06	MW 4-18-06

Switchcraft®

SHEET 1 OF 1

NAME #3/8-32 THREADED BUSHING Ø0.25 I.D., HI-D JACK ASSY, RoHS

PART No. 110X SERIES M110X SERIES

REV A

Pro/Engineer CAD File

C

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Switchcraft:

N113E 111PCX 111X 112APCX 112AX 112BPCX 112BX 113BPCX 113BX 113DX 113EPCX 113EX 113FX 113X 114BPCX 114BX L112BX L114BX M112BPCX M114BX N112BPCX N113BX N113X N114BPCX NL112BX NL113BX NL114BX NL114BPC N113BPCSX N114BX N112BX NL-112AX M114BPCX 112APCS 112BPCS


Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits,General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)
Факс: 8 (812) 320-02-42
Электронная почта: org@eplast1.ru
Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.