

4

3

2

1


THIS DRAWING IS UNPUBLISHED.	RELEASED FOR PUBLICATION
© COPYRIGHT	ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
			C1	ECR-14-001601	04FEB2014	GK	HMR

REPLACED BY OCEAN STYLE APPLICATOR PART
NUMBER 2151756-1

FOR REPLACEMENT PARTS FOR APPLICATOR 1385010
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
1385010



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	GOPALAKRISHNA HV				TE Connectivity		
		CHK	RAGHAVENDRA						
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	NAME				
				RAGHAVENDRA		SIDE FEED HDM APPL ASSY			
		PRODUCT SPEC							
		APPLICATION SPEC							
		WEIGHT							
MATERIAL		FINISH		SIZE	CAGE CODE	DRAWING NO		RESTRICTED TO	
				A3		C- 1385010			
CUSTOMER DRAWING				SCALE		SHEET 1 OF 2		REV C1	

DRAWING MADE IN THIRD ANGLE PROJECTION

1385010 1385010

/home/amp14442/ednmod

PART NUMBER	REV	FIRST USED
1385010-1	C	122500-1
1385010-2	C	565435-5
1385010-3	C	354500-1



- 1 RECOMMENDED SPARE PARTS.
- 2 GREASE LIGHTLY.
- 3 GUARD MUST BE IN PLACE WHEN OPERATING APPLICATOR IN A BENCH MACHINE.
- 4 LUBRICATE DAILY USING NO. 20 MACHINE OIL.
- 5. ITEMS WITH QTY OF REF SPECIFIED (EXCEPT ITEMS 78 AND 79) ARE USED ON ITEM 46.

TERMINAL NAME: SPLICE									
				1217267	CRIMP DATA (AMP TERMINAL)				
				1217569	PAD LTR	CRIMP HEIGHT		WIRE SIZE	
					A	.078 ±.002 [1.98 ±0.05mm]		14	
					B	.068 ±.002 [1.73 ±0.05mm]		16	
					C	NOT		USED	
					D	NOT		USED	
					CRIMP	SIZE	TYPE	RANGE	
					WIRE	.100 [2.54mm]	F	16-14	
					INSUL	-	-	-	
WIRE STRIP LENGTH			TERM APPL SPEC		FEED	APPL INSTRUCTION		SET UP GAGE	LAYOUT
.219-.234			NONE		.410	408-8040		458637-1	L2319
									129
									128
2	2	2	-	C	1-354779-0	PIN, WIRE DISC (.3040)B			127
2	2	2	-	C	8-354778-7	PIN, WIRE DISC (.2930)A			126
1	1	1	-	A	986950-1	WASHER, FLAT PRECISION			125
1	1	1	-	A	217238-1	GENERAL INSTRUCTION PACKAGE			124
1	1	1	-	-	4088040	SF APPL INST 408-8040			123
									122
1	1	1	-	A	4-21028-0	PIN,SLT SPR(ø.093x.75)ST GDE PL			121
REF	REF	REF	-	A	1-21030-1	PIN,DOWEL (ø.187x.50)LEVER			120
REF	REF	REF	-	A	1-21030-6	PIN,DOWEL (ø.187x1.25)HOUSING			119
REF	REF	REF	-	A	21045-3	RING,RET "C" (ø.187)FD FING PIN			118
1	1	1	-	A	21024-5	WASHER, LOCK (ø10)ADJ BLOCK			117
REF	REF	REF	-	A	21024-5	WASHER,LOCK (ø10)ADJ PLATE			116
REF	REF	REF	-	A	21024-5	WASHER,LOCK (ø10)FEED GDE ROD			115
2	2	2	-	A	21024-2	WASHER,LOCK (ø4)FRONT STP GUIDE			114
REF	REF	REF	-	A	5-21028-1	PIN,SLT SPR (ø.125x.50)ADJ ROD			113
									112
2	2	2	-	A	21024-4	WASHER, LOCK (ø8)STRIPPER			111
REF	REF	REF	-	A	21899-4	WASHER,FLAT (ø5/16)SCREW ADJ			110
									109
									108
REF	REF	REF	-	A	21068-5	NUT, HEX (6-32)FEED ADJ			107
									106
									105
1	1	-	-	A	992031-1	PIN, CLEVIS			104
1	1	1	-	A	21009-2	SCR,SKT SET (1/4-20x.25 LW)RAM			103
2	2	2	-	A	21017-2	SCR,DRIVE (ø2x.19)ID PLATE			102
REF	REF	REF	-	A	6-23715-5	SCR,PAN HD (6-32x1.50)FEED ADJ			101
1	1	1	-	B	461264-1	PLATE, IDENTIFICATION			100
2	2	2	-	A	3-21002-0	SCR, BHC (10-32x.88) DRAG			99
1	1	1	-	A	22733-8	SCR, BHC (8-32x.38 LW) ANVIL			98
REF	REF	REF	-	A	2-21002-9	SCR, BHC (10-32x.75) CAP			97
REF	REF	REF	-	A	2-22733-8	SCR, BHC (1/4-20x.62) HOUSING			96
REF	REF	REF	-	A	2-21002-7	SCR, BHC (10-32x.50) 56 ADJ BLOCK			95
4	4	4	-	A	2-21002-2	SCR, BHC (8-32x.50) TERM H DWN			94
									93
									92
1	1	1	-	A	1-21002-7	SCR, BHC (6-32x.38) CAM			91
									90
1	1	-	-	A	7-21000-9	SCR, SHC (4-40x.19) STRIPPER			89
									88
									87
1	1	1	-	A	2-22603-0	SCR, HEX HD (8-32x.31) FEED FINGER			86
2	2	2	-	A	1-21000-3	SCR, SHC (4-40x.25) F ST GUIDE			85
1	1	1	-	A	2-21000-7	SCR, SHC (8-32x.50) STRIPPER			84
REF	REF	REF	-	A	3-21000-7	SCR, SHC (10-32x.75) FEED ROD GD			83
REF	REF	REF	-	A	3-21000-6	SCR, SHC (10-32x.62) FD ADJ BLK			82
1	1	1	-	A	3-21000-4	SCR, SHC (10-32x.38) 56 ADJ BL			81
REF	REF	REF	-	A	3-21000-4	SCR, SHC (10-32x.38) PIVOT BLK			80
-	REF	-	-	B	455749-1	GUARD, WINDOW			79
REF	-	-	-	B	679532-1	INSERT, GUARD			78
									77
									76
									75
									74
									73
REF	REF	REF	-	A	458109-1	WASHER, SPECIAL			72
REF	REF	REF	-	A	690517-1	SPACER			71
-3	-2	-1	U/M	DWG SIZE	PART NO	DESCRIPTION			ITEM NO
QTY REQD PER ASSY				PARTS LIST					

LEADMAKER				MECH POST FEED			
-2 BENCH MODEL K				MECH PRE FEED			
-3 BENCH MODEL G				MECH PRE FEED			
REF	REF	REF	-	B	22594-8	NUT, HEX (1/2-20)	70
REF	REF	REF	-	B	240628-1	PLATE, ADJUSTMENT	69
REF	REF	REF	-	B	240626-1	SHAFT, PIVOT	68
REF	REF	REF	-	B	240633-1	BUSHING	67
REF	REF	REF	-	A	455680-1	LEVER, INTERMEDIATE	66
REF	REF	REF	-	B	240629-1	BLOCK, PIVOT	65
REF	REF	REF	-	A	240632-2	SCREW, ADJ FEED ROD	64
REF	REF	REF	-	B	240659-3	PIN, CAM ROLLER	63
REF	REF	REF	-	B	240658-1	ROLLER, CAM	62
REF	REF	REF	-	B	454398-2	ROD, FEED	61
REF	REF	REF	-	A	454178-1	GUIDE, FEED ROD	60
REF	REF	REF	-	C	454220-1	CAP, RAM	59
REF	REF	REF	-	D	454485-1	HOUSING	58
							57
1	1	1	-	B	690542-2	PAWL, FEED	56
REF	REF	REF	-	B	240624-1	PIN, FEED FINGER	55
REF	REF	REF	-	B	691499-1	SPRING, FEED FINGER	54
REF	REF	REF	-	B	690541-1	HOLDER, FEED FINGER	53
REF	REF	REF	-	A	455679-1	LEVER, TERMINAL FEED ARM	52
							51
							50
1	-	-	-	B	690602-6	CAM, PRE-FEED 1 5/8 ST	49
-	1	-	-	B	690602-5	CAM, PRE-FEED 1 1/8 ST	48
-	-	1	-	B	690501-4	CAM, POST-FEED 1 5/8 ST	47
1	1	1	-	B	459456-1	APPLICATOR, BASIC (SUBASSY)	46
1	1	1	-	A	690191-1	PLUG, NYLON	45
1	1	1	-	C	455673-1	RAM	44
1	1	1	-	A	690125-1	WASHER, LAMINATED	43
1	1	1	-	A	690124-1	WASHER, RAM	42
1	1	1	-	A	7-21002-9	BOLT, CRIMPER(5/16x1.00)	41
							40
							39
1	1	1	-	A	690223-2	SPACER, INSULATION DISC	38
1	1	1	-	D	354777-1	WIRE DISC, PLASTIC	37
1	1	1	-	A	22480-5	WASHER, SPRING	36
1	1	1	-	B	690212-1	POST, RAM	35
							34
REF	REF	REF	-	D	455675-1	PLATE, BASE	33
1	1	1	-	A	690432-3	SCREW, ADJUSTMENT	32
							31
REF	REF	REF	-	B	455689-1	BLOCK, STRIP GUIDE ADJ	30
1	1	1	-	C	455671-1	PLATE, STRIP GUIDE	29
1	1	1	-	C	2-455888-2	SPACER, FRONT SHEAR DEP	28
2	2	2	-	A	1-22284-0	SPRING, DRAG	27
1	1	1	-	B	690546-1	LEVER, DRAG RELEASE	26
1	1	1	-	B	240792-1	DRAG, TERMINAL	25
1	1	1	-	D	6-690504-0	GUIDE, STRIP (REAR)	24
1	1	1	-	A	690438-1	GUIDE, STRIP (FRONT)	23
-	-	1	-	B	690472-2	STRIPPER	22
REF	REF	REF	-	A	4-22284-9	SPRING, FEED RETURN	21
1	1	-	-	A	679218-1	STRIPPER WIRE STOP ASSY	20
1	1	-	-	B	458949-1	STRIPPER	19
							18
							17
1	1	1	-	B	318563-1	GUARD, CHIP, FRONT	16
							15
							14
							13
1	1	1	-	A	5-22280-0	SPRING, SHEAR	12
1	1	1	-	B	690461-1	STOP, SHEAR	11
1	1	1	-	C	690459-1	HOLDER, SHEAR (FRONT)	10
1	1	1	-	C	454276-1	SHEAR, FLOAT (FRONT)	9
1	1	1	-	C	1-805887-9	ANVIL	8
							7
							6
1	1	1	-	C	1-455889-4	DEPRESSOR, SHEAR (FRONT)	5
							4
							3
							2
1	1	1	-	C	2-456407-7	CRIMPER, WIRE	1
-3	-2	-1	U/M	DWG SIZE	PART NO	DESCRIPTION	ITEM NO
QTY REQD PER ASSY					REVISION OF EACH ASSY NO (WHEN BLANK, USE DWG REVISION)		
PARTS LIST							
DIMENSIONS IN INCHES. DO NOT SCALE PRINT. TOLERANCES UNLESS OTHERWISE SPECIFIED:					MATERIAL		
2 PLC DEC +/-					HT TR		
3 PLC DEC +/-					FIN		
4 PLC DEC +/-							
ANGLES +/-							
SURF TEXTURE:							
REMOVE BURRS, BREAK SHARP EDGES R.015 MAX							
CASE CODE 00779					CUSTOMER AND ASSEMBLY DRAWING		
RESTRICTED TO							



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.