



| LOC | DIST | REVISIONS |     |                            |           |     |      |  |
|-----|------|-----------|-----|----------------------------|-----------|-----|------|--|
|     |      | P         | LTR | DESCRIPTION                | DATE      | DWN | APVD |  |
| GP  | 00   |           | A   | RELEASED PER ECO-14-008758 | 13JUN2014 | CJV | PAR  |  |
|     |      |           | B   | REVISED PER ECO-15-010819  | 10AUG2015 | PP  | SH   |  |
|     |      |           |     |                            |           |     |      |  |
|     |      |           |     |                            |           |     |      |  |



1. MATERIALS:  
CAGE ASSEMBLY - NICKEL-SILVER ALLOY PER ASTM B 122  
CONNECTOR HOUSING - LCP, BLACK, UL 94V-O RATED  
CONNECTOR HOUSING SHIELD - COPPER ALLOY  
CHICKLET - LCP, BLACK, UL 94V-O RATED  
CHICKLET ALIGNMENT CLIP - PBT  
CONTACT - COPPER ALLOY  
EMI GASKET - ELASTOMERIC  
GASKET FLANGE - STAINLESS STEEL  
EMI SPRINGS - PHOSPHOR BRONZE PER ASTM B 103,  
0.8µm MIN TIN PER ASTM B 545  
LIGHT PIPE - POLYCARBONATE  
LIGHT PIPE HOUSING - ZINC ALLOY

2. CONTACT FINISH:  
CONFORMS TO THE REQUIREMENTS OF PRODUCT SPECIFICATION 108-2481, BASED ON EIA/ECA-364-1000.01A, CONTROLLED ENVIRONMENT APPLICATIONS) ON MATING INTERFACE, TIN ON NEEDLE EYE






3. PCB MINIMUM THICKNESS = 1.5mm

⚠ FOR HOLE SIZE AND PLATINGS,  
SEE APPLICATION SPECIFICATION 114-13319

⚠ LIGHT PIPE PAD LAYOUT IS FOR 0805 LOW PROFILE  
LED PACKAGE WITH A HEIGHT OF 0.8mm


⚠ DIMENSIONS APPLY FOR EMI SPRINGS ONLY

⚠ THE ENTIRE AREA OF THE CONNECTOR FOOTPRINT, INDICATED BY THE  
DASHED LINE, TO BE CONSIDERED THE KEEPOUT AREA FOR COMPONENTS  
AND SIGNAL TRACES, TOP SIDE ONLY, TOP SIDE TRACES ALLOWED  
WITHIN CONNECTOR HOLE PATTERN



|       |             |                          |             |
|-------|-------------|--------------------------|-------------|
| 31    | EMI SPRINGS | CENTER/REVERSE OUTER     | 3-2198325-2 |
| 31    | EMI SPRINGS | CENTER/REVERSE OUTER     | 3-2198325-1 |
| 31    | EMI SPRINGS | NONE                     | 3-2198325-0 |
| 31    | EMI SPRINGS | REVERSED OUTER           | 2-2198325-0 |
|       |             | CENTER/REVERSED OUTER    | 1-2198325-9 |
| 33.75 | EMI GASKET  | REVERSED OUTER           | 1-2198325-8 |
|       |             | CENTER/REVERSED OUTER    | 1-2198325-7 |
| 31    | EMI SPRINGS | OUTER                    | 2198325-8   |
|       |             | INNER                    | 2198325-7   |
|       |             | INNER/OUTER              | 2198325-6   |
|       |             | NONE                     | 2198325-5   |
| 33.75 | EMI GASKET  | OUTER                    | 2198325-4   |
|       |             | INNER                    | 2198325-3   |
|       |             | INNER/OUTER              | 2198325-2   |
|       |             | NONE                     | 2198325-1   |
| (E)   | CAGE TYPE   | LIGHT PIPE CONFIGURATION | PART NUMBER |

|                                        |  |                                                                           |                                     |                                                           |  |
|----------------------------------------|--|---------------------------------------------------------------------------|-------------------------------------|-----------------------------------------------------------|--|
| THIS DRAWING IS A CONTROLLED DOCUMENT. |  | DWN<br>M.E. CONHER<br>CHK<br>M.D. MORRISON<br>APVD<br>M.D. MORRISON       | 06OCT2011<br>06OCT2011<br>07OCT2011 | TE Connectivity                                           |  |
| DIMENSIONS:                            |  | TOLERANCES UNLESS OTHERWISE SPECIFIED:                                    |                                     | NAME                                                      |  |
| mm                                     |  | 0 PLC ±<br>1 PLC ±<br>2 PLC ±<br>3 PLC ±<br>4 PLC ±<br>ANGLES ±<br>FINISH |                                     | PRODUCT SPEC<br>108-2481<br>APPLICATION SPEC<br>114-13319 |  |
| MATERIAL<br>SEE NOTES                  |  | WEIGHT<br>-                                                               |                                     | SIZE<br>CAGE CODE<br>DRAWING NO<br>RESTRICTED TO          |  |
| Customer Drawing                       |  | SCALE<br>4:1                                                              |                                     | SHEET<br>1 OF 6<br>REV<br>B1                              |  |



| LOC |  | DIST |  | REVISIONS |     |             |      |     |      |
|-----|--|------|--|-----------|-----|-------------|------|-----|------|
| GP  |  | 00   |  | P         | LFR | DESCRIPTION | DATE | DWN | APVD |
|     |  |      |  | -         | -   | SEE SHEET 1 | -    | -   | -    |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |
|     |  |      |  |           |     |             |      |     |      |

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:  
mm

MATERIAL  
SEE NOTES

TOLERANCES UNLESS  
OTHERWISE SPECIFIED:

0 PLC  
1 PLC  
2 PLC  
3 PLC  
4 PLC  
ANGLES  
FINISH

±  
±  
±  
±  
±  
±  
±

SEE  
NOTES

DWN  
M.E. CONNER  
CHK  
M.D. MORRISON  
APVD  
M.D. MORRISON

06OCT2011  
06OCT2011  
07OCT2011

PRODUCT SPEC  
108-2481  
APPLICATION SPEC  
114-13319  
WEIGHT  
-

Customer Drawing

NAME  
RECEPTACLE ASSEMBLY, 2X2,  
STACKED, zSFP+

SIZE  
A1

CAGE CODE  
00779

DRAWING NO.  
C=2198325

RESTRICTED TO  
-

SCALE  
5:1



SHEET  
2

OF  
6


REV  
B1

TE Connectivity

| LOC | DIST | REVISIONS |     |             |      |     |      |
|-----|------|-----------|-----|-------------|------|-----|------|
| GP  | 00   | P         | LTR | DESCRIPTION | DATE | DWN | APVD |
|     |      | -         | -   | SEE SHEET 1 | -    | -   | -    |
|     |      |           |     |             |      |     |      |
|     |      |           |     |             |      |     |      |
|     |      |           |     |             |      |     |      |
|     |      |           |     |             |      |     |      |




2198325-5 THRU 2198325-8, 1-2198325-9, 2-2198325-0  
EMI SPRINGS ONLY  
SCALE 6:1


|                                                                                       |                                        |                                    |                                                                                                       |                                             |                                |
|---------------------------------------------------------------------------------------|----------------------------------------|------------------------------------|-------------------------------------------------------------------------------------------------------|---------------------------------------------|--------------------------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT.                                                |                                        | DWN<br>M.E. CONNER<br>06OCT2011    |  TE Connectivity |                                             |                                |
| DIMENSIONS:                                                                           |                                        | CHK<br>M.D. MORRISON<br>06OCT2011  |                                                                                                       |                                             |                                |
| mm                                                                                    | TOLERANCES UNLESS OTHERWISE SPECIFIED: | APVD<br>M.D. MORRISON<br>07OCT2011 | NAME                                                                                                  | RECEPTACLE ASSEMBLY, 2X2,<br>STACKED, zSFP+ |                                |
|  | 0 PLC                                  | ±                                  | PRODUCT SPEC                                                                                          | SIZE                                        |                                |
|                                                                                       | 1 PLC                                  | ±                                  | 108-2481                                                                                              | CAGE CODE                                   | DRAWING NO<br>A100779C=2198325 |
|                                                                                       | 2 PLC                                  | ±                                  | APPLICATION SPEC                                                                                      | RESTRICTED TO                               |                                |
|                                                                                       | 3 PLC                                  | ±                                  | 114-13319                                                                                             |                                             |                                |
| 4 PLC                                                                                 | ±                                      | WEIGHT                             |                                                                                                       |                                             |                                |
|  | ANGLES                                 | ±                                  | Customer Drawing                                                                                      | SCALE                                       | 4:1                            |
|                                                                                       | FINISH                                 |                                    |                                                                                                       | SHEET                                       | 3 of 6                         |
|                                                                                       | MATERIAL                               |                                    |                                                                                                       | REV                                         | B                              |
|                                                                                       | SEE NOTES                              | SEE NOTES                          |                                                                                                       |                                             |                                |

| LOC | DIST | REVISIONS |     |             |      |     |      |
|-----|------|-----------|-----|-------------|------|-----|------|
| GP  | 00   | P         | LTR | DESCRIPTION | DATE | DWN | APVD |
|     |      |           | -   | SEE SHEET 1 | -    | -   | -    |
|     |      |           |     |             |      |     |      |
|     |      |           |     |             |      |     |      |
|     |      |           |     |             |      |     |      |


3-2198325-2 AIR FLOW ENHANCE VERSION  
UNMARKED DIMENSION SAME AS 2198325-5



SCALE 4:1



VENT HOLES PARTERN



THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN

M.E. CONNER

06OCT2011

CHK

M.D. MORRISON

06OCT2011

APVD

M.D. MORRISON

07OCT2011

TE Connectivity

RECEPTACLE ASSEMBLY, 2X2,  
STACKED, zSFP+

-

DIMENSIONS:

mm

0 PLC

1 PLC

2 PLC

3 PLC

4 PLC

ANGLES

FINISH

±

±

±

±

±

±

SEE NOTES

TOLERANCES UNLESS  
OTHERWISE SPECIFIED:

108-2481

114-13319

SEE NOTES

MATERIAL

SEE NOTES

Customer Drawing

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A100779

C=2198325

-

-

SCALE

4:1

SHEET

4





OF

6

REV

B1

| LOC |    | DIST |     | REVISONS    |      |     |      |
|-----|----|------|-----|-------------|------|-----|------|
| GP  | 00 | P    | LTR | DESCRIPTION | DATE | DWN | APVD |
|     |    | -    |     | SEE SHEET 1 | -    | -   | -    |
|     |    |      |     |             |      |     |      |
|     |    |      |     |             |      |     |      |
|     |    |      |     |             |      |     |      |



39X Ø0.56±0.05  
Ø0.1M AS BS

Ø1.6±0.03  
Ø0.05M AS BS

80X Ø0.37±0.05  
Ø0.05M AS BS

Ø1.6±0.03  
Ø0.05M AS BS

RECOMMENDED PCB LAYOUT  
SCALE 5:1

DETAIL C  
RECOMMENDED PIN AND LIGHT PIPE LAYOUT  
SCALE 10:1

|                                        |                                        |                                    |                                                     |  |
|----------------------------------------|----------------------------------------|------------------------------------|-----------------------------------------------------|--|
| THIS DRAWING IS A CONTROLLED DOCUMENT. |                                        | DWN<br>M.E. CONNER<br>06OCT2011    | TE Connectivity                                     |  |
| DIMENSIONS:                            |                                        | CHK<br>M.D. MORRISON<br>06OCT2011  |                                                     |  |
| mm                                     | TOLERANCES UNLESS OTHERWISE SPECIFIED: | APVD<br>M.D. MORRISON<br>07OCT2011 | NAME<br>RECEPTACLE ASSEMBLY, 2X2,<br>STACKED, zSFP+ |  |
|                                        | 0 PLC ±                                | PRODUCT SPEC                       | SIZE<br>A100779                                     |  |
|                                        | 1 PLC ±                                | 108-2481                           | CAGE CODE<br>C=2198325                              |  |
|                                        | 2 PLC ±                                | APPLICATION SPEC                   | DRAWING NO<br>114-13319                             |  |
|                                        | 3 PLC ±                                | 114-13319                          | RESTRICTED TO<br>-                                  |  |
| MATERIAL<br>SEE NOTES                  |                                        | WEIGHT<br>-                        | Customer Drawing                                    |  |
|                                        |                                        | FINISH<br>SEE NOTES                | SCALE<br>4:1                                        |  |
|                                        |                                        |                                    | SHEET<br>5 OF 6                                     |  |
|                                        |                                        |                                    | REV<br>B1                                           |  |

| LOC |  | DIST |  | REVISIONS |     |             |  |      |
|-----|--|------|--|-----------|-----|-------------|--|------|
| GP  |  | 00   |  | P         | LTR | DESCRIPTION |  | DATE |
|     |  |      |  |           | -   | SEE SHEET 1 |  | -    |
|     |  |      |  |           |     |             |  |      |
|     |  |      |  |           |     |             |  |      |
|     |  |      |  |           |     |             |  |      |
|     |  |      |  |           |     |             |  |      |

T19○ T16○ T13○  
T20○ T17○ T14○ T11○  
T18○ T15○ T12○


T2○ T5○ T8○  
T1○ T4○ T7○ T10○  
T3○ T6○ T9○

L9○ L6○ L3○  
L10○ L7○ L4○ L1○  
L8○ L5○ L2○


L12○ L15○ L18○  
L11○ L14○ L17○ L20○  
L13○ L16○ L19○

| PIN MAP LEGEND |            |
|----------------|------------|
| PIN NUMBER     | FUNCTION   |
| L1/T1          | VEET       |
| L2/T2          | TX-FAULT   |
| L3/T3          | TX-DISABLE |
| L4/T4          | SDA        |
| L5/T5          | SCL        |
| L6/T6          | MOD_ABS    |
| L7/T7          | RSO        |
| L8/T8          | RX_LOS     |
| L9/T9          | RS1        |
| L10/T10        | VEER       |
| L11/T11        | VEER       |
| L12/T12        | RD-        |
| L13/T13        | RD+        |
| L14/T14        | VEER       |
| L15/T15        | VCCR       |
| L16/T16        | VCCT       |
| L17/T17        | VEET       |
| L18/T18        | TD+        |
| L19/T19        | TD-        |
| L20/T20        | VEET       |


DETAIL D  
PIN MAP  
2 PLACES  
SCALE 15:1



RECOMMENDED BEZEL CUT-OUT DETAIL  
SCALE 4:1



RECOMMENDED BEZEL LOCATION WITH EMI SPRINGS  
SCALE 4:1



RECOMMENDED BEZEL LOCATION WITH EMI GASKET  
SCALE 4:1

|                                        |  |                                                                             |                                     |                                             |                               |
|----------------------------------------|--|-----------------------------------------------------------------------------|-------------------------------------|---------------------------------------------|-------------------------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT. |  | DWN<br>M.E. CONNER<br>CHK<br>M.D. MORRISON<br>APVD<br>M.D. MORRISON         | 06OCT2011<br>06OCT2011<br>07OCT2011 | TE Connectivity                             |                               |
| DIMENSIONS:                            |  | TOLERANCES UNLESS OTHERWISE SPECIFIED:                                      |                                     | NAME                                        |                               |
| mm                                     |  | 0 PLC ±<br>1 PLC ±<br>2 PLC ±<br>3 PLC ±<br>4 PLC ±<br>ANGLES ±<br>FINISH ± |                                     | RECEPTACLE ASSEMBLY, 2X2,<br>STACKED, zSFP+ |                               |
| MATERIAL<br>SEE NOTES                  |  | SEE NOTES                                                                   |                                     | SIZE<br>A1                                  | CAGE CODE<br>00779            |
|                                        |  |                                                                             |                                     | DRAWING NO.<br>C=2198325                    | RESTRICTED TO<br>-            |
|                                        |  |                                                                             |                                     | Customer Drawing                            | SCALE 4:1 SHEET 6 OF 6 REV B1 |



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



#### Как с нами связаться

**Телефон:** 8 (812) 309 58 32 (многоканальный)

**Факс:** 8 (812) 320-02-42

**Электронная почта:** [org@eplast1.ru](mailto:org@eplast1.ru)

**Адрес:** 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.