







LOC		DIST		REVISIONS			
GP	00	P	LYR	DESCRIPTION	DATE	DWN	APVD
				1 PRELIMINARY DESIGN	22JUN2009	CR	JP



DETAIL J
SCALE 20:1




1. CAGE MATERIAL: NICKEL SILVER, 0.25 THICK
HEAT SINK MATERIAL: ALUMINUM
HEAT SINK CLIP MATERIAL: STAINLESS STEEL
EMI SPRING MATERIAL: COPPER ALLOY
FRONT FLANGE MATERIAL: ZINC ALLOY
2. MINIMUM PITCH DIMENSION.
3. MATES WITH QSFP MSA COMPATIBLE TRANSCEIVER.
4. DATUMS AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
5. DIMENSION C IS THE NOMINAL THICKNESS OF CUSTOMER SUPPLIED PC BOARD, DOUBLE SIDED PC BOARD MINIMUM THICKNESS: 2.2.
6. HEAT SINK AND CLIP SHIPPED UNATTACHED, MUST BE ASSEMBLED BY CUSTOMER AFTER THE CAGE IS SOLDERED ONTO THE PCB.
7. DATUM -A- IS TOP SURFACE OF HOST BOARD.
8. SURFACE TRACES PERMITTED WITHIN THIS AREA EXCEPT WHERE CAGE STANDOFFS, SHOWN IN DETAIL J, CONTACT PC BOARD.
9. DIMENSION APPLIES WITH MODULE INSTALLED IN THE CAGE.
10. DATE CODE (YYWWD) MARKED ON TOP OF CAGE AND CONCEALED BY HEAT SINK APPLIES TO CAGE ASSEMBLY ONLY.
11. EMI SPRING FINISH: 2µm MIN TIN.
FRONT FLANGE FINISH: 3µm MIN TIN OVER 1.27µm MIN NICKEL OVER 5.08µm MIN COPPER.
HEAT SINK FINISH: 0.076µm MIN NICKEL.
12. PRODUCT HAS NOT COMPLETED QUALIFICATION TESTING.

23.0	NETWORKING HEAT SINK	2110753-3
16.0	SAN HEAT SINK (SHOWN)	2110753-2
13.7	PCI HEAT SINK	2110753-1
A	DESCRIPTION	PART NUMBER


TYPICAL DIMENSIONS TO CENTERLINE UNLESS OTHERWISE SPECIFIED		DWN C. ROHLER 22JUN2009	Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS:		CHK J. PETERSON 22JUN2009	NAME	
mm		APVD J. PETERSON 22JUN2009	CAGE ASSEMBLY, BEHIND BEZEL QSFP, SOLDER, WITH HEAT SINK	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC	SIZE	
9 PLC ±.5		APPLICATION SPEC	CAGE CODE	
1 PLC ±0.13			DRAWING NO	
3 PLC ±0.013			RESTRICTED TO	
5 PLC ±0.001			A100779C=2110753	
4 PLC ±.0001			WEIGHT	
ANGLES			CUSTOMER DRAWING	
FINISH			SCALE 5:1	
			SHEET 1 OF 5	
			REV 1	

LOC		DIST		REVISIONS			
GP	00	P	LYR	DESCRIPTION	DATE	DWN	APVD
		-	-	SEE SHEET 1	-	-	-




EXPLODED VIEW
SCALE 8:1

THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION IT IS SUBJECT TO CHANGE WITHOUT NOTICE. ANY ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.				DWN C. ROHLER 22JUN2009	Tyco Electronics Harrisburg, PA 17105-3608			
DIMENSIONS:				CHK J. PETERSON 22JUN2009	NAME			
mm				APVD J. PETERSON 22JUN2009	CAGE ASSEMBLY, BEHIND BEZEL OSFP, SOLDER, WITH HEAT SINK			
				PRODUCT SPEC 108-2286				
TOLERANCES UNLESS OTHERWISE SPECIFIED:				APPLICATION SPEC				
1 PLC ±.0 2 PLC ±.5 3 PLC ±.013 4 PLC ±.0001 ANGLES ±.1				SIZE CAGE CODE DRAWING NO RESTRICTED TO				
MATERIAL FINISH				WEIGHT				
-				A 100779 ©=2110753 -				
CUSTOMER DRAWING				SCALE 5:1 SHEET 2 OF REV 1				



BELLY TO BELLY CONFIGURATION
SIMILAR TO ONE SIDED EXCEPT
WHERE NOTED

AMP 4805 REV 31MAR2000

AMP 4805 REV 31MAR2000



THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION IT IS SUBJECT TO CHANGE WITHOUT NOTICE. ANY ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.		DWN 22JUN2009 C. ROHLER CHK 22JUN2009 J. PETERSON APVD 22JUN2009 J. PETERSON		Tyco Electronics Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS: mm 		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±.001 1 PLC ±.005 2 PLC ±0.13 3 PLC ±0.013 4 PLC ±0.0001 ANGLES ±.1°		NAME CASE ASSEMBLY, BEHIND BEZEL OSFP, SOLDER, WITH HEAT SINK -	
MATERIAL - FINISH -		WEIGHT -		SIZE CASE CODE DRAWING NO. RESTRICTED TO A 00779 ©=2110753 -	
CUSTOMER DRAWING			SCALE 5:1		SHEET 5 OF 5
					REV 1



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.