

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

REVISIONS







P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	INITIAL RELEASE	23JUN2015	DL	CW
	AI	ECR-17-001721	14FEB2017	YC	CW

NOTES:

1. TECHNICAL CHARACTERISTICS:
HOUSING MATERIAL: DIE CAST ALUMINIUM ALLOY
SURFACE TREATMENT: POWDER COATED, GREY
DEGREE OF PROTECTION: IP65 (MATED)

注释:

1. 技术参数:
下壳材料: 铝合金
表面处理: 粉末喷涂, 灰色
防护等级: IP65 (配合)




TYPE I: TI660163XXX-100 HI6B-SDRHM-LB-PG/M
类型 I: TI660163XXX-100 HI6B下壳, 表面安装, 彩锌单扣,
PG/M, 高结构, 带金属保护盖, 灰色粉末喷涂

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm



TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±
1 PLC ±
2 PLC ±
3 PLC ±
4 PLC ±
ANGLES ±

MATERIAL

FINISH

DWN 23JUN2015

DAVID LI

CHK 23JUN2015

CHRIS WANG

APVD 23JUN2015

XIANG XU

PRODUCT SPEC

108-137013

APPLICATION SPEC

114-137013

WEIGHT

-

Customer Drawing



TE Connectivity

NAME

HI6B-SDRHM-LB-PG/M

SIZE

A3

CAGE CODE

-

DRAWING NO

C-TI66016XXXXX00

RESTRICTED TO

-

SCALE

1:2




SHEET

1 OF 3





REV

AI


REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-



TYPE 2: TI660I63XXX-000 HI6B-SDRH-LB-PG/M
OTHER SPEC REFER TO TYPE 1
类型 2: TI660I63XXX-000HI6B下壳, 表面安装, 彩锌单扣, PG/M,
高结构, 带塑料保护盖, 灰色粉末喷涂, 其余规范参照类型1



TYPE 3: TI660I60932-000 HI6B-SDRH-LB-M32/PG9
OTHER SPEC REFER TO TYPE 2
类型 3: TI660I60932-000 HI6B下壳, 表面安装, 彩锌单扣, 侧出PG9,
底出M32, 高结构, 带塑料保护盖, 灰色粉末喷涂, 其余规范参照类型2

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN DAVID LI 23JUN2015	 TE Connectivity			
DIMENSIONS: mm		CHK CHRIS WANG 23JUN2015	NAME HI6B-SDRHM-LB-PG/M			
		APVD XIANG XU 23JUN2015				
		PRODUCT SPEC 108-137013				
		APPLICATION SPEC 114-137013				
MATERIAL - -		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±- 1 PLC ±- 2 PLC ±- 3 PLC ±- 4 PLC ±- ANGLES ±-	SIZE A3	CAGE CODE -	DRAWING NO C-TI660I6XXXXX00	RESTRICTED TO -
		WEIGHT -	SCALE 1:2			
		FINISH - -	SHEET 2 OF 3			
			REV A1			
		Customer Drawing				

THIS DRAWING IS UNPUBLISHED.	RELEASED FOR PUBLICATION	20
© COPYRIGHT 20	BY -	ALL RIGHTS RESERVED.

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-


NOTES:

SEE SHEET 1

注释:

参照 SHEET 1

TI660163121-100	HI6B-SDRHM-LB-PG21	HI6B HOUSING,SURFACE MOUNTED,METAL SINGLE LOCKING,PG21,HIGH CONSTRUCTION,METAL PROTECTION COVER,POWDER COATED,GREY HI6B下壳,表面安装,彩锌单扣,PG21,高结构,带金属保护盖,灰色粉末喷涂	PG21	-	-	TYPE 1 类型1
TI660163129-100	HI6B-SDRHM-LB-PG29	HI6B HOUSING,SURFACE MOUNTED,METAL SINGLE LOCKING,PG29,HIGH CONSTRUCTION,METAL PROTECTION COVER,POWDER COATED,GREY HI6B下壳,表面安装,彩锌单扣,PG29,高结构,带金属保护盖,灰色粉末喷涂	PG29	-	-	
TI660163132-100	HI6B-SDRHM-LB-M32	HI6B HOUSING,SURFACE MOUNTED,METAL SINGLE LOCKING,M32,HIGH CONSTRUCTION,METAL PROTECTION COVER,POWDER COATED,GREY HI6B下壳,表面安装,彩锌单扣,M32,高结构,带金属保护盖,灰色粉末喷涂	M32	-	-	
TI660163221-100	HI6B-SDRHM-LB-2PG21	HI6B HOUSING,SURFACE MOUNTED,METAL SINGLE LOCKING,2PG21,HIGH CONSTRUCTION,METAL PROTECTION COVER,POWDER COATED,GREY HI6B下壳,表面安装,彩锌单扣,2PG21,高结构,带金属保护盖,灰色粉末喷涂	PG21	PG21	-	
TI660163229-100	HI6B-SDRHM-LB-2PG29	HI6B HOUSING,SURFACE MOUNTED,METAL SINGLE LOCKING,2PG29,HIGH CONSTRUCTION,METAL PROTECTION COVER,POWDER COATED,GREY HI6B下壳,表面安装,彩锌单扣,2PG29,高结构,带金属保护盖,灰色粉末喷涂	PG29	PG29	-	
TI660163232-100	HI6B-SDRHM-LB-2M32	HI6B HOUSING,SURFACE MOUNTED,METAL SINGLE LOCKING,2M32,HIGH CONSTRUCTION,METAL PROTECTION COVER,POWDER COATED,GREY HI6B下壳,表面安装,彩锌单扣,2M32,高结构,带金属保护盖,灰色粉末喷涂	M32	M32	-	TYPE 2 类型2
TI660163121-000	HI6B-SDRH-LB-PG21	HI6B HOUSING,SURFACE MOUNTED,METAL SINGLE LOCKING,PG21,HIGH CONSTRUCTION,PLASTIC PROTECTION COVER,POWDER COATED,GREY HI6B下壳,表面安装,彩锌单扣,PG21,高结构,带塑料保护盖,灰色粉末喷涂	PG21	-	-	
TI660163129-000	HI6B-SDRH-LB-PG29	HI6B HOUSING,SURFACE MOUNTED,METAL SINGLE LOCKING,PG29,HIGH CONSTRUCTION,PLASTIC PROTECTION COVER,POWDER COATED,GREY HI6B下壳,表面安装,彩锌单扣,PG29,高结构,带塑料保护盖,灰色粉末喷涂	PG29	-	-	
TI660163125-000	HI6B-SDRH-LB-M25	HI6B HOUSING,SURFACE MOUNTED,METAL SINGLE LOCKING,M25,HIGH CONSTRUCTION,PLASTIC PROTECTION COVER,POWDER COATED,GREY HI6B下壳,表面安装,彩锌单扣,M25,高结构,带塑料保护盖,灰色粉末喷涂	M25	-	-	
TI660163132-000	HI6B-SDRH-LB-M32	HI6B HOUSING,SURFACE MOUNTED,METAL SINGLE LOCKING,M32,HIGH CONSTRUCTION,PLASTIC PROTECTION COVER,POWDER COATED,GREY HI6B下壳,表面安装,彩锌单扣,M32,高结构,带塑料保护盖,灰色粉末喷涂	M32	-	-	
TI660163221-000	HI6B-SDRH-LB-2PG21	HI6B HOUSING,SURFACE MOUNTED,METAL SINGLE LOCKING,2PG21,HIGH CONSTRUCTION,PLASTIC PROTECTION COVER,POWDER COATED,GREY HI6B下壳,表面安装,彩锌单扣,2PG21,高结构,带塑料保护盖,灰色粉末喷涂	PG21	PG21	-	TYPE 3 类型3
TI660163229-000	HI6B-SDRH-LB-2PG29	HI6B HOUSING,SURFACE MOUNTED,METAL SINGLE LOCKING,2PG29,HIGH CONSTRUCTION,PLASTIC PROTECTION COVER,POWDER COATED,GREY HI6B下壳,表面安装,彩锌单扣,2PG29,高结构,带塑料保护盖,灰色粉末喷涂	PG29	PG29	-	
TI660163232-000	HI6B-SDRH-LB-2M32	HI6B HOUSING,SURFACE MOUNTED,METAL SINGLE LOCKING,2M32,HIGH CONSTRUCTION,PLASTIC PROTECTION COVER,POWDER COATED,GREY HI6B下壳,表面安装,彩锌单扣,2M32,高结构,带塑料保护盖,灰色粉末喷涂	M32	M32	-	
TI660160932-000	HI6B-SDRH-LB-M32/PG9	HI6B HOUSING,SURFACE MOUNTED,METAL SINGLE LOCKING,SIDE ENTRY PG9,BOTTOM ENTRY M32,HIGH CONSTRUCTION,PLASTIC PROTECTION COVER,POWDER COATED,GREY / HI6B下壳,表面安装,彩锌单扣,侧出PG9,底出M32,高结构,带塑料保护盖,灰色粉末喷涂	PG9	-	M32	
PART NUMBER 料 号	PART DESCRIPTION 描 述		IG1	IG2	IG3	TYPE 类型

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN DAVID LI	23JUN2015	 TE Connectivity		
		CHK CHRIS WANG	23JUN2015			
DIMENSIONS: mm		APVD XIANG XU	23JUN2015	NAME HI6B-SDRHM-LB-PG/M		
		PRODUCT SPEC 108-137013				
		APPLICATION SPEC 114-137013		SIZE A3		
MATERIAL -		FINISH -				
		WEIGHT -		CAGE CODE -		
		CUSTOMER DRAWING				
		DRAWING NO C-TI66016XXXXX00			RESTRICTED TO -	
		SCALE 1:2				
		SHEET 3 OF 3			REV A1	



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.