

CHEMTRONICS

Technical Data Sheet

TDS # CP400

Chempad™ Presaturated Wipe

PRODUCT DESCRIPTION

Chempad™ Presaturated Wipes are general purpose, lint-free cleaning wipes. They are excellent for general purpose cleaning of computers, office and laboratory equipment. These highly effective cleaning wipes are ideal for cleaning sensitive surfaces, fiber optic connectors, electronics components, touch keypads, keyboards, instrument housings, and magnetic tape heads. Chempad™ quickly and safely removes handling soils, dirt and oxides from PCB's, mechanical / electrical assemblies and other electronic equipment. Chempad™ is especially effective in removing ink and permanent marker.

Chempad™ Presaturated Wipes contain ultra-pure isopropyl alcohol (91% IPA / 9% Pure Water) on an ultra-soft, lint free synthetic felt.

- Plastic Safe
- Dries Fast
- Leaves No Residue
- Nonabrasive
- Upper Ozone Safe; CFC/HCFC Free

TYPICAL APPLICATIONS

Chempad™ cleans and degreases:

- Keyboards and Touch pads
- Cables
- Fiber Optic Connectors
- Cabinets and Housings

TYPICAL PRODUCT DATA AND PHYSICAL PROPERTIES

Specific Gravity	0.81
Solubility in Water	Soluble
Evaporation Rate (Ether = 1)	<1
Appearance	Clear, Colorless Liquid
Flash Point (TCC)	61° F
Percent Volatile	100%
Shelf life	2 years

COMPATIBILITY

Chempad™ Presaturated Wipes are generally compatible with most plastics, glass and metals. Compatibility must be checked with all antiglare coatings. As with any chemical product, component compatibility must be determined on a non-critical area prior to use.

ENVIRONMENTAL IMPACT DATA

Material	Compatibility
Aluminum	Excellent
Buna-N	Good
CPVC	Excellent
Epoxy	Excellent
Neoprene	Good
Noryl [®]	Excellent
Phenolic	Excellent
Cross-Linked PE	Good
Polycarbonate	Poor
Polypropylene	Good
Polystyrene	Poor
PVC	Fair
Teflon [™]	Excellent
Tygon [™]	Good
Viton [™]	Excellent

ENVIRONMENTAL IMPACT DATA			
CFC	0.0%	VOC	91%
HCFC	0.0%	HFC	0.0%
CL Solv.	0.0%	ODP	0.0

CFC, HCFC, CL. SOLV., VOC, and HFC numbers shown are the content by weight. Ozone depletion potential (ODP) is determined in accordance with the Montreal Protocol and U.S. Clean Air Act of 1990. The ODP of this product is zero.

NOTE:

This information is believed to be accurate. It is intended for professional end users having the skills to evaluate and use the data properly.

CHEMTRONICS does not guarantee the accuracy of the data and assumes no liability in connection with damages incurred while using it.

CHEMTRONICS

8125 COBB CENTER DRIVE
KENNESAW, GA 30152

1-770-424-4888

REV. A (05/04)

Chemtronics[®] is a registered trademark of Chemtronics. All rights reserved. Chempad[™] is a trademark of Chemtronics. All rights reserved.

USAGE INSTRUCTIONS

For industrial use only.

Read MSDS carefully prior to use.

Chempad[™] Presaturated Wipes:

Remove wipe from packet and lightly wipe away any dust or contaminants from surfaces.

Allow surface to dry completely before use.

AVAILABILITY

CP400 50 Premoistened Wipes

TECHNICAL & APPLICATION ASSISTANCE

Chemtronics[®] provides a technical hotline to answer your technical and application related questions. Call toll free at: **1-800-TECH-401 (1-800-832-4401)**.

DISTRIBUTED BY:

--



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.