




R(28.2) CAM LEVER SWING AREA

Ø 56 MIN.

Technical drawing of the rear view of the device. It shows a terminal block with 12 pins, arranged in two rows of six. The top row is labeled 1 through 6, and the bottom row is labeled 7 through 12. The device has a rectangular shape with rounded corners and a central mounting hole. The drawing is a line drawing with no shading.

A detailed line drawing of the rear panel of the device. It features a central 15-pin D-sub connector (VGA) with a locking tab. To the left of the connector is a 5-pin D-sub connector (PS/2). To the right is a 6-pin D-sub connector (S-video). Below the VGA connector is a 15-pin D-sub connector (DVI). At the bottom left is a 15-pin D-sub connector (DVI). At the bottom right is a 15-pin D-sub connector (DVI). The panel also includes a power jack, a power switch, and a reset button. The text 'VGA' is printed near the top connector, and 'DVI' is printed near the bottom connectors.

A technical line drawing of the rear of the device. It shows a rectangular terminal block with four screw terminals. Below the terminals are three rows of mounting holes, each row containing eight holes. A small 'X' is marked in the bottom left corner, and the text '05-20-04' is printed in the bottom right corner.

Technical drawing of the rear view of the device. It shows a mounting bracket with a central handle and a terminal block with multiple screw terminals. A label with the text "X" and "06.10.9.00" is visible on the bottom right.

Technical drawing of the rear view of the device. It shows a mounting bracket with four screws at the top. Below the bracket is a large rectangular area containing several rows of small, square components, likely LEDs or sensors, arranged in a grid pattern. The entire assembly is mounted on a base plate with various mounting points and a central screw.

THIS DRAWING IS A REGISTERED DOCUMENT FOR TYPHO ELECTRONICS CORPORATION IT IS SUBJECT TO EXPORT AND EMBARGO CONTROLS. IMPORTING ORGANIZATION MAY NOT REPRODUCE OR TRANSMIT THIS DRAWING OR ANY PART THEREOF WITHOUT THE WRITTEN CONSENT OF TYPHO ELECTRONICS CORPORATION		DWN 08AUG2003 CHK 08AUG2003 W. WELLINSKY W. WELLINSKY W. WELLINSKY PRODUCT SPEC APPLICATION SPEC		tyco <i>Electronics</i> Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS: mm 		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ± FINISH		NAME 40 WAY ARM PLUG ASSEMBLY WITH SELECT LOAD SHORTING BARS CUSTOMER SPEC.	
MATERIAL SEE CHART ON SHEET 2		WEIGHT SEE NOTE 5		SIZE A1	
		CUSTOMER DRAWING		SCALE 3:1 SHEET 1 OF 2 REV 6	
		RESTRICTED TO		-	

1. APPLICABLE TERMINAL PART NUMBERS (SOLD SEPARATELY):
FOR TIN APPLICATIONS: 1393367 AND 1393366.
FOR GOLD APPLICATIONS: 1393365 AND 1393364.
FOR TERMINATION AND REELING OPTIONS
SEE DRAWINGS 1393367, 1393366, 1393365, AND 1393364.
2. COMPATIBLE WIRE SIZES FOR MAT SEAL DESIGN 1.19 TO 2.06 O.D.
(22-18 AWG, 0.35-0.75 mm2)
3. TPA AND CAM LEVER ARE SHIPPED IN THEIR PRE-LOADED POSITION.
ALL ASSEMBLIES ARE TO BE TRAY PACKAGED.
4. CUSTOMER PART NUMBER AND TRACEABILITY CODE (YY = TWO DIGIT YEAR,
JJJ = JULIAN DAY, HH = TWO DIGIT MILITARY HOUR, A = ASSEMBLY
PROCESS USED) ARE PRINTED IN THIS LOCATION.
5. PART ASSEMBLY WEIGHT WITHOUT TERMINALS AND WITH STANDARD PIN-OUT
CONFIGURATION IS 24.71 GRAMS.
6. OPTIONAL WIRESHIELD P/N 8-1419157-8 (SOLD SEPARATELY). PLEASE CONTACT
YOUR TYCO ELECTRONICS SALES REPRESENTATIVE FOR AVAILABILITY AND PRICING.



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.