

MOS INTEGRATED CIRCUIT μ PD16682A

1/65 DUTY LCD CONTROLLER/DRIVER WITH ON-CHIP RAM

DESCRIPTION

The μ PD16682A is a LCD controller/driver that includes enough RAM capacity to drive full-dot LCD displays. Each chip can drive a full-dot LCD display consisting of up to 132 x 65 dots.

This chip is suitable for cellular phones, Japanese or Chinese-language pagers, and other devices that display Japanese or Chinese characters using either 16 x 16 or 12 x 12 dots per character.

FEATURES


- LCD controller/driver with on-chip display RAM
- Able to operate using +3-V single power supply
- On-chip booster circuit: switchable between 3x and 4x modes
- RAM for dot displays: 132 x 65 bits
- Outputs: 132 segments, 65 commons
- Serial or 8-bit parallel data inputs (switchable between 80 and 68 series CPUs)
- On-chip divider resistor
- Selectable bias settings (can be set as 1/9 or 1/7 bias)
- On-chip oscillation circuit

★ ORDERING INFORMATION

Part number	Package
μ PD16682AW	Wafer
μ PD16682AP	Chip

Remark Purchasing the above products in term of chips per requires an exchange of other documents as well, including a memorandum on the product quality. Therefore those who are interested in this regard are advised to contact one of our sales representatives.

> The information in this document is subject to change without notice. Before using this document, please confirm that this is the latest version.
>
> Not all devices/types available in every country. Please check with local NEC representative for availability and additional information.



2. PIN CONFIGURATION (Pad Layout)

Chip Size: 2.66 x 9.84 mm²




Table 2-1. Pad Layout (1/3)

Pad No.	Pad Name	X [μm]	Υ [μm]	Pad Type	Pad No.	Pad Name	Χ [μm]	Υ [μm]	Pad Type
1	DUMMY1	-1197.68	3984.44	С	59	V _{LC5}	-1197.68	-1268	В
2	FRS	-1197.68	3862	В	60	V _{LC5}	-1197.68	-1358	В
3	FR	-1197.68	3772	В	61	V _{LC4}	-1197.68	-1448	В
4	CL	-1197.68	3682	В	62	V _{LC4}	-1197.68	-1538	В
5	/DOF	-1197.68	3592	В	63	V _{LC3}	-1197.68	-1628	В
6	TESTout	-1197.68	3502	В	64	V _{LC3}	-1197.68	-1718	В
7	Vss'	-1197.68	3412	В	65	V _{LC2}	-1197.68	-1808	В
8	/CS1	-1197.68	3322	В	66	V _{LC2}	-1197.68	-1898	В
9	CS2	-1197.68	3232	В	67	V _{LC1}	-1197.68	-1988	В
10	V _{DD} '	-1197.68	3142	В	68	V _{LC1}	-1197.68	-2078	В
11	/RESET	-1197.68	3052	В	69	VR	-1197.68	-2168	В
12	A0	-1197.68	2962	В	70	VR	-1197.68	-2258	В
13	Vss'	-1197.68	2872	В	71	Vss'	-1197.68	-2348	В
14	/WR(R,/W)	-1197.68	2782	В	72	Vss'	-1197.68	-2438	В
15	/RD(E)	-1197.68	2692	В	73	TCS1	-1197.68	-2528	В
16	V _{DD} '	-1197.68	2602	В	74	TCS2	-1197.68	-2618	В
17	D ₀	-1197.68	2512	В	75	TEST3	-1197.68	-2708	В
18	D ₁	-1197.68	2422	В	76	TEST4	-1197.68	-2706 -2798	В
19	D ₂	-1197.68 -1197.68	2332	В	77	TEST5	-1197.68 -1197.68	-2798 -2888	В
			_						
20	D ₃	-1197.68	2242	В	78	V _{DD} '	-1197.68	-2978	В
21	D ₄	-1197.68	2152	В	79	M,/S	-1197.68	-3068	В
22	D ₅	-1197.68	2062	В	80	CLS	-1197.68	-3158	В
23	D ₆ (SCL)	-1197.68	1972	В	81	Vss'	-1197.68	-3248	В
24	D ₇ (SI)	-1197.68	1882	В	82	C86	–1197.68	-3338	В
25	V _{DD}	-1197.68	1792	В	83	P,/S	-1197.68	-3428	В
26	V _{DD}	-1197.68	1702	В	84	V _{DD} '	-1197.68	-3518	В
27	V _{DD}	-1197.68	1612	В	85	HPM	-1197.68	-3608	В
28	V _{DD2}	-1197.68	1522	В	86	Vss'	-1197.68	-3698	В
29	V _{DD2}	-1197.68	1432	В	87	IRS	-1197.68	-3788	В
30	V _{DD2}	-1197.68	1342	В	88	V _{DD} '	-1197.68	-3878	В
31	V _{DD2}	-1197.68	1252	В	89	DUMMY2	-1197.68	-4000.44	С
32	Vss	-1197.68	1162	В	90	DUMMY3	-1032.44	-4787.68	С
33	Vss	-1197.68	1072	В	91	COM ₃₁	-940	-4787.68	Α
34	Vss	-1197.68	982	В	92	COM ₃₀	-880	-4787.68	Α
35	Vss	-1197.68	892	В	93	COM ₂₉	-820	-4787.68	Α
36	Vss	-1197.68	802	В	94	COM ₂₈	-760	-4787.68	Α
37	Vss	-1197.68	712	В	95	COM ₂₇	-700	-4787.68	A
38	VLCD	-1197.68	622	В	96	COM ₂₆	-640	-4787.68	A
39	VLCD	-1197.68	532	В	97	COM ₂₅	_580	-4787.68	
40	VLCD	-1197.68	442	В		COM ₂₄	-520	-4787.68	A
	C ₁ ⁺								
41		-1197.68	352	В	99	COM ₂₃	-460 400	-4787.68	A
42	C ₁ ⁺	-1197.68	262	В	100	COM ₂₂	-400	-4787.68	A
43	C ₁ -	-1197.68	172	В	101	COM ₂₁	-340	-4787.68	A
44	C ₁ -	-1197.68	82	В	102	COM ₂₀	-280	-4787.68	A
45	C ₂ ⁺	-1197.68	-8	В	103	COM ₁₉	-220	-4787.68	Α
46	C2 ⁺	-1197.68	-98	В	104	COM ₁₈	-160	-4787.68	Α
47	C2 ⁻	-1197.68	–188	В	105	COM ₁₇	-100	-4787.68	Α
48	C2 ⁻	-1197.68	-278	В	106	COM ₁₆	-40	-4787.68	Α
49	C ₃ ⁺	-1197.68	-368	В	107	COM ₁₅	20	-4787.68	Α
50	C ₃ ⁺	-1197.68	-458	В	108	COM ₁₄	80	-4787.68	Α
51	C ₃ ⁻	-1197.68	-548	В	109	COM ₁₃	140	-4787.68	Α
52	C3 ⁻	-1197.68	-638	В	110	COM ₁₂	200	-4787.68	Α
53	V _{DD} '	-1197.68	-728	В	111	COM ₁₁	260	-4787.68	Α
	V _{DD} '	-1197.68	-818	В	112	COM ₁₀	320	-4787.68	Α
54	1			В	113	COM ₉	380	-4787.68	Α
	V _{RS}	I-1197.68	1-908	1 P	110				
55	V _{RS}	-1197.68 -1197.68	_908 _998						
	Vrs Vrs Vss'	-1197.68 -1197.68 -1197.68	-908 -998 -1088	B B	114 115	COM ₈	440	-4787.68 -4787.68	A



Table 2-1. Pad Layout (2/3)

Pad	Pad Name	X [μm]	Υ [μm]	Pad	Pad	Pad Name	Χ [μm]	Υ [μm]	Pad
No.				Туре	No.			., .	Type
117	COM ₅	620	-4787.68	Α	175	SEG ₄₉	1197.68	-990.4	Α
118	COM ₄	680	-4787.68	Α	176	SEG ₅₀	1197.68	-930.4	Α
119	COM ₃	740	-4787.68	Α	177	SEG ₅₁	1197.68	-870.4	Α
120	COM ₂	800	-4787.68	Α	178	SEG ₅₂	1197.68	-810.4	A
121	COM ₁	860	-4787.68	A	179	SEG ₅₃	1197.68	-750.4	A
122	COM ₀	920	-4787.68	A	180	SEG ₅₄	1197.68	-690.4	A
123	COMS	980	-4787.68	A	181	SEG ₅₅	1197.68	-630.4	A
124	DUMMY4	1072.6	-4787.68	С	182	SEG ₅₆	1197.68	-570.4	A
125	DUMMY5	1197.68	-4022.84	C	183	SEG ₅₇	1197.68	-510.4	A
126	SEG ₁	1197.68	-3930.4	A	184	SEG58	1197.68	-450.4	A
127		1197.68	-3870.4	A	185	SEG ₅₉	1197.68	-390.4	A
128	SEG ₂	1197.68	-3810.4	A	186	SEG ₆₀	1197.68	-330.4	A
129	SEG ₃	1197.68	-3750.4	A	187	SEG ₆₁	1197.68	-270.4	A
130	SEG ₄	1197.68	-3690.4	A	188	SEG ₆₂	1197.68	-210.4	A
131	SEG₅	1197.68	-3630.4	A	189	SEG ₆₃	1197.68	-150.4	A
132	SEG ₆	1197.68	-3570.4	A	190	SEG ₆₄	1197.68	-90.4	A
133	SEG ₇	1197.68	-3510.4	A	191	SEG ₆₅	1197.68	-30.4	A
134	SEG ₈	1197.68	-3450.4	A	192		1197.68	29.6	A
135	SEG ₉	1197.68	-3390.4	A	193	SEG ₆₇	1197.68	89.6	A
136	SEG ₁₀	1197.68	-3330.4	A	194	SEG ₆₈	1197.68	149.6	Α
137	SEG ₁₁	1197.68	-3270.4	A	195	SEG ₆₉	1197.68	209.6	A
138	SEG ₁₂	1197.68	-3210.4	A	196	SEG ₇₀	1197.68	269.6	A
139	SEG ₁₃	1197.68	-3150.4	Α	197	SEG71	1197.68	329.6	A
140	SEG ₁₄	1197.68	-3090.4	A	198	SEG ₇₂	1197.68	389.6	A
141	SEG ₁₅	1197.68	-3030.4	Α	199	SEG ₇₃	1197.68	449.6	A
142	SEG ₁₆	1197.68	-2970.4	Α	200	SEG ₇₄	1197.68	509.6	A
143	SEG ₁₇	1197.68	-2910.4	A	201	SEG ₇₅	1197.68	569.6	A
144	SEG ₁₈	1197.68	-2850.4	Α	202	SEG ₇₆	1197.68	629.6	A
145	SEG ₁₉	1197.68	-2790.4	Α	203	SEG77	1197.68	689.6	Α
146	SEG ₂₀	1197.68	-2730.4	Α	204	SEG78	1197.68	749.6	A
147	SEG ₂₁	1197.68	-2670.4	A	205	SEG ₇₉	1197.68	809.6	A
148	SEG ₂₂	1197.68	-2610.4	Α	206	SEG ₈₀	1197.68	869.6	A
149	SEG ₂₃	1197.68	-2550.4	Α	207	SEG ₈₁	1197.68	929.6	Α
150	SEG ₂₄	1197.68	-2490.4	Α	208	SEG ₈₂	1197.68	989.6	Α
151	SEG ₂₅	1197.68	-2430.4	Α	209	SEG83	1197.68	1049.6	A
152	SEG ₂₆	1197.68	-2370.4	Α	210	SEG ₈₄	1197.68	1109.6	Α
153	SEG ₂₇	1197.68	-2310.4	Α	211	SEG ₈₅	1197.68	1169.6	Α
154	SEG ₂₈	1197.68	-2250.4	Α	212	SEG ₈₆	1197.68	1229.6	Α
155	SEG ₂₉	1197.68	-2190.4	Α	213	SEG ₈₇	1197.68	1289.6	A
	SEG ₃₀	1197.68	-2130.4	A		SEG88	1197.68	1349.6	A
157	SEG ₃₁	1197.68	-2070.4	A	215	SEG ₈₉	1197.68	1409.6	A
158	SEG ₃₂	1197.68	-2010.4	A	216	SEG ₉₀	1197.68	1469.6	A
159	SEG ₃₃	1197.68	-1950.4	Α	217	SEG ₉₁	1197.68	1529.6	Α
160	SEG ₃₄	1197.68	-1890.4	Α	218	SEG ₉₂	1197.68	1589.6	Α
161	SEG35	1197.68	-1830.4	Α	219	SEG ₉₃	1197.68	1649.6	Α
162	SEG ₃₆	1197.68	-1770.4	Α	220	SEG ₉₄	1197.68	1709.6	A
163	SEG ₃₇	1197.68	-1710.4	Α	221	SEG ₉₅	1197.68	1769.6	Α
164	SEG ₃₈	1197.68	-1650.4	Α	222	SEG ₉₆	1197.68	1829.6	Α
165	SEG ₃₉	1197.68	-1590.4	Α	223	SEG ₉₇	1197.68	1889.6	Α
166	SEG ₄₀	1197.68	-1530.4	Α	224	SEG ₉₈	1197.68	1949.6	Α
167	SEG ₄₁	1197.68	-1470.4	Α	225	SEG ₉₉	1197.68	2009.6	Α
168	SEG ₄₂	1197.68	-1410.4	Α	226	SEG ₁₀₀	1197.68	2069.6	Α
169	SEG ₄₃	1197.68	-1350.4	Α	227	SEG ₁₀₁	1197.68	2129.6	Α
170	SEG ₄₄	1197.68	-1290.4	Α	228	SEG ₁₀₂	1197.68	2189.6	Α
171	SEG ₄₅	1197.68	-1230.4	Α	229	SEG ₁₀₃	1197.68	2249.6	Α
172	SEG ₄₆	1197.68	-1170.4	Α	230	SEG ₁₀₄	1197.68	2309.6	Α
173	SEG ₄₇	1197.68	-1110.4	Α	231	SEG ₁₀₅	1197.68	2369.6	Α
174	SEG ₄₈	1197.68	-1050.4	Α	232	SEG ₁₀₆	1197.68	2429.6	Α

 \star

Table 2-1. Pad Layout (3/3)

Pad No. Pad Name X [μm] Y [μm] Pad Type 233 SEG107 1197.68 2489.6 A 234 SEG108 1197.68 2549.6 A 235 SEG109 1197.68 2609.6 A 236 SEG110 1197.68 2669.6 A 237 SEG111 1197.68 2729.6 A 238 SEG112 1197.68 2729.6 A 239 SEG113 1197.68 2849.6 A 240 SEG114 1197.68 2909.6 A 241 SEG115 1197.68 2969.6 A 241 SEG118 1197.68 3029.6 A 241 SEG119 1197.68 3029.6 A 241 SEG118 1197.68 3149.6 A 244 SEG119 1197.68 3149.6 A 245 SEG120 1197.68 3329.6 A 247 SEG211 <th></th> <th></th> <th></th> <th>Tubic</th> <th>Z-1. Pa</th>				Tubic	Z-1. Pa
Section 1197.68 2489.6 A 234 SEG108 1197.68 2549.6 A 235 SEG109 1197.68 2609.6 A 236 SEG110 1197.68 2609.6 A 237 SEG111 1197.68 2729.6 A 238 SEG112 1197.68 2729.6 A 238 SEG112 1197.68 2789.6 A 239 SEG113 1197.68 2789.6 A 240 SEG114 1197.68 2909.6 A 241 SEG115 1197.68 2969.6 A 242 SEG116 1197.68 3029.6 A 242 SEG116 1197.68 3029.6 A 243 SEG117 1197.68 3029.6 A 244 SEG116 1197.68 3029.6 A 245 SEG119 1197.68 3029.6 A 246 SEG120 1197.68 3209.6 A 247 SEG121 1197.68 3329.6 A 248 SEG122 1197.68 3329.6 A 248 SEG122 1197.68 3329.6 A 249 SEG123 1197.68 3349.6 A 249 SEG123 1197.68 3349.6 A 250 SEG124 1197.68 3369.6 A 250 SEG124 1197.68 3369.6 A 250 SEG124 1197.68 3449.6 A 250 SEG122 1197.68 3689.6 A 251 SEG122 1197.68 3689.6 A 252 SEG126 1197.68 3629.6 A 252 SEG126 1197.68 3629.6 A 253 SEG127 1197.68 3689.6 A 255 SEG128 1197.68 3689.6 A 255 SEG129 1197.68 3689.6 A 255 SEG129 1197.68 3689.6 A 255 SEG129 1197.68 3689.6 A 256 SEG39 1197.68 3699.6 A 257 SEG311 1197.68 3699.6 A 256 SEG39 256 SEG39 256 SEG39 256 SEG		Pad Name	X [μm]	Υ [μm]	Pad
234 SEG108		CEC			
235 SEG100					
236 SEG110 1197.68 2669.6 A					_
237 SEG111 1197.68 2729.6 A					
238 SEG112 1197.68 2789.6 A					
239 SEG113					
240 SEG114 1197.68 2909.6 A					
241 SEG116 1197.68 3029.6 A 242 SEG116 1197.68 3029.6 A 243 SEG117 1197.68 3089.6 A 244 SEG118 1197.68 3149.6 A 245 SEG119 1197.68 3269.6 A 246 SEG120 1197.68 3269.6 A 247 SEG121 1197.68 3329.6 A 248 SEG122 1197.68 3389.6 A 249 SEG123 1197.68 3389.6 A 249 SEG123 1197.68 3509.6 A 250 SEG124 1197.68 3509.6 A 251 SEG125 1197.68 3569.6 A 252 SEG126 1197.68 3669.6 A 253 SEG127 1197.68 3689.6 A 253 SEG127 1197.68 3689.6 A 255 SEG128 1197.68 3689.6 A 255 SEG128 1197.68 3689.6 A 255 SEG128 1197.68 3689.6 A 256 SEG130 1197.68 3689.6 A 257 SEG131 1197.68 3809.6 A 258 DUMMY6 1197.68 3809.6 A 259 DUMMY7 1032.44 4787.68 C 260 COM32 940 4787.68 A 261 COM33 880 4787.68 A 262 COM34 820 4787.68 A 263 COM35 760 4787.68 A 266 COM38 580 4787.68 A 267 COM39 520 4787.68 A 268 COM40 460 4787.68 A 269 COM41 400 4787.68 A 271 COM42 340 4787.68 A 272 COM44 220 4787.68 A 273 COM45 160 4787.68 A 274 COM46 100 4787.68 A 275 COM49 -80 4787.68 A 276 COM49 -80 4787.68 A 277 COM49 -80 4787.68 A 278 COM49 -80 4787.68 A 279 COM49 -80 4787.68 A 277 COM49 -80 4787.68 A 278 COM49 -80 4787.68 A 279 COM49 -80 4787.68 A 281 COM53 -30 4787.68 A 282 COM54 -20 4787.68 A 277 COM49 -80 4787.68 A 278 COM49 -80 4787.68 A 279 COM49 -80 4787.68 A 281 COM53 -30 4787.68 A 282 COM54 -20 4787.68 A 283 COM59 -80 4787.68 A 284 COM59 -80 4787.68 A 277 COM49 -80 4787.68 A 278 COM59 -80 4787.68 A 279 COM59 -80 4787.68 A 281 COM59 -80 4787.68 A 282 COM59 -80 4787.68 A 283 COM59 -80 4787.68 A 284 COM59 -80 4787.68 A 285 COM59 -80 4787.68 A 286 COM59 -80 4787.68 A 287 COM59 -80 4787.68 A 288 COM59 -80 4787.68 A 288 COM59 -80 4787.68 A 288 COM59 -80 4787.68 A 289 COM61 -800 4787.68 A					
242 SEG116 1197.68 3029.6 A 243 SEG117 1197.68 3089.6 A 244 SEG118 1197.68 3149.6 A 245 SEG119 1197.68 3209.6 A 246 SEG120 1197.68 3269.6 A 247 SEG121 1197.68 3329.6 A 248 SEG122 1197.68 3389.6 A 249 SEG123 1197.68 3509.6 A 250 SEG124 1197.68 3509.6 A 251 SEG125 1197.68 3569.6 A 251 SEG126 1197.68 3689.6 A 2525 SEG129 1197.68 3689.6 A 254 SEG129 1197.68 3869.6 A 255 SEG129 1197.68 3869.6 A 255 SEG129 1197.68 3929.6 A 255 SEG129 <					
243 SEG117 1197.68 3089.6 A 244 SEG118 1197.68 3149.6 A 245 SEG119 1197.68 3269.6 A 246 SEG120 1197.68 3269.6 A 247 SEG121 1197.68 3389.6 A 248 SEG122 1197.68 3389.6 A 249 SEG123 1197.68 3449.6 A 250 SEG124 1197.68 3569.6 A 251 SEG125 1197.68 3569.6 A 251 SEG126 1197.68 3669.6 A 252 SEG126 1197.68 3689.6 A 253 SEG129 1197.68 3809.6 A 255 SEG129 1197.68 3809.6 A 255 SEG130 1197.68 3809.6 A 257 SEG131 1197.68 3809.6 A 257 SEG131 <t< td=""><td></td><td></td><td></td><td></td><td>_</td></t<>					_
244 SEG118 1197.68 3149.6 A 245 SEG119 1197.68 3209.6 A 246 SEG120 1197.68 3269.6 A 247 SEG121 1197.68 3389.6 A 248 SEG122 1197.68 3389.6 A 249 SEG123 1197.68 3569.6 A 250 SEG124 1197.68 3569.6 A 251 SEG128 1197.68 3569.6 A 251 SEG128 1197.68 3689.6 A 253 SEG128 1197.68 3689.6 A 253 SEG128 1197.68 3869.6 A 255 SEG129 1197.68 3869.6 A 255 SEG129 1197.68 3869.6 A 255 SEG129 1197.68 3869.6 A 257 SEG131 1197.68 3869.6 A 257 SEG131 <t< td=""><td></td><td></td><td></td><td></td><td></td></t<>					
245 SEG119					_
246 SEG ₁₂₀ 1197.68 3269.6 A 247 SEG ₁₂₁ 1197.68 3329.6 A 248 SEG ₁₂₂ 1197.68 3349.6 A 249 SEG ₁₂₃ 1197.68 3449.6 A 250 SEG ₁₂₆ 1197.68 3569.6 A 251 SEG ₁₂₆ 1197.68 3629.6 A 252 SEG ₁₂₆ 1197.68 3689.6 A 253 SEG ₁₂₇ 1197.68 3689.6 A 254 SEG ₁₂₈ 1197.68 3689.6 A 255 SEG ₁₂₉ 1197.68 3869.6 A 255 SEG ₁₃₀ 1197.68 3869.6 A 257 SEG ₁₃₁ 1197.68 3869.6 A 257 SEG ₁₃₁ 1197.68 3929.6 A 259 DUMMY7 1032.44 4787.68 C 260 COM32 940 4787.68 A 261 <td< td=""><td></td><td>SEG₁₁₈</td><td></td><td></td><td>Α</td></td<>		SEG ₁₁₈			Α
247 SEG ₁₂₁ 1197.68 3329.6 A 248 SEG ₁₂₂ 1197.68 3389.6 A 249 SEG ₁₂₃ 1197.68 3449.6 A 250 SEG ₁₂₄ 1197.68 3509.6 A 251 SEG ₁₂₅ 1197.68 3569.6 A 252 SEG ₁₂₆ 1197.68 3629.6 A 253 SEG ₁₂₇ 1197.68 3689.6 A 254 SEG ₁₂₈ 1197.68 3689.6 A 255 SEG ₁₂₈ 1197.68 3689.6 A 255 SEG ₁₂₉ 1197.68 3809.6 A 255 SEG ₁₂₉ 1197.68 3809.6 A 256 SEG ₁₃₀ 1197.68 3809.6 A 257 SEG ₁₃₁ 1197.68 3869.6 A 258 DUMMY6 1197.68 3929.6 A 259 DUMMY7 1032.44 4787.68 C 260 COM ₃₂ 940 4787.68 A 261 COM ₃₂ 940 4787.68 A 262 COM ₃₄ 820 4787.68 A 263 COM ₃₅ 760 4787.68 A 265 COM ₃₇ 640 4787.68 A 266 COM ₃₈ 580 4787.68 A 267 COM ₃₉ 520 4787.68 A 268 COM ₄₁ 400 4787.68 A 269 COM ₄₁ 400 4787.68 A 270 COM ₄₂ 340 4787.68 A 271 COM ₄₂ 340 4787.68 A 272 COM ₄₄ 220 4787.68 A 273 COM ₄₅ 160 4787.68 A 274 COM ₄₆ 100 4787.68 A 275 COM ₄₆ 100 4787.68 A 276 COM ₄₇ 220 4787.68 A 277 COM ₄₈ 220 4787.68 A 278 COM ₄₈ 160 4787.68 A 279 COM ₄₉ -80 4787.68 A 271 COM ₄₉ -80 4787.68 A 272 COM ₄₀ 420 4787.68 A 273 COM ₄₅ 160 4787.68 A 274 COM ₄₆ 100 4787.68 A 275 COM ₄₇ 40 4787.68 A 276 COM ₄₈ -20 4787.68 A 277 COM ₄₉ -80 4787.68 A 278 COM ₄₉ -80 4787.68 A 279 COM ₅₁ -200 4787.68 A 288 COM ₅₅ -260 4787.68 A 288 COM ₅₆ -560 4787.68 A 289 COM ₅₁ -80 4787.68 A 289 COM ₅₂ -80 4787.68 A		SEG ₁₁₉			
248 SEG122 1197.68 3389.6 A 249 SEG123 1197.68 3449.6 A 250 SEG124 1197.68 3509.6 A 251 SEG125 1197.68 3569.6 A 252 SEG128 1197.68 3689.6 A 253 SEG128 1197.68 3749.6 A 254 SEG128 1197.68 3749.6 A 255 SEG130 1197.68 3869.6 A 255 SEG130 1197.68 3869.6 A 257 SEG131 1197.68 3869.6 A 257 SEG131 1197.68 3929.6 A 258 DUMMY6 1197.68 3929.6 A 259 DUMMY7 1032.44 4787.68 C 260 COM32 940 4787.68 A 261 COM33 880 4787.68 A 262 COM35 760 <td>246</td> <td>SEG₁₂₀</td> <td>1197.68</td> <td>3269.6</td> <td></td>	246	SEG ₁₂₀	1197.68	3269.6	
249 SEG123	247	SEG ₁₂₁	1197.68	3329.6	Α
250 SEG124 1197.68 3509.6 A	248	SEG ₁₂₂	1197.68		Α
251 SEG125 1197.68 3569.6 A 252 SEG126 1197.68 3629.6 A 253 SEG127 1197.68 3689.6 A 254 SEG128 1197.68 3809.6 A 255 SEG129 1197.68 3869.6 A 256 SEG130 1197.68 3869.6 A 257 SEG131 1197.68 3929.6 A 258 DUMMY6 1197.68 4022.2 C 259 DUMMY7 1032.44 4787.68 A 260 COM32 940 4787.68 A 261 COM33 880 4787.68 A 261 COM34 820 4787.68 A 262 COM34 820 4787.68 A 263 COM35 760 4787.68 A 264 COM36 700 4787.68 A 265 COM37 640 4	249	SEG ₁₂₃	1197.68	3449.6	Α
252 SEG126 1197.68 3629.6 A 253 SEG127 1197.68 3689.6 A 254 SEG128 1197.68 3749.6 A 255 SEG129 1197.68 3809.6 A 256 SEG130 1197.68 3809.6 A 257 SEG131 1197.68 3929.6 A 258 DUMMY6 1197.68 4022.2 C 259 DUMMY7 1032.44 4787.68 C 260 COM32 940 4787.68 A 261 COM33 880 4787.68 A 262 COM34 820 4787.68 A 263 COM35 760 4787.68 A 264 COM36 50 400 4787.68 A 266 COM38 580 4787.68 A 267 COM42 340 4787.68 A 268 COM40 460 4787.68 A 270 COM42 340 4787.68 A 271 COM43 280 4787.68 A 272 COM44 220 4787.68 A 273 COM46 100 4787.68 A 274 COM46 100 4787.68 A 275 COM46 100 4787.68 A 276 COM46 100 4787.68 A 277 COM49 80 4787.68 A 278 COM49 80 4787.68 A 279 COM55 -140 4787.68 A 281 COM56 -20 4787.68 A 282 COM56 -20 4787.68 A 283 COM55 -440 4787.68 A 276 COM46 100 4787.68 A 277 COM49 80 4787.68 A 278 COM46 100 4787.68 A 279 COM51 -20 4787.68 A 278 COM50 -140 4787.68 A 279 COM51 -20 4787.68 A 281 COM56 -500 4787.68 A 282 COM56 -500 4787.68 A 283 COM56 -440 4787.68 A 284 COM56 -500 4787.68 A 285 COM56 -440 4787.68 A 286 COM56 -500 4787.68 A 287 COM56 -500 4787.68 A 288 COM56 -500 4787.68 A 288 COM56 -500 4787.68 A 289 COM61 -800 4787.68 A 289 COM61 -800 4787.68 A 290 COM62 -860 4787.68 A 291 COM63 -920 4787.68 A 292 COMS -980 4787.68 A	250	SEG ₁₂₄	1197.68	3509.6	A
253 SEG127 1197.68 3689.6 A 254 SEG128 1197.68 3749.6 A 255 SEG129 1197.68 3809.6 A 256 SEG130 1197.68 3899.6 A 257 SEG131 1197.68 3929.6 A 258 DUMMY6 1197.68 4022.2 C 259 DUMMY7 1032.44 4787.68 C 260 COM32 940 4787.68 A 261 COM33 880 4787.68 A 261 COM33 880 4787.68 A 263 COM34 820 4787.68 A 263 COM35 760 4787.68 A 264 COM36 700 4787.68 A 265 COM37 640 4787.68 A 266 COM38 580 4787.68 A 267 COM39 520 4787.68 </td <td>251</td> <td>SEG₁₂₅</td> <td>1197.68</td> <td></td> <td>Α</td>	251	SEG ₁₂₅	1197.68		Α
253 SEG127 1197.68 3689.6 A 254 SEG128 1197.68 3749.6 A 255 SEG129 1197.68 3809.6 A 256 SEG130 1197.68 3899.6 A 257 SEG131 1197.68 3929.6 A 258 DUMMY6 1197.68 4022.2 C 259 DUMMY7 1032.44 4787.68 C 260 COM32 940 4787.68 A 261 COM33 880 4787.68 A 261 COM33 880 4787.68 A 263 COM34 820 4787.68 A 263 COM35 760 4787.68 A 264 COM36 700 4787.68 A 265 COM37 640 4787.68 A 266 COM38 580 4787.68 A 267 COM39 520 4787.68 </td <td>252</td> <td>SEG₁₂₆</td> <td>1197.68</td> <td>3629.6</td> <td>Α</td>	252	SEG ₁₂₆	1197.68	3629.6	Α
255 SEG129 1197.68 3809.6 A 256 SEG130 1197.68 3869.6 A 257 SEG131 1197.68 3929.6 A 258 DUMMY6 1197.68 4022.2 C 259 DUMMY7 1032.44 4787.68 A 260 COM32 940 4787.68 A 261 COM33 880 4787.68 A 261 COM33 880 4787.68 A 262 COM34 820 4787.68 A 263 COM35 760 4787.68 A 264 COM36 700 4787.68 A 265 COM37 640 4787.68 A 266 COM38 580 4787.68 A 267 COM39 520 4787.68 A 268 COM40 460 4787.68 A 269 COM41 400 4787.68	253	SEG ₁₂₇	1197.68		Α
256 SEG130 1197.68 3869.6 A 257 SEG131 1197.68 3929.6 A 258 DUMMY6 1197.68 4022.2 C 259 DUMMY7 1032.44 4787.68 C 260 COM32 940 4787.68 A 261 COM33 880 4787.68 A 261 COM33 880 4787.68 A 262 COM34 820 4787.68 A 263 COM35 760 4787.68 A 264 COM36 700 4787.68 A 265 COM37 640 4787.68 A 266 COM38 580 4787.68 A 267 COM39 520 4787.68 A 268 COM40 460 4787.68 A 269 COM41 400 4787.68 A 271 COM43 280 4787.68	254	SEG ₁₂₈	1197.68	3749.6	Α
256 SEG130 1197.68 3869.6 A 257 SEG131 1197.68 3929.6 A 258 DUMMY6 1197.68 4022.2 C 259 DUMMY7 1032.44 4787.68 C 260 COM32 940 4787.68 A 261 COM33 880 4787.68 A 261 COM33 880 4787.68 A 262 COM34 820 4787.68 A 263 COM35 760 4787.68 A 264 COM36 700 4787.68 A 265 COM37 640 4787.68 A 266 COM38 580 4787.68 A 267 COM39 520 4787.68 A 268 COM40 460 4787.68 A 269 COM41 400 4787.68 A 271 COM43 280 4787.68	255	SEG ₁₂₉	1197.68	3809.6	Α
257 SEG131 1197.68 3929.6 A 258 DUMMY6 1197.68 4022.2 C 259 DUMMY7 1032.44 4787.68 C 260 COM32 940 4787.68 A 261 COM33 880 4787.68 A 262 COM34 820 4787.68 A 263 COM35 760 4787.68 A 264 COM36 700 4787.68 A 265 COM37 640 4787.68 A 266 COM38 580 4787.68 A 267 COM39 520 4787.68 A 268 COM40 460 4787.68 A 269 COM41 400 4787.68 A 269 COM41 400 4787.68 A 271 COM43 280 4787.68 A 272 COM44 220 4787.68		SEG ₁₃₀	1197.68		Α
258 DUMMY6 1197.68 4022.2 C 259 DUMMY7 1032.44 4787.68 C 260 COM32 940 4787.68 A 261 COM33 880 4787.68 A 262 COM34 820 4787.68 A 263 COM35 760 4787.68 A 264 COM36 700 4787.68 A 265 COM37 640 4787.68 A 266 COM38 580 4787.68 A 267 COM39 520 4787.68 A 268 COM40 460 4787.68 A 269 COM41 400 4787.68 A 269 COM41 400 4787.68 A 270 COM42 340 4787.68 A 271 COM43 280 4787.68 A 272 COM44 220 4787.68 A <td>257</td> <td>SEG₁₃₁</td> <td>1197.68</td> <td></td> <td>Α</td>	257	SEG ₁₃₁	1197.68		Α
259 DUMMY7 1032.44 4787.68 C 260 COM32 940 4787.68 A 261 COM33 880 4787.68 A 262 COM34 820 4787.68 A 263 COM35 760 4787.68 A 264 COM36 700 4787.68 A 265 COM37 640 4787.68 A 266 COM38 580 4787.68 A 267 COM39 520 4787.68 A 268 COM40 460 4787.68 A 269 COM41 400 4787.68 A 269 COM41 400 4787.68 A 270 COM42 340 4787.68 A 271 COM43 280 4787.68 A 272 COM43 280 4787.68 A 273 COM45 160 4787.68 A	258				_
260 COM32 940 4787.68 A 261 COM33 880 4787.68 A 262 COM34 820 4787.68 A 263 COM35 760 4787.68 A 264 COM36 700 4787.68 A 265 COM37 640 4787.68 A 266 COM38 580 4787.68 A 267 COM39 520 4787.68 A 268 COM40 460 4787.68 A 269 COM41 400 4787.68 A 270 COM42 340 4787.68 A 271 COM43 280 4787.68 A 271 COM43 280 4787.68 A 272 COM44 220 4787.68 A 273 COM45 160 4787.68 A 275 COM46 100 4787.68 A </td <td></td> <td>DUMMY7</td> <td></td> <td></td> <td></td>		DUMMY7			
261 COM33 880 4787.68 A 262 COM34 820 4787.68 A 263 COM35 760 4787.68 A 264 COM36 700 4787.68 A 265 COM37 640 4787.68 A 266 COM38 580 4787.68 A 267 COM39 520 4787.68 A 268 COM40 460 4787.68 A 269 COM41 400 4787.68 A 269 COM41 400 4787.68 A 270 COM42 340 4787.68 A 271 COM43 280 4787.68 A 271 COM43 280 4787.68 A 273 COM44 220 4787.68 A 274 COM46 100 4787.68 A 275 COM47 40 4787.68 A <td></td> <td></td> <td></td> <td></td> <td>A</td>					A
262 COM34 820 4787.68 A 263 COM35 760 4787.68 A 264 COM36 700 4787.68 A 265 COM37 640 4787.68 A 266 COM38 580 4787.68 A 267 COM39 520 4787.68 A 268 COM40 460 4787.68 A 269 COM41 400 4787.68 A 269 COM41 400 4787.68 A 270 COM42 340 4787.68 A 271 COM43 280 4787.68 A 271 COM43 280 4787.68 A 273 COM44 220 4787.68 A 274 COM46 100 4787.68 A 275 COM47 40 4787.68 A 276 COM48 -20 4787.68 A <td></td> <td></td> <td></td> <td></td> <td></td>					
263 COM36 760 4787.68 A 264 COM36 700 4787.68 A 265 COM37 640 4787.68 A 266 COM38 580 4787.68 A 267 COM39 520 4787.68 A 268 COM40 460 4787.68 A 269 COM41 400 4787.68 A 269 COM41 400 4787.68 A 270 COM42 340 4787.68 A 271 COM43 280 4787.68 A 271 COM43 280 4787.68 A 272 COM44 220 4787.68 A 273 COM45 160 4787.68 A 274 COM46 100 4787.68 A 275 COM47 40 4787.68 A 276 COM48 -20 4787.68 A <td></td> <td></td> <td></td> <td></td> <td></td>					
264 COM36 700 4787.68 A 265 COM37 640 4787.68 A 266 COM38 580 4787.68 A 267 COM39 520 4787.68 A 268 COM40 460 4787.68 A 269 COM41 400 4787.68 A 270 COM42 340 4787.68 A 271 COM43 280 4787.68 A 271 COM43 280 4787.68 A 272 COM44 220 4787.68 A 273 COM45 160 4787.68 A 274 COM46 100 4787.68 A 275 COM47 40 4787.68 A 277 COM48 -20 4787.68 A 277 COM49 -80 4787.68 A 279 COM51 -200 4787.68 A </td <td></td> <td></td> <td></td> <td></td> <td></td>					
265 COM37 640 4787.68 A 266 COM38 580 4787.68 A 267 COM39 520 4787.68 A 268 COM40 460 4787.68 A 269 COM41 400 4787.68 A 270 COM42 340 4787.68 A 271 COM43 280 4787.68 A 271 COM43 280 4787.68 A 272 COM44 220 4787.68 A 273 COM45 160 4787.68 A 274 COM46 100 4787.68 A 275 COM47 40 4787.68 A 276 COM48 -20 4787.68 A 277 COM49 -80 4787.68 A 279 COM50 -140 4787.68 A 279 COM51 -200 4787.68 A <					
266 COM38 580 4787.68 A 267 COM39 520 4787.68 A 268 COM40 460 4787.68 A 269 COM41 400 4787.68 A 270 COM42 340 4787.68 A 271 COM43 280 4787.68 A 271 COM43 280 4787.68 A 272 COM44 220 4787.68 A 273 COM45 160 4787.68 A 274 COM46 100 4787.68 A 275 COM47 40 4787.68 A 276 COM48 -20 4787.68 A 277 COM49 -80 4787.68 A 279 COM50 -140 4787.68 A 279 COM51 -200 4787.68 A 280 COM52 -260 4787.68 A					_
267 COM39 520 4787.68 A 268 COM40 460 4787.68 A 269 COM41 400 4787.68 A 270 COM42 340 4787.68 A 271 COM43 280 4787.68 A 272 COM44 220 4787.68 A 273 COM45 160 4787.68 A 274 COM46 100 4787.68 A 275 COM47 40 4787.68 A 276 COM48 -20 4787.68 A 277 COM49 -80 4787.68 A 279 COM50 -140 4787.68 A 279 COM51 -200 4787.68 A 280 COM52 -260 4787.68 A 281 COM53 -320 4787.68 A 282 COM54 -380 4787.68 A					
268 COM40 460 4787.68 A 269 COM41 400 4787.68 A 270 COM42 340 4787.68 A 271 COM43 280 4787.68 A 272 COM44 220 4787.68 A 273 COM45 160 4787.68 A 274 COM46 100 4787.68 A 275 COM47 40 4787.68 A 276 COM48 -20 4787.68 A 277 COM49 -80 4787.68 A 278 COM50 -140 4787.68 A 279 COM51 -200 4787.68 A 280 COM52 -260 4787.68 A 281 COM53 -320 4787.68 A 282 COM54 -380 4787.68 A 283 COM55 -440 4787.68 A					
269 COM41 400 4787.68 A 270 COM42 340 4787.68 A 271 COM43 280 4787.68 A 272 COM44 220 4787.68 A 273 COM45 160 4787.68 A 274 COM46 100 4787.68 A 275 COM47 40 4787.68 A 276 COM48 -20 4787.68 A 277 COM49 -80 4787.68 A 278 COM50 -140 4787.68 A 279 COM51 -200 4787.68 A 280 COM52 -260 4787.68 A 281 COM52 -260 4787.68 A 282 COM53 -320 4787.68 A 283 COM54 -380 4787.68 A 284 COM56 -500 4787.68 A					
270 COM42 340 4787.68 A 271 COM43 280 4787.68 A 272 COM44 220 4787.68 A 273 COM45 160 4787.68 A 274 COM46 100 4787.68 A 275 COM47 40 4787.68 A 276 COM48 -20 4787.68 A 277 COM49 -80 4787.68 A 279 COM50 -140 4787.68 A 279 COM51 -200 4787.68 A 280 COM52 -260 4787.68 A 281 COM53 -320 4787.68 A 282 COM53 -320 4787.68 A 283 COM54 -380 4787.68 A 284 COM56 -500 4787.68 A 285 COM57 -560 4787.68 A			+		
271 COM43 280 4787.68 A 272 COM44 220 4787.68 A 273 COM45 160 4787.68 A 274 COM46 100 4787.68 A 275 COM47 40 4787.68 A 276 COM48 -20 4787.68 A 277 COM49 -80 4787.68 A 278 COM50 -140 4787.68 A 279 COM51 -200 4787.68 A 280 COM52 -260 4787.68 A 281 COM53 -320 4787.68 A 282 COM53 -320 4787.68 A 283 COM54 -380 4787.68 A 284 COM55 -440 4787.68 A 285 COM57 -560 4787.68 A 286 COM58 -620 4787.68 A <td></td> <td></td> <td></td> <td></td> <td></td>					
272 COM44 220 4787.68 A 273 COM45 160 4787.68 A 274 COM46 100 4787.68 A 275 COM47 40 4787.68 A 276 COM48 -20 4787.68 A 277 COM49 -80 4787.68 A 278 COM50 -140 4787.68 A 279 COM51 -200 4787.68 A 280 COM52 -260 4787.68 A 281 COM53 -320 4787.68 A 281 COM53 -320 4787.68 A 282 COM54 -380 4787.68 A 283 COM55 -440 4787.68 A 284 COM56 -500 4787.68 A 285 COM57 -560 4787.68 A 286 COM58 -620 4787.68 A <td></td> <td></td> <td></td> <td></td> <td></td>					
273 COM45 160 4787.68 A 274 COM46 100 4787.68 A 275 COM47 40 4787.68 A 276 COM48 -20 4787.68 A 277 COM49 -80 4787.68 A 278 COM50 -140 4787.68 A 279 COM51 -200 4787.68 A 280 COM52 -260 4787.68 A 281 COM53 -320 4787.68 A 282 COM54 -380 4787.68 A 283 COM55 -440 4787.68 A 284 COM56 -500 4787.68 A 285 COM57 -560 4787.68 A 286 COM58 -620 4787.68 A 287 COM59 -680 4787.68 A 289 COM61 -800 4787.68 A </td <td></td> <td></td> <td></td> <td></td> <td></td>					
274 COM46 100 4787.68 A 275 COM47 40 4787.68 A 276 COM48 -20 4787.68 A 277 COM49 -80 4787.68 A 278 COM50 -140 4787.68 A 279 COM51 -200 4787.68 A 280 COM52 -260 4787.68 A 281 COM53 -320 4787.68 A 282 COM54 -380 4787.68 A 283 COM55 -440 4787.68 A 284 COM56 -500 4787.68 A 285 COM57 -560 4787.68 A 286 COM58 -620 4787.68 A 287 COM59 -680 4787.68 A 289 COM60 -740 4787.68 A 289 COM61 -800 4787.68 A<					_
275 COM47 40 4787.68 A 276 COM48 -20 4787.68 A 277 COM49 -80 4787.68 A 278 COM50 -140 4787.68 A 279 COM51 -200 4787.68 A 280 COM52 -260 4787.68 A 281 COM53 -320 4787.68 A 282 COM54 -380 4787.68 A 283 COM55 -440 4787.68 A 284 COM56 -500 4787.68 A 285 COM57 -560 4787.68 A 286 COM58 -620 4787.68 A 287 COM59 -680 4787.68 A 289 COM60 -740 4787.68 A 289 COM61 -800 4787.68 A 290 COM62 -860 4787.68 A					A A
276 COM48 -20 4787.68 A 277 COM49 -80 4787.68 A 278 COM50 -140 4787.68 A 279 COM51 -200 4787.68 A 280 COM52 -260 4787.68 A 281 COM53 -320 4787.68 A 282 COM54 -380 4787.68 A 283 COM55 -440 4787.68 A 284 COM56 -500 4787.68 A 285 COM57 -560 4787.68 A 286 COM58 -620 4787.68 A 287 COM59 -680 4787.68 A 288 COM60 -740 4787.68 A 289 COM61 -800 4787.68 A 290 COM62 -860 4787.68 A 291 COM63 -920 4787.68 <td< td=""><td></td><td></td><td>+</td><td></td><td></td></td<>			+		
277 COM49 -80 4787.68 A 278 COM50 -140 4787.68 A 279 COM51 -200 4787.68 A 280 COM52 -260 4787.68 A 281 COM53 -320 4787.68 A 282 COM54 -380 4787.68 A 283 COM55 -440 4787.68 A 284 COM56 -500 4787.68 A 285 COM57 -560 4787.68 A 286 COM58 -620 4787.68 A 287 COM59 -680 4787.68 A 288 COM60 -740 4787.68 A 289 COM61 -800 4787.68 A 290 COM62 -860 4787.68 A 291 COM63 -920 4787.68 A 292 COMS -980 4787.68 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
278 COM50 -140 4787.68 A 279 COM51 -200 4787.68 A 280 COM52 -260 4787.68 A 281 COM53 -320 4787.68 A 282 COM54 -380 4787.68 A 283 COM55 -440 4787.68 A 284 COM56 -500 4787.68 A 285 COM57 -560 4787.68 A 286 COM58 -620 4787.68 A 287 COM59 -680 4787.68 A 288 COM60 -740 4787.68 A 289 COM61 -800 4787.68 A 290 COM62 -860 4787.68 A 291 COM63 -920 4787.68 A 292 COMS -980 4787.68 A					
279 COM51 -200 4787.68 A 280 COM52 -260 4787.68 A 281 COM53 -320 4787.68 A 282 COM54 -380 4787.68 A 283 COM55 -440 4787.68 A 284 COM56 -500 4787.68 A 285 COM57 -560 4787.68 A 286 COM58 -620 4787.68 A 287 COM59 -680 4787.68 A 288 COM60 -740 4787.68 A 289 COM61 -800 4787.68 A 290 COM62 -860 4787.68 A 291 COM63 -920 4787.68 A 292 COMS -980 4787.68 A					
280 COM52 -260 4787.68 A 281 COM53 -320 4787.68 A 282 COM54 -380 4787.68 A 283 COM55 -440 4787.68 A 284 COM56 -500 4787.68 A 285 COM57 -560 4787.68 A 286 COM58 -620 4787.68 A 287 COM59 -680 4787.68 A 288 COM60 -740 4787.68 A 289 COM61 -800 4787.68 A 290 COM62 -860 4787.68 A 291 COM63 -920 4787.68 A 292 COMS -980 4787.68 A					
281 COM53 -320 4787.68 A 282 COM54 -380 4787.68 A 283 COM55 -440 4787.68 A 284 COM56 -500 4787.68 A 285 COM57 -560 4787.68 A 286 COM58 -620 4787.68 A 287 COM59 -680 4787.68 A 288 COM60 -740 4787.68 A 289 COM61 -800 4787.68 A 290 COM62 -860 4787.68 A 291 COM63 -920 4787.68 A 292 COMS -980 4787.68 A					
282 COM54 -380 4787.68 A 283 COM55 -440 4787.68 A 284 COM56 -500 4787.68 A 285 COM57 -560 4787.68 A 286 COM58 -620 4787.68 A 287 COM59 -680 4787.68 A 288 COM60 -740 4787.68 A 289 COM61 -800 4787.68 A 290 COM62 -860 4787.68 A 291 COM63 -920 4787.68 A 292 COMS -980 4787.68 A					
283 COM55 -440 4787.68 A 284 COM56 -500 4787.68 A 285 COM57 -560 4787.68 A 286 COM58 -620 4787.68 A 287 COM59 -680 4787.68 A 288 COM60 -740 4787.68 A 289 COM61 -800 4787.68 A 290 COM62 -860 4787.68 A 291 COM63 -920 4787.68 A 292 COMS -980 4787.68 A					
284 COM56 -500 4787.68 A 285 COM57 -560 4787.68 A 286 COM58 -620 4787.68 A 287 COM59 -680 4787.68 A 288 COM60 -740 4787.68 A 289 COM61 -800 4787.68 A 290 COM62 -860 4787.68 A 291 COM63 -920 4787.68 A 292 COMS -980 4787.68 A					
285 COM ₅₇ -560 4787.68 A 286 COM ₅₈ -620 4787.68 A 287 COM ₅₉ -680 4787.68 A 288 COM ₆₀ -740 4787.68 A 289 COM ₆₁ -800 4787.68 A 290 COM ₆₂ -860 4787.68 A 291 COM ₆₃ -920 4787.68 A 292 COMS -980 4787.68 A					
286 COM58 -620 4787.68 A 287 COM59 -680 4787.68 A 288 COM60 -740 4787.68 A 289 COM61 -800 4787.68 A 290 COM62 -860 4787.68 A 291 COM63 -920 4787.68 A 292 COMS -980 4787.68 A					
287 COM ₅₉ -680 4787.68 A 288 COM ₆₀ -740 4787.68 A 289 COM ₆₁ -800 4787.68 A 290 COM ₆₂ -860 4787.68 A 291 COM ₆₃ -920 4787.68 A 292 COMS -980 4787.68 A					-
288 COM ₆₀ -740 4787.68 A 289 COM ₆₁ -800 4787.68 A 290 COM ₆₂ -860 4787.68 A 291 COM ₆₃ -920 4787.68 A 292 COMS -980 4787.68 A					
289 COM61 -800 4787.68 A 290 COM62 -860 4787.68 A 291 COM63 -920 4787.68 A 292 COMS -980 4787.68 A					
290 COM62 -860 4787.68 A 291 COM63 -920 4787.68 A 292 COMS -980 4787.68 A					
291 COM ₆₃ -920 4787.68 A 292 COMS -980 4787.68 A					
292 COMS -980 4787.68 A			+		
293 DUMMY8 -1072.6 4787.68 C					
	293	DUMMY8	-1072.6	4787.68	С

Remark Pad Type A:

Pad size (Al): 47 x 105 μ m² (TYP.) Bump size: 35 x 92.5 μ m² (TYP.) Bump height: 17 μ m (TYP.)

Pad Type B:

Pad size (Al): 75 x 105 μ m² (TYP.) Bump size: 67 x 92.5 μ m² (TYP.) Bump height: 17 μ m (TYP.)

Pad Type C:

Pad size (Al): 118 x 105 μ m² (TYP.) Bump size: 110 x 92.5 μ m² (TYP.) Bump height: 17 μ m (TYP.)



3. PIN FUNCTIONS

3.1 Power Supply System Pins

Pin Symbol	Pin Name	Pad No.	I/O	Description
V _{DD}	Logic power supply pins	25 to 27	_	Power supply pins for logic. Apply the logic power supply voltage from an external source.
V _{DD2}	Booster circuit power supply pins	28 to 31	_	Power supply pins for booster circuit. Apply the booster circuit power supply voltage from an external source.
Vss	Logic/driver ground pins	32 to 37	_	Ground pins for logic and driver circuit. Connect these pins to an external ground.
VLCD	Driver power supply pins	38 to 40	_	Power supply pins for driver. Output pins for internal booster circuit.
				Connect a 1- μ F capacitor for boosting between these pins and the GND pins.
				If not using the internal booster circuit, a direct driver power supply can be input.
V _{DD} '	Power supply pins for fixed mode pins	10,16,53,54, 78,84,88	_	These power supply pins are used to set the mode pins as fixed.
Vss'	Ground pins for fixed mode pins	7,13,57,58, 71,72,81,86	_	These ground pins are used to set the mode pins as fixed.
VLC1 to VLC5	Reference power supply pins for driver	59 to 68	_	These are reference power supply pins for the LCD driver. Connect a smoothing capacitor if an internal bias has been selected.
C ₁ ⁺ , C ₁ ⁻ C ₂ ⁺ , C ₂ ⁻ C ₃ ⁺ , C ₃ ⁻	Capacitor connection pins	41 to 52	_	These are capacitor connection pins for the booster circuit. Connect a 1-μF capacitor.

Data Sheet S14402EJ1V0DS



3.2 Logic System Pins (1/3)

Pin Symbol	Pin Name	Pad No.	I/O	Description
P,/S	Select data input	83	Input	This pin is used to select between parallel data input and serial data input. P,/S = H : Parallel data input P,/S = L : Serial data input This setting cannot be switched after power-on. For details, see 5. DESCRIPTION OF FUNCTIONS.
/CS1,CS2	Chip select	8,9	Input	These pins are used for the chip select signal. When /CS1 = L and CS2 = H, this signal is active and can be used for I/O of data and commands.
/RD(E)	Read (enable)	15	Input	 When connected to 80 series CPU: active low This pin connects the 80 series CPU's RD signal. Data bus output status is set when this signal is low. When connected to 68 series CPU: active high It is used as the enable clock input pin for the 68 series CPU.
/WR(R,/W)	Write (read/write)	14	Input	 When connected to 80 series CPU: active low This pin connects the 80 series CPU's /WR signal. Signals on the data bus are latched at the rising edge of the /WR signal. When connected to 68 series CPU This pin is an input pin for read/write control signals. R,/W = H : Read R,/W = L : Write
C86	Interface select	82	Input	This pin is used to select the CPU interface. C86 = H : 68 series CPU interface C86 = L : 80 series CPU interface
Do to Ds	Data bus	17 to 22	Input /Output	When used with a parallel interface, these pins correspond to data bus bits D ₀ to D ₅ . When used with a serial interface, they are pulled down internally.
D ₆ (SCL)	Data bus/serial clock	23	Input /Output	When used with a parallel interface, this pin corresponds to data bus bit D ₆ . When used with a serial interface, it is a serial clock input pin.
D ₇ (SI)	Data bus/serial data input	24	Input /Output	When used with a parallel interface, this pin corresponds to data bus bit D ₇ . When used with a serial interface, it is a serial data input pin.
A0	Data command	12	Input	This pin is connected to the LSB in the ordinary CPU address bus to distinguish between data and commands. A0 = H : Indicates that display data exists in bits D ₀ to D ₇ . A0 = L : Indicates that display control commands exist in bits D ₀ to D ₇ .
TESTоυт	Test output	6	Output	This pin is used as a test output. Leave this pin open when used for this purpose.
/RESET	Reset	11	Input	This pin is used to perform an internal reset when at low level.
CLS	Clock select	80	Input	This pin is used to select the valid/invalid setting for the display clock's on-chip oscillation circuit. CLS = H : On-chip oscillation circuit is valid CLS = L : On-chip oscillation circuit is invalid (external input) When CLS = L, a display clock is input via the CL pin.



3.2 Logic System Pins (2/3)

Pin Symbol	Pin Name	Pad No.	I/O	Description							
FR	Frame signal	3	Input /Output	signal.	This pin is used as an I/O pin for the LCD's AC conversion signal. This pin is used (along with the FRS pin) for the static drive.						
FRS	Static signal	2	Output	This pin is used as an output pin for the static drive.						/e.	
1110	Static signal	2	Output	This pin is used as an output pin for the static drive. This pin is used (along with the FR pin) for the static drive.						1	
M,/S	Master/Slave	79	Input	It This pin is used to select master or slave operation mode.							
, -		-							output du		
							ng slave	mode to	o ensure	synchro	nization
					CD block		ation mo	do			
						ter opera e operati					
						•			atus of th	ne M./S a	and
				CLS pin		0 20.011,				,,	
				M,/S	CLS	Oscillation	Power	CL	FR	FRS	/DOF
						Circuit	supply				
							circuit				
				Н	Н	Valid	Valid	Output	Output	Output	Output
					L	Invalid	Valid	Input	Output	Output	Output
				L	Н	Invalid	Invalid	Input	Input	Hi-Z	Input
					L	Invalid	Invalid	Input	Input	Hi-Z	Input
CL	Display clock input	4	Input						pin. Not		tings
			/Output	below, t	oased or				nd CLS	oins. 1	
						M,/S		LS	CL	1	
					,	Н		H	Output	1	
					,			L	Input	1	
					,	L		H	Input	1	
								L	Input	_	
					sing this onding C		naster or	slave n	node, cor	nect it to	o the
/DOF	Blink control	5	Input			to contr	ol blinkir	na in the	LCD.		
			/Output		H : Out			5			
				M,/S =	L : Inpu	it					
					-	•		slave n	node, cor	nect it to	the the
LIDM	D 1 1 1 1 1	0.5				DOF pin			· · ·		,
HPM	Power supply circuit select pin for LCD driver	85	Input	_	ıs used CD driv		wer cont	rol pin c	f the pov	er suppl	y circuit
	p 18: 202 as.					mal mod	de				
				HPM =	L : High	n-power	mode				
IRS	Select pin for V _{LC1}	87	Input	-		to selec	t the res	istor tha	t is used	to regula	ate the
	regulating resistor			VLC1 vol	U						
						ct on-chi			Th - 17	14	
				IKS =					. The V∟ an extern	_	
					regui		uie vk	oni and i	an extern	ai uiviue	u
				Use of t			or canno	ot be se	ected or	deselec	ted via
				a hard r	eset or v	<i>i</i> ia a res			stead, us		
				select th	ne settin	g.					

Data Sheet S14402EJ1V0DS

3.2 Logic System Pins (3/3)

	Pin Symbol	Pin Name	Pad No.	I/O		Description					
Υ	TCS1,TCS2	Temperature gradient select	73,74	Input	No	These pins are used to select temperature gradient. Note the temperature gradient below, based on the status of the TCS1, TCS2.					
					TCS2 TCS1 Temperature gradient (% / °C)						
						L	L	-0.09			
						0					
					H L -0.05						
						Н	Н	-0.14			
								<u> </u>			
	TEST3	Test pins	75	Input	These are test pins for IC tests. Normally, these pins should be left open.						
	TEST4,TEST5	Test pins	76,77	Output		These are test pins for IC tests. Normally, these pins should be left open.					



3.3 Driver System Pins

Pin Symbol	Pin Name	Pad No.	I/O	Description
SEG ₀ to SEG ₁₃₁	Segment	126 to 257	Output	Segment output pins
COMo to COM63	Common	91 to 122, 260 to 291	Output	Common output pins
COMS	Indicator common	123,292	Output	Common output pins for indicator The same signal is output from pin 2.
Vrs	Op amp inputs	55,56	Input	These are input pins for the op amp that regulates the LCD driver voltage. Leave the V _{RS} pin open when using the on-chip power supply.
VR		69,70		When not using the on-chip power supply, a reference voltage VREG must be input. When using an external power supply, connect the VR pin to a resistor used to regulate the LCD voltage.
DUMMY1 to DUMMY8	Dummy pins	1,89,90,124,125, 258,259,293	_	Since these pins are not connected to any internal circuits, they should be left open when they are not being used.



4. PIN I/O CIRCUITS AND RECOMMENDED CONNECTION OF UNUSED PINS

The input/output circuit type of each pin and recommended connection of unused pins are shown in the following table.

Pin Name	I/O	Recommended Connection of Unused Pins	Notes
P,/S	Input	Mode setting pin	1
/CS1	Input	Connect to Vss	
CS2	Input	Connect to V _{DD}	
/RD(E)	Input	Connect to V _{DD} (80 series interface),	
		connect to V _{DD} or V _{SS} (serial interface)	
/WR (R,/W)	Input	Connect to VDD or Vss (serial interface)	
C86	Input	Mode setting pin	1
Do to Ds	Input/Output	Leave open (when using serial interface)	2
D ₆ (SCL)	Input/Output		
D ₇ (SI)	Input/Output		
A0	Input	Data/command setting pin	3
TESTout	Output	Leave open	
/RESET	Input	Connect to V _{DD}	
CLS	Input	Mode setting pin	1
FR	Input/Output	Leave open (when using master mode, M,/S = H)	
FRS	Output	Leave open	
/DOF	Input/Output	Leave open (when using master mode, M,/S = H)	
M,/S	Input	Mode setting pin	1
CL	Input/Output	Display clock	4
HPM	Input	Mode setting pin	1
IRS	Input	Mode setting pin	1
TCS1	Input	Mode setting pin	1
TCS2	Input	Mode setting pin	1
TEST3	Input	Leave open	2
TEST4	Output	Leave open	
TEST5	Output	Leave open	

Notes 1. Connect to V_{DD} or Vss according to the selected mode.

- 2. These pins are pulled down to Vss in the IC.
- 3. Input CPU output from V_{DD} or V_{SS} according to the selected register.
- **4.** This pin is an output when M,/S = H and CLS = H but should otherwise be used to input the display clock.

5. DESCRIPTION OF FUNCTIONS

5.1 CPU Interface

5.1.1 Select interface type

The μ PD16682A transfers data either via an 8-bit bidirectional data bus (D₇ to D₀) or via a serial data input (SI). The P,/S pin can be set to either high or low levels to select 8-bit parallel data input or serial data input, as shown in the table below.

P,/S	/CS1	CS2	A0	/RD	/WR	C86	D ₇	D ₆	D5 - D0
H: Parallel input	/CS1	CS2	A0	/RD	/WR	C86	D ₇	D ₆	D5 -D0
L: Serial input	/CS1	CS2	A0	Note 1	Note 1	Note1	SI	SCL	Note2

Notes 1. Fix this pin as either H or L.

2. High impedance

5.1.2 Parallel interface

If the parallel interface has been selected (P,/S = H), setting the C86 pin either high or low determines whether to connect directly to the 80 series CPU or the 68 series CPU, as shown in the table below.

P,/S	/CS1	CS2	A0	/RD	D7 - D0
H: 68 series CPU bus	/CS1	CS2	A0	E	D7 - D0
L: 80 series CPU bus	/CS1	CS2	A0	/RD	D7 - D0

The data bus signal can be identified according to the combination of A0, /RD(E), and /WR (R,/W) signals, as shown in the table below.

Common	68 Series	80 Se	eries	Function
A0	R,/W	/RD	/WR	
Н	Н	L	Н	Read display data
Н	L	Н	L	Write display data
L	Н	L	Н	Read status
L	L	Н	L	Write control data (command)

(1) 80 Series Parallel Interface

When 80 series parallel data transfer has been selected, data is written to the μ PD16682A at the rising edge of the /WR signal. The data is output to the data bus when the /RD signal is L.

/CS1 (CS2=H)

/RD

/RD

Hi-Z

Data write

Data read

Figure 5-1 80 Series Interface Data Bus Status

(2) 68 Series Parallel Interface

When 68 series parallel data transfer has been selected, data is written at the falling edge of the E signal when the R,/W signal is L. During the data read operation, the data bus enters the output status when the R,/W signal is H, outputs valid data at the rising edge of the E signal, and enters the high-impedance state at the falling edge of the R,/W signal (R,/W = L)




Figure 5–2 68 Series Interface Data Bus Status


5.1.3 Serial interface

If the serial interface has been selected (P,/S = L) and if the chip is in the active state (/CS1 = L and CS2 = H), both serial data input (SI) and serial clock input (SCL) can be received. The serial interface includes an 8-bit shift register and a 3-bit counter. Serial data is captured at the rising edge of the serial clock and is clocked in via the serial data input pins in sequence from D_7 to D_0 . At the rising edge of the eighth serial clock, data is converted to 8-bit parallel data.

Input via the A0 pin can be used to determine whether the input serial data is display data or a command (display data when A0 = H, command when A0 = L). The timing for reading and identifying input via A0 occurs at the rising edge of the "eighth x n" serial clock once the chip's status is active.

A serial interface signal chart is shown below.

Figure 5-3. Serial Interface chart



Remarks 1. When the chip's status is inactive, the shift register and counter are both reset to their initial values.

- 2. Data cannot be read when using the serial interface.
- **3.** For the SCL signal, caution is advised concerning the wire's terminating reflection and noise from external sources. We recommend to check the operation on the actual equipment.

5.1.4 Chip select

The μ PD16682A has two chip select pins (/CS1 and CS2). The CPU interface or serial interface can be used only when /CS1 = L and CS2 = H.

When the chip select pin is inactive, D_7 to D_0 are set to high impedance (invalid) and input of A0, /RD, or /WR is invalid. If the serial interface has been selected, the shift register and counter are both reset.

5.1.5 Display data RAM and internal register access


Access to the μ PD16682A from the CPU supports high-speed data transfers since the cycle time (tcyc) is met and there is no need for wait time.

When data transfer occurs between the μ PD16682A and the CPU, the data is held in a bus holder belonging to the internal data bus and is written to the display data RAM before the next data write cycle. When the CPU reads the contents of the display data RAM, the data read during the first data read cycle (dummy cycle) is first held in the bus holder and is read from the bus holder to the system bus during the next data read cycle.

Note with caution that, due to constraints on the read sequence for the display data RAM, when the address is set, the data is not output from the address specified by the next read command but rather is output to the address specified during the second data read operation. Consequently, one dummy read operation is strictly required after setting an address or after a write cycle. Figure 5–4 illustrates this situation.

4402EJ1V0DS **15**

Figure 5-4. Write and Read Operations



Read

6. DISPLAY DATA RAM

6.1 Display Data RAM


This is the RAM that is used to store the display's dot data. The RAM configuration is 65 (8 pages x 8 bits + 1) x 132 bits. Any specified bit can be accessed by selecting the corresponding page address and column address.

As is shown in Figure 6–1 below, the display data (D₇ to D₀) from the CPU corresponds to the common direction in the LCD, so that if a multiple set of μ PD16682A chips is used, there are fewer constraints on transfers of display data and relatively more freedom for display configurations.

The CPU accesses the display data RAM for read/write operations via the I/O buffer, and these operations are independent of the LCD driver signal read operations. Therefore, there are absolutely no adverse effects (such as flicker) in the display when display data RAM is accessed asynchronously in relation to the LCD contents.

LCD data 0 1 1 0 D_0 0 0 0 D_1 1 0 0 0 0 0 D_2 0 Dз n 1 1 1 0 0 n 0 0 D_4 1

Figure 6-1. LCD Data and LCD Display



6.2 Page Address Circuit

The page address set command specifies the page address in the display data RAM, as is shown in Figure 6–2. To access a different page, simply specify a different page address using this command.

Page address 8 (D_3 , D_2 , D_1 , D_0 = 1,0,0,0) is a RAM area that is used exclusively for indicator, so only display data D_0 is valid.

6.3 Column Address Circuit

The column address set command specifies the column address in the display data RAM, as is shown in Figure 6–2. The specified column address is incremented each time a display data read or write command is input, so the CPU is able to successively access display data.

Incrementation of the column address stops at 83H. The column address and page address are mutually independent, which means that to switch from column 83H on page 0 to column 00H on page 1, both the page address and column address must be separately specified again.

Also, as is shown in Table 6–1, the ADC command (segment driver direction select command) can be used to invert the correspondence between the display data RAM's column address and segment output. This reduces the number of IC layout constraints that are imposed when setting up the LCD module.

Table 6-1. Relation between Display Data RAM Column Address and Segment Output

SEG Ou	ıtput	SEG₀				SEG ₁₃₁
ADC	"0"	00H	\rightarrow	Column Address	\rightarrow	83H
(D ₀)	"1"	83H	←	Column Address	-	00H

Data Sheet S14402EJ1V0DS

6.4 Line Address Circuit

As is shown in Figure 6–2, the line address circuit specifies the line address that corresponds to a COM output for displaying the contents of display data RAM. The display start line address set command usually specifies the highest line in the display (corresponding to the COMo output when in normal mode or the COMo output when in inverted mode). Thus, there are 65 lines in the direction of incrementation of line address starting from the specified display start line address.

The screen can be scrolled by dynamically changing the line address via the display start line address set command.




Figure 6-2. Specification of Display Start Line Address in Display Data RAM

Note COMS accesses the 65th line regardless of the display start line address.



6.5 Display Data Latch Circuit

The display data latch circuit is used for temporary storage of display data that has been output to the LCD driver circuit from the display data RAM.

The commands that are used to set normal/inverted display modes, display ON/OFF status, and display all ON/OFF status are commands that control data in this latch so that there is no modification of the data in the display data RAM.

7. OSCILLATION CIRCUIT

This is a CR-type oscillation circuit that generates the display clock. The oscillation circuit is valid only when CLS = H. When CLS = L, oscillation is stopped and the display clock is input via the CL pin.

8. DISPLAY TIMING GENERATOR

The display timing generator generates timing signals from the display clock to the line address circuit and the display data latch circuit. Display data is latched into the display data latch circuit in synch with the display clock and is output via segment driver output pins. Reading of the display data is completely independent of the CPU's accessing of the display data RAM. Consequently, there are no adverse effects (such as flicker) on the LCD panel even when the display data RAM is accessed asynchronously in relation to the LCD contents.

The internal common timing and LCD's AC conversion signal (FR) are both generated from the display clock. As is shown in Figure 8–1, a drive waveform based on the two-frame AC drive method is generated for the LCD driver circuit.

If a multiple set of μ PD16682A chips is used, the display timing signals (FR, CL, and /DOF) for the slave side must be supplied from the master side.

	Operation Mode	FR	CL	/DOF
Master (M,/S = H)	On-chip oscillation circuit is valid (CLS = H)	Output	Output	Output
	On-chip oscillation circuit is invalid (CLS = L)	Output	Input	Output
Slave (M,/S = L)	On-chip oscillation circuit is invalid (CLS = H)	Input	Input	Input
	On-chip oscillation circuit is invalid (CLS = L)	Input	Input	Input

Data Sheet S14402EJ1V0DS 19

1Frame CL FR RAM DATA V_{LC1} V_{LC2} SEG₁ V_{LC4} V_{LC5} V_{LC1} V_{LC2} V_{LC3} COM₀ V_{LC4} Vss V_{LC1} V_{LC2} VLC3 COM₁ V_{LC4} Vss V_{LC1} V_{LC2} V_{LC3} COMS V_{LC4} Vss

Figure 8–1. Drive Waveform when Using Two-Frame AC Drive Method



9. COMMON OUTPUT STATUS SELECT CIRCUIT

With the μ PD16682A, the common output status select command can be used to set the scan direction for COM outputs (see **Table 9–1**). As a result, there are fewer IC layout constraints when setting up the LCD module.

Table 9-1. Setting of Scan Direction for COM Outputs

Status	COM Scan Direction						
Normal (forward)	COM₀	\rightarrow	COM ₆₃				
Inverted (reverse)	COM ₆₃	\rightarrow	COM ₀				

10. POWER SUPPLY CIRCUIT

10.1 Power Supply Circuit

The power supply circuit, which supplies the voltage needed to drive the LCD, includes a booster circuit, voltage regulator circuit, and voltage follower circuit.

The power control set command is used to control the ON/OFF status of the power supply circuit's booster circuit, voltage regulator circuit (V regulator circuit), and voltage follower circuit (V/F circuit). This makes it possible to jointly use an external power supply along with certain functions of the on-chip power supply. Table 10–1 shows the function that controls the 3-bit data in the power control set command and Table 10–2 shows a reference chart of combinations.

Table 10-1. Control Values Set to Bits in Power Control Set Command

	Item	Status			
		Н	L		
D ₂	Booster circuit control bit	ON	OFF		
D ₁	Voltage regulator circuit control bit	ON	OFF		
D ₀	Voltage follower circuit control bit	ON	OFF		

Table 10-2. Reference Chart of Combinations

Use Status	D ₂	D ₁	D ₀	Booster	V Regulator	V/F Circuit	External Power	Booster-
				Circuit	Circuit		Supply Input	related Pin
<1> Use on-chip power supply	Н	Н	Н	i	i	i	V _{DD2}	Used
<2> Use V regulator circuit	L	Н	Н	×	i	i	VLCD	Open
and V/F circuit only								
<3> Use V/F circuit only	L	L	Н	×	×	i	V _{LC1}	Open
<4> Use External power	L	L	L	×	×	×	VLC1 to VLC5	Open
supply only								

Remarks 1. The booster-related pins are indicated as pins C₁⁺, C₁⁻, C₂⁺, C₂⁻, C₃⁺, and C₃⁻.

2. Although combinations other than those shown above are possible, they have no practical uses and therefore cannot be recommended.

Data Sheet S14402EJ1V0DS

10.2 Booster circuit

3x and 4x booster circuits have been incorporated in chip to generate the current driving the LCD.

When using the internal power supply, connect the booster-related capacitor between C_1^+ and C_1^- , C_2^+ and C_2^- , and C_3^+ and C_3^- . Also, connect the level stabilization-related capacitor between V_{LCD} and V_{SS} and set D_2 high to boost the potential between V_{DD2} and V_{SS} from 3 to 4 times.

Since the booster circuit uses signals from the internal oscillation circuit, the oscillation circuit must be operating. The relation between the boosted voltage and the potential is described below.

The C_1^+ , C_1^- , C_2^+ , C_2^- , C_3^+ , C_3^- , and V_{DD2} pins all relate to the booster circuit, so the wire impedance should be minimized.

VLCD = 4VDD2 = 12 V
(During 4x boost mode)

VLCD = 3VDD2 = 9 V
(During 3x boost mode)

VDD2 = 3 V

Figure 10-1. 3x and 4x Booster Circuits

Caution When set to 3x boost mode, connect booster-related capacitors between C₂⁻ and C₃⁺ and between C₁⁺ and C₁⁻.

10.3 Voltage Regulator Circuit

The boost voltage that was generated at V_{LCD} is output via the voltage regulator circuit as the LCD drive voltage V_{LC1} . Since the μ PD16682A has a 64-level electronic volume function and an on-chip resistor for V_{LC1} voltage regulation, various components can be used to configure a highly accurate voltage regulator circuit.

10.3.1 Use of on-chip resistor for VLC1 voltage regulation

The on-chip resistor for V_{LC1} voltage regulation and the electronic volume function can be used to regulate the darkness of the LCD contents, not only by adding an external resistor but also by controlling the LCD drive voltage V_{LC1} by using commands only. The V_{LC1} voltage can be determined using equation 10–1 as within the range of V_{LC1} < V_{LCD}.

★ Equation 10–1

$$V_{LC1} = (1 + \frac{Rb}{Ra})V_{EV}$$


The equation for determining VEV varies according to the temperature gradient.

$$V_{EV} = \frac{162}{202} (1 - \frac{\alpha}{162}) V_{REG} \ (-0.05\% \ / \ ^{\circ}C)$$

$$V_{EV} = \frac{162}{179} (1 - \frac{\alpha}{162}) V_{REG} \ (-0.09\% \ / \ ^{\circ}C)$$

$$V_{EV} = (1 - \frac{\alpha}{162}) V_{REG} \ (-0.14\% \ / \ ^{\circ}C)$$

$$V_{EV} = \frac{162}{232} (1 - \frac{\alpha}{162}) V_{REG} (0\% / ^{\circ}C)$$



 V_{REG} is the IC's internal constant voltage source, whose voltage values (at $T_A = 25^{\circ}C$) are listed in Table 10–3 below.

*

Table 10-3. VREG

TCS2	TCS1	Temperature Gradient (%/°C)	Vreg (V)
L	L	-0.09	1.87
L	Н	0	2.41
Н	L	-0.05	2.10
Н	Н	-0.14	1.69

Given α as the electronic volume command value, when data is set to the 6-bit electronic volume register, one of 64 statuses is set. Values for α corresponding to various electronic volume register settings are listed in Table 10–4 below.

Table 10-4. α Values Determined by Electronic Volume Register Settings

D 5	D ₄	Dз	D ₂	D ₁	D ₀	α
0	0	0	0	0	0	63
0	0	0	0	0	1	62
0	0	0	0	1	1	61
0	0	0	0 1		1	60
:			•••		• •	• •
1	1	1	1	0	1	2
1	1	1	1	1	0	1
1	1	1	1	1	1	0

Rb/Ra is an on-chip resistance factor used for the V_{LC1} voltage regulator. This factor can be controlled among eight levels using the V_{LC1} voltage regulator resistance factor set command. Table 10–5 lists reference values for (1+Rb/Ra) which are set when 3-bit data is set to the V_{LC1} voltage regulator resistance factor register.

	Register		Reference Value
Dз	D ₂	D ₁	
0	0	0	3.5
0	0	1	4.0
0	1	0	4.5
0	1	1	5.0
1	0	0	5.5
1	0	1	6.0
1	1	0	6.5
1	1	1	7.0

Table 10-5. Reference Values for (1 + Rb/Ra)

10.3.2 When using external resistor (not using on-chip resistor for VLC1 voltage regulator)

Instead of using the on-chip resistor for the V_{LC1} voltage regulator (IRS pin = L), resistors (Ra' and Rb') can be added between Vss and VR and between VR and VLC1 to set the LCD power supply voltage VLC1. In such cases, the electronic volume function can be used to control the LCD power supply voltage VLC1 using commands to regulate the darkness of the LCD contents. The VLC1 voltage can be determined using equation 10–2 as within the range of VLC1 < VLCD.

Equation 10–2

$$V_{LC1} = (1 + \frac{Rb'}{Ra'})V_{EV}$$

The equation for determining Vev varies according to the temperature gradient.


$$V_{EV} = \frac{162}{202} (1 - \frac{\alpha}{162}) V_{REG} \ (-0.05\% \ / \ ^{\circ}C)$$

$$V_{EV} = \frac{162}{179} (1 - \frac{\alpha}{162}) V_{REG} \ (-0.09\% \ / \ ^{\circ}C)$$

$$V_{EV} = (1 - \frac{\alpha}{162}) V_{REG} \ (-0.14\% \ / \ ^{\circ}C)$$

$$V_{EV} = \frac{162}{232} (1 - \frac{\alpha}{162}) V_{REG} \ (0\% \ / \ ^{\circ}C)$$

V_{EV} (Constant voltage source + electronic volume)



10.4 Op Amp Control for Level Power Supply

The μ PD16682A's on-chip power supply circuit is designed for low power consumption (HPM = H). Consequently, display quality may be diminished when a large LCD device or panel is used. In such cases, the display quality can be improved by setting HPM = L (high-power mode). We recommend that you check the actual display quality before deciding whether or not to use high-power mode.

If setting high-power mode still does not sufficiently improve the display quality, the LCD driver's power supply must be provided from an external source.

10.5 Command Sequence for Stepping Down On-chip Power Supply

As shown in the following command sequence, we recommend that you set low power mode and turn off the power before stepping down the on-chip power supply.


	Step	Description			С						
		(Command, Status)	D ₇	D ₆	D ₅	D ₄	Dз	D ₂	D ₁	D ₀	
	Step1	Display OFF	1	0	1	0	1	1	1	0	Power save command
	Step2	Display all ON	1	0	1	0	0	1	0	1	(compound)
	End	On-chip power supply									
∀		OFF									J

Data Sheet S14402EJ1V0DS

10.6 Use Example of Power Supply Circuit

A) 4x boost (normal mode/using on-chip power supply)

B) 3x boost



Note Leave the C_2^+ and C_3^- pins open.

Remark $C_1 = C_2 = C_3 = C_4 = 1.0 \mu F$

11. RESET CIRCUIT

In the μ PD16682A, when the /RESET input is at low level, a reset is executed. The reset (default) settings are described below.

- 1. Display OFF
- 2. Normal display direction
- 3. ADC select: normal direction (ADC command Do =L)
- 4. Power control register: $(D_2,D_1,D_0) = (0,0,0)$
- 5. Data cleared from register in serial interface
- 6. LCD power supply bias: 1/9 bias
- 7. Read modify write OFF
- 8. Power save canceled
- 9. SEG/COM output: Vss
- 10. Static indicator OFF

Static indicator register: $(D_2,D_1) = (0,0)$

- 11. Display start line: set to line 1
- 12. Column address: set to address 0
- 13. Page address: set to page 0
- 14. Common output status: Normal
- 15. Canceled mode set for on-chip resistance factor for V_{LC1} voltage regulator V_{LC1} voltage regulator resistance factor register (D₂,D₁,D₀) = (0,0,0)
- 16. Canceled mode set for electronic volume register

Electronic volume register: $(D_5,D_4,D_3,D_2,D_1,D_0) = (1,0,0,0,0,0)$

- 17. Test mode canceled
- 18. Display all OFF (display all ON/OFF command, Do = L)

Only items 1, 7, and 9 to 18 above are executed when a reset command is used.

12. COMMANDS

The μ PD16682A uses a combination of A0, /RD(E), and /WR(R,/W) to identify data bus signals. Command interpretation and execution is performed using internal timing that does not depend on any external clock.

The 80 series CPU interface activates commands using low pulse input to the /RD pin during read and activates commands using low pulse input to the /WR pin during write. The 68 series CPU interface sets read mode using high-level input to the R,/W pin and sets write mode using low-level input to the R,/W pin. The command is activated using high pulse input to the E pin.

Thus, the 68 series CPU interface differs from the 80 series CPU interface in that /RD(E) is at high level during status read and display data read operations, as is shown in the command descriptions and command table.

Command descriptions using an 80 series CPU interface are shown below.

If the serial interface has been selected, data is input sequentially starting from D7.

12.1 Display ON/OFF

This command specifies the display's ON/OFF status.

A0	E,/RD	R,/W, /WR	D ₇	D ₆	D ₅	D ₄	Dз	D ₂	D ₁	Do	Setting
0	1	0	1	0	1	0	1	1	1	1	Display ON
										0	Display OFF

Executing the display all ON command while the display is OFF sets power save (low power) mode. For details, see 12.20 Power Save (Compound Command).

When the display is OFF, output via all driver outputs (segment and common) is at Vss level.

12.2 Display Start Line Set

This command specifies the address of the display start line in the display data RAM, as was shown in Figure 6–2. The display area extends from the specified line address in the direction of higher line addresses, and includes the number of lines that corresponds to the display duty setting. The display can be smoothly scrolled vertically by using this command to dynamically modify the specified line addresses.

For details, see 6.4 Line Address Circuit.

A0	E, /RD	R,/W, /WR	D ₇	D ₆	D ₅	D ₄	Дз	D ₂	D ₁	D ₀	Line Address
0	1	0	0	1	0	0	0	0	0	0	0
					0	0	0	0	0	1	1
					0	0	0	0	1	0	2
							\downarrow				\downarrow
					1	1	1	1	1	0	62
					1	1	1	1	1	1	63



12.3 Page Address Set

This command specifies the page address corresponding to the row address when accessing the display data RAM from the CPU side, as was shown in Figure 6–2. The specified bit in display data RAM can be accessed by selecting the corresponding page address and column address. If the page address is changed, the display mode does not change.

For details, see 6.2 Page Address Circuit.

	A0	E, /RD	R,/W, /WR	D ₇	D ₆	D ₅	D4	Dз	D ₂	D ₁	Do	Page
H												Address
	0	1	0	1	0	1	1	0	0	0	0	0
								0	0	0	1	1
								0	0	1	0	2
										\rightarrow		\downarrow
								0	1	1	1	7
								1	0	0	0	8

12.4 Column Address Set

This command specifies the column address in display data RAM, as was shown in Figure 6–2. The column address is set in a (basically continuous) series of two specifications, one for the high-order four bits and another for the low-order four bits. The column address is automatically incremented (+1) each time the display data RAM is accessed, so the CPU is able to continuously read or write display data. Incrementation of the column address stops at 83H. At that point the page address can no longer be continuously modified. For details, see **6.3 Column Address Circuit**.

A0	E, /RD	R,/W, /WR	D7	D ₆	D ₅	D4	Dз	D ₂	D ₁	Do
0	1	0	0	0	0	1	A7	A6	A5	A4
						0	A3	A2	A1	A0

A7	A6	A5	A4	A3	A2	A1	A0	Column Address
0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	1	1
0	0	0	0	0	0	1	0	2
				\downarrow				\downarrow
1	0	0	0	0	0	1	0	130
1	0	0	0	0	0	1	1	131

Data Sheet S14402EJ1V0DS



12.5 Status Read

A0	E, /RD	R,/W, /WR	D ₇	D ₆	D ₅	D ₄	Dз	D ₂	D ₁	D ₀
0	0	1	0	ADC	ON/OFF	RESET	0	0	0	0

ADC	This indicates the relation between the column address and the segment driver. 0: Inverted (column address 131-n←→SEGn) 1: Normal (column address n←→SEGn)
ON/OFF	ON/OFF: Indicates the display's ON/OFF status. 0: Display ON 1: Display OFF (This is the opposite of the display ON/OFF command's polarity.)
RESET	This indicates whether or not the system is undergoing a reset via the /RESET signal or the reset command. 0: Operating mode 1: Reset in progress

12.6 Display Data Write

This command writes 8 bits of data to the specified address in display data RAM. After this data has been written, the column address is automatically incremented (+1), which enables the CPU to continuously write display data.

A0	E, /RD	R,/W, /WR	D ₇	D ₆	D ₅	D ₄	Dз	D ₂	D ₁	D ₀
1	1	0				Write	Data			

12.7 Display Data Read

This command reads 8 bits of data from the specified address in display data RAM. After this data has been read, the column address is automatically incremented (+1), which enables the CPU to continuously read several words of data.

A single dummy read operation is required immediately after the column address has been set. For details, see 5.1.5 Display data RAM and internal register access.

Note that the display data cannot be read when using a serial interface.

A0	E, /RD	R,/W, /WR	D ₇	D ₆	D ₅	D ₄	Dз	D ₂	D ₁	D ₀
1	0	1				Read	Data			



12.8 ADC Select (Segment Driver Direction Select)

This command inverts the relation between the display data RAM's column address and segment driver output, as was shown in Figure 6–2. Consequently, the segment driver output pin number can be inverted by this command. For details, see **6.3 Column Address Circuit**. Incrementation (+1) of the column address when display data is either written or read is performed according to the column address shown in Figure 6–2.

This command should be input during initialization.

A0	E, /RD	R,/W, /WR	D ₇	D ₆	D ₅	D ₄	Dз	D ₂	D ₁	D ₀	Setting
0	1	0	1	0	1	1	0	0	0	0	Normal (forward direction)
										1	Inverted (reverse direction)

12.9 Display Normal/Inverted

This command can be used to invert the display ON/OFF control without replacing any of the display data RAM contents. The display data RAM contents are retained when this command is executed.

A0	E, /RD	R,/W, /WR	D ₇	D ₆	D ₅	D ₄	Dз	D ₂	D ₁	Do	Setting
0	1	0	1	0	1	0	0	1	1	0	RAM data: H
											LCD ON potential (normal)
										1	RAM data: L
											LCD ON potential (inverted)

12.10 Display All ON/OFF

This command can be used to set the display all ON status forcibly regardless of the display data RAM contents. The display data RAM contents are retained when this command is executed.

This command takes priority over the display normal/inverted command.

	A0	E, /RD	R,/W, /WR	D ₇	D ₆	D ₅	D ₄	Dз	D ₂	D ₁	Do	Setting
I	0	1	0	1	0	1	0	0	1	0	0	Normal display mode
											1	Display all ON

12.11 LCD Bias Set

This command selects the bias setting of the voltage required to drive the LCD. This command is valid when the power supply circuit's V/F circuit is operating.

A0	E, /RD	R,/W, /WR	D ₇	D ₆	D ₅	D ₄	Dз	D ₂	D ₁	Do	Setting
0	1	0	1	0	1	0	0	0	1	0	1/9 bias
										1	1/7 bias

IVODS 31

12.12 Read Modify Write

This command is used in a pair with the end command. When this command has been input, the column address is not changed by the display data read command and can be incremented (+1) only by the display data write command. This status is retained until an end command is input. Once an end command has been input, the column address returns to the address that was used when the read modify write command was input. This function can be used to lighten the burden on the CPU when repeatedly modifying data in special display areas such as the blinking cursor.

A0	E, /RD	R,/W, /WR	D ₇	D ₆	D ₅	D ₄	Dз	D ₂	D ₁	Do
0	1	0	1	1	1	0	0	0	0	0

Caution The commands other than the display data read/write commands can be used even during read modify write mode. However, the column address set command cannot be used.




Figure 12-1. Sequence for Cursor Display




12.13 End

This command is used to cancel read modify write mode and return to the address that was used during column address mode reset.

I	A0	E, /RD	R,/W, /WR	D ₇	D ₆	D ₅	D ₄	Dз	D ₂	D ₁	D ₀
Ī	0	1	0	1	1	1	0	1	1	1	0

Figure 12-2. End



12.14 Reset

This command initializes the contents of the various command registers. The display data RAM is not affected. For details, see 11. RESET CIRCUIT.

The reset operation is performed after the reset command has been input.

A0	E, /RD	R,/W, /WR	D ₇	D ₆	D ₅	D ₄	Dз	D ₂	D ₁	Do
0	1	0	1	1	1	0	0	0	1	0

The reset that occurs when the power supply is applied is performed by issuing a reset signal to the /RESET pin. It cannot be used as a substitute for the reset command.

12.15 Common Output Status Select

This command can be used to select the scan direction for the COM output pins. For details, see **9. COMMON OUTPUT STATUS SELECT CIRCUIT.**

A0	E, /RD	R,/W, /WR	D ₇	D ₆	D ₅	D ₄	Дз	D ₂	D ₁	D ₀	Setting
0	1	0	1	1	0	0	0	Х	Х	Х	Normal (forward)
							1				Inverted (reverse)

Remark X: Don't care

Status		Selected statu	S
Normal (forward)	COM ₀	\rightarrow	COM ₆₃
Inverted (reverse)	COM ₆₃	\rightarrow	COM ₀

12.16 Power Control Set

This command is used to set the function of the power supply circuit. For further description, see **10. POWER SUPPLY CIRCUIT.**

A0	E, /RD	R,/W, /WR	D ₇	D ₆	D ₅	D ₄	Dз	D ₂	D ₁	D ₀	Selected Status
0	1	0	0	0	1	0	1	0	Х	Х	Booster circuit: OFF
								1	Х	Х	Booster circuit: ON
								Х	0	Х	V regurator circuit: OFF
								Х	1	Х	V regurator circuit: ON
								Х	Х	0	V/F circuit: OFF
								Х	Х	1	V/F circuit: ON

Remark X: Don't care

12.17 Set On-chip Resistance Factor for VLc1 Voltage Regulator

This command is used to set the on-chip resistance factor for the V_{LC1} voltage regulator. For details, see **10.3 Voltage Regulator Circuit.**

A0	E, /RD	R,/W, /WR	D ₇	D ₆	D ₅	D ₄	D ₃	D ₂	D ₁	D ₀	(1+Rb/Ra)
0	1	0	0	0	1	0	0	0	0	0	3.5
								0	0	1	4.0
								0	1	0	4.5
								0	1	1	5.0
								1	0	0	5.5
								1	0	1	6.0
								1	1	0	6.5
								1	1	1	7.0

12.18 Electronic Volume (Two-Byte Command)

This command can be used to control the LCD drive voltage V_{LC1} (which is output from the on-chip LCD power supply's voltage regulator circuit) to regulate the darkness of the LCD contents.

This command is a two-byte command that is used in a pair with the electronic volume mode set command and the electronic volume register set command, so be sure to use both commands consecutively.

12.18.1 Electronic volume mode set command (first byte)

Once this command is input, the electronic volume register set command becomes valid. And once the electronic volume mode has been set, any command other than the electronic volume register set command cannot be used. This restriction is cleared once data has been set to the register by the electronic volume register set command.

A0	E, /RD	R,/W, /WR	D ₇	D ₆	D ₅	D ₄	D ₃	D ₂	D ₁	D ₀
0	1	0	1	0	0	0	0	0	0	1



12.18.2 Electronic volume register set command (second byte)


When six bits of data are set to the electronic volume register by this command, the LCD drive voltage V_{LC1} is set to one of 64 possible voltage values.

Once this command has been input and the electronic volume register has been set, electronic volume mode is canceled.

A0	E, /RD	R,/W, /WR	D ₇	D ₆	D ₅	D ₄	Дз	D ₂	D ₁	Do	V _{LC1}
0	1	0	Х	Х	0	0	0	0	0	0	Smaller value
			Х	Χ	0	0	0	0	0	1	
			Х	Х	0	0	0	0	1	0	
											\downarrow
			Х	Х	1	1	1	1	1	0	
			Х	Х	1	1	1	1	1	1	Larger value

Remark X: Don't Care

Figure 12-3. Sequence of Electronic Volume Register Set Operations



12.19 Static Indicator (Two-Byte Command)

This command is used to control the indicator display for the static drive system. Only this command can control the static indicator display, and it operates independently of other display control commands.

One of the electrodes for the static indicator's LCD driver is connected to the FR pin and the other is connected to the FRS pin. We recommend that these status indicator electrodes be implemented in a pattern that is separate from the electrodes used for the dynamic drive. The LCD and the electrodes themselves may deteriorate if the patterns are laid out too close to each other.

The static indicator ON command is a two-byte command that is used in a pair with the static indicator register set command, so be sure to use both commands consecutively. (The static indicator OFF command is a one-byte command.)

Data Sheet S14402EJ1V0DS 35

12.19.1 Static indicator ON/OFF

When the static indicator ON command is input, the static indicator register set command becomes valid. Once the static indicator ON command has been input, any command other than the static indicator register set command cannot be used. This restriction is cleared once data has been set to the register by the static indicator register set command.


A0	E, /RD	R,/W, /WR	D ₇	D ₆	D ₅	D ₄	Дз	D ₂	D ₁	D ₀	Static Indicator
0	1	0	1	0	1	0	1	1	0	0	OFF
										1	ON

12.19.2 Static indicator register set

This command sets data to the two-bit static indicator register and then sets the static indicator to blink mode.

A0	E, /RD	R,/W, /WR	D ₇	D ₆	D ₅	D ₄	Dз	D ₂	D ₁	D ₀	Static Indicator
0	1	0	Х	Х	Х	Х	Х	Х	0	0	OFF
									0	1	ON (blinks at one-
											second interval)
									1	0	ON (blinks at half-
											second interval)
									1	1	ON (always ON)

Figure 12-4. Sequence of Static Indicator Register Set Operations



12.20 Power Save (Compound Command)

The current consumption can be greatly reduced by entering the power save status by inputting the display all ON command while the display is in OFF mode.

The power save (low power) mode includes two modes; sleep mode and standby mode. Turning the static indicator OFF sets sleep mode and turning it ON sets standby mode.

During either sleep mode or standby mode, the display data is retained as it was before the power save function was activated. Also, access to the display data RAM from the CPU is possible during either mode.

Use the display all OFF command to cancel power save mode.

Static indicator ON

Power save (compound command)

Static indicator ON

Static indicator ON

Static indicator ON

Standby mode

Reset command

Power save OFF
(Display all OFF command)

Cancel sleep mode

Cancel standby mode

Figure 12-5. Power Save

12.20.1 Sleep mode

During this mode, all LCD operations are stopped and there is no access from the CPU, so current consumption can be reduced almost as low as the static current level. The internal status during sleep mode is as follows.

- (1) The oscillation circuit and LCD power supply circuit are stopped.
- (2) All LCD drive circuits are stopped and both segment and common driver outputs output at the Vss level.

12.20.2 Standby mode

During this mode, all duty LCD display system operations are stopped and only the static drive system for the indicators operate, which reduces the current consumption to the minimum amount needed for static drive. The internal status during standby mode is as follows.

- (1) The LCD's power supply circuit is stopped. The oscillation circuit operates.
- (2) The duty drive system's LCD drive circuit is stopped and both segment and common driver outputs output at the Vss level. The static drive system operates.

When a reset command is executed while in standby mode, it sets sleep mode.

- **Remarks1.** If you are using an external power supply, we recommend that you stop the external power supply circuit's functions when activating the power save function. For example, if you are using an external divided resistor circuit to provide LCD drive voltage at different levels, we recommend that you add a circuit to cut the current flowing on the divided resistor circuit while the power save function is being activated.
 - 2. The μ PD16682A includes the /DOF pin which is used to control blinking LCD displays is set to low level when activating the power save function. The output from /DOF can be used to stop the external power supply circuit's function.
 - **3.** When the display has been set to OFF mode, executing the display all ON command sets power save mode no matter which command is entered afterward.

12.21 NOP

This command is used to set NOP (Non-Operation) mode.

A0	E, /RD	R,/W, /WR	D ₇	D ₆	D ₅	D ₄	Dз	D ₂	D ₁	D ₀
0	1	0	1	1	1	0	0	0	1	1

12.22 Test

This command is used for IC testing. Do not use this command. If you use it by mistake, either set the /RESET input low or use the reset command or NOP command to cancel the test command setting.

A0	E, /RD	R,/W, /WR	D ₇	D ₆	D ₅	D ₄	Dз	D ₂	D ₁	D ₀
0	1	0	1	1	1	1	Х	Х	Х	Х

Remark X: Don't care



Table 12–1. List of μ PD16682A Commands (1/2)

Command					Com	nmand (mand code					Function
	A0	/RD	/WR	D ₇	D ₆	D ₅	D ₄	14 D3 D2 D1 D			D ₀	
Display ON/OFF	0	1	0	1	0	1	0	1	1	1	0	Sets LCD's ON/OFF status 0: OFF, 1: ON
Display start line set	0	1	0	0	1		Dis	Display start address				Sets display RAM's
							ı				display start line address	
Page address set	0	1	0	1	0	1	1		Page a	address		Sets display RAM's page address
Column address set	0	1	0	0	0	0	1	High-c	order co	lumn a	ddress	Sets high-order four bits
(high-order bits)												of display RAM's column address
Column address set	0	1	0	0	0	0	0	Low-c	rder co	lumn a	ddress	Sets low-order four bits
(low-order bits)		-										display RAM's column
(address
Status read	0	0	1	0		Status	I	0	0	0	0	Read status information
Display data write	1	1	0		I	<u> </u>		e data				Writes to display RAM
Display data read	1	0	1					d data				Reads from display RAM
ADC select	0	1	0	1	0	1	0	0	0	0	0	Sets correspondence of
7.50 001000											1	SEG output to display
												RAM address
												0: Normal, 1: Inverted
Display	0	1	0	1	0	1	0	0	1	1	0	Sets normal/inverted
normal/inverted		•		·							1	direction of display
Display all ON/OFF	0	1	0	1	0	1	0	0	1	0	0	Sets display all ON
Diopidy all Crif Cri		•		·							1	0: Normal display, 1: All
											-	ON
LCD bias set	0	1	0	1	0	1	0	0	0	1	0	Sets the bias setting of
											1	the LCD drive voltage
												0: 1/9 bias, 1: 1/7 bias
Read modify write	0	1	0	1	1	1	0	0	0	0	0	Specifies incrementation
												of the column address
												During write: +1,
												During read: 0
End	0	1	0	1	1	1	0	1	1	1	0	Cancels read modify write
Reset	0	1	0	1	1	1	0	0	0	1	0	Sets an internal reset
Selects scan	0	1	0	1	1	0	0	0	Х	Х	Х	Selects scan direction for
direction for COM								1	Х	х	х	COM outputs
outputs												0: Normal (forward),
												1: Inverted (reverse)

Remark X: Don't care

Data Sheet S14402EJ1V0DS



Table 12–1. List of μ PD16682A Commands (2/2)

Command					Con	mand o	code					Function
	A0	/RD	/WR	D ₇	D ₆	D ₅	D ₄	Dз	D ₂	D ₁	Do	
Power control set	0	1	0	0	0	1	0	1	Ope	ration n	node	Selects operation mode
												of internal power supply
Sets V _{LC1} output	0	1	0	0	0	1	0	0	Resis	stance t	factor	Selects on-chip
voltage to electronic										setting		resistance factor for
volume register										ī	П	(Ra/Rb)
Electronic volume	0	1	0	1	0	0	0	0	0	0	1	Sets V _{LC1} output voltage
mode set							L]	L		<u> </u> ,	to electronic volume
Electronic volume	0	1	0	Х	Х		Elec	tronic v	olume v	e value		register
register set								ı	ı		ı	
Static indicator	0	1	0	1	0	1	0	1	1	0 0		0: OFF, 1: ON
ON/OFF											11	
Static indicator	0	1	0	Х	Х	Х	Х	Х	Х	Мс	ode	Sets ON mode
register set												
Power save												Compound command for
												setting display OFF and
					1		1		T	1	T	all display ON
NOP	0	1	0	1	1	1	0	0	0	1 1		Command for Non-
												Operation mode
Test	0	1	0	1	1	1	1	Х	Х	$x \mid x \mid x$		Command used for IC
										testin		testing
												Caution Do not use this
												command.

Remark X: Don't care


13. ACCESS PROCEDURE

13.1 Instruction setting example

13.1.1 Initialization setting example (from power application to display ON)

Although a Vss level is output from the SEG and COM LCD drive output pins when power is applied to the IC, if there is electric charge remaining in the smoothing capacitor connected between the driver reference power supply pins (VLC1 to VLC5) and Vss, or if the DC/DC converter's booster voltage does not reach the prescribed booster potential or the levels of the reference power supplies (VLCn) do not reach the prescribed voltages when power is applied, abnormalities such as a temporary screen blackout may occur when the display turns on.

The following power application flow is recommend to avoid the occurrence of abnormal operation when the power is turned on.




2EJ1V0DS **41**

- Notes 1. See 11. RESET CIRCUIT.
 - 2. See 12.11 LCD Bias Set.
 - 3. See 12.8 ADC Select (Segment Driver Direction Select).
 - 4. See 12.15 Common Output Status Select.
 - 5. See 12.17 Set On-chip Resistance Factor for VLc1 Voltage Regulator.
 - 6. See 12.18 Electronic Volume (Two-Byte Command).
 - 7. See 12.16 Power Control Set.
 - 8. See 12.2 Display Start Line Set.
 - 9. See 12.1 Display ON/OFF.
 - **10.** This period changes depending on the panel characteristics and the capacitance of the booster/smoothing capacitor. It is recommended to determine this value after sufficient evaluation using the actual device.

13.1.2 Example of power OFF

When turning the power of the IC off in the normal operation state (liquid crystal display ON, on-chip power supply circuits operating), because there is electric charge remaining in the power supply level smoothing capacitor connected between the driver reference power supply pins (VLC1 to VLC5) and Vss, power continues to be supplied to the LCD drive circuit and voltage may be applied to the LCD panel from the SEG and COM pins. At this time, the LCD panel may momentarily display data.

Moreover, because the visual quality of the LCD panel may be affected, be sure to turn off the power to the IC in the following sequence.



Notes 1. See 12.20 Power Save (Compound Command).

2. Application of a reset is optional.



14. ELECTRICAL SPECIFICATIONS

Absolute Maximum Ratings (TA = 25°C, Vss = 0 V)

Parameter	Symbol	Rating	Unit
Supply voltage	V _{DD}	-0.3 to +6.0	V
Supply voltage 2 (4x boost)	V _{DD2}	−0.3 to +3.75	V
Supply voltage 2 (3x boost)	V _{DD2}	−0.3 to +5.0	V
Driver supply voltage	VLCD	-0.3 to +15.0, V _{DD} ≤ V _{LCD}	V
Driver reference supply input voltage	VLC1 to VLC5	-0.3 to VLCD+0.3	V
Logic system input voltage	V _{IN1}	−0.3 to V _{DD} +0.3	V
Logic system output voltage	Vout1	−0.3 to V _{DD} +0.3	V
Logic system input/output voltage	V _{I/O1}	−0.3 to V _{DD} +0.3	V
Driver system input voltage	V _{IN2}	-0.3 to VLCD+0.3	V
Driver system output voltage	Vout2	−0.3 to V _{LCD} +0.3	V
Operating ambient temperature	TA	-40 to +85	°C
Storage temperature	Tstg	-55 to +150	°C

Caution Product quality may suffer if the absolute maximum rating is exceeded even momentarily for any parameter. That is, the absolute maximum ratings are rated values at which the product is on the verge of suffering physical damage, and therefore the product must be used under conditions that ensure that the absolute maximum ratings are not exceeded.

Recommended Operating Range

Necommended Operating Name					
Parameter	Symbol	MIN.	TYP.	MAX.	Unit
Supply voltage	V _{DD}	1.8		4.5	V
Supply voltage 2 (4x boost)	V _{DD2}	2.4		3.0	V
Supply voltage 2 (3x boost)	V _{DD2}	2.4		4.0	٧
Driver supply voltage	VLCD	6	10	12	٧
Logic system input voltage	Vin	0		V _{DD}	V
Driver system input voltage	VLC1 to VLC5	0		V _{LCD}	V

Remarks 1. When using an external power supply, be sure to maintain these relations:

 $V_{\text{SS}} < V_{\text{LC5}} < V_{\text{LC4}} < V_{\text{LC3}} < V_{\text{LC2}} < V_{\text{LC1}} \le V_{\text{LCD}}$

2. Maintain $V_{DD} \le V_{LCD}$ when turning the power on or off.



Electrical Characteristics (unless otherwise specified, $T_A = -40$ to +85°C, $V_{DD} = 2.7$ to 3.3 V, during 4x boost mode: $V_{DD2} = 2.7$ to 3.0 V, or $V_{DD2} = 2.7$ to 4.0 V)


Parameter	Symbol	Condition	MIN.	TYP.Note	MAX.	Unit
High-level input voltage	VIH		0.8 V _{DD}			٧
Low-level input voltage	VIL				0.2 V _{DD}	٧
High-level input current	I _{IH1}	Except for D ₇ (SI), D ₆ (SCL), and D ₅ to D ₀			1	μΑ
Low-level input current	IIL1	Except for D ₇ (SI), D ₆ (SCL), and D ₅ to D ₀			-1	μΑ
High-level output voltage	Vон	louт = −1.5 mA, except OSCouт	V _{DD} - 0.5			V
Low-level output voltage	Vol	louт = 4 mA, except OSCouт			0.5	V
High-level leakage current	Ісон	D ₇ (SI), D ₆ (SCL), and D ₅ to D ₀ V _{IN/OUT} = V _{DD}			10	μΑ
Low-level leakage current	ILOL	D ₇ (SI), D ₆ (SCL), and D ₅ to D ₀ V _{IN/OUT} = V _{SS}			-10	μΑ
Common output ON resistance	Rcoм	$V_{LCn} ightarrow COM_n, V_{LCD} \ge 3V_{DD2}, I_{LOL} = 50 \ \mu A$			2	kΩ
Segment output ON resistance	Rseg	$V_{LCn} \rightarrow SEG_{n}, V_{LCD} \ge 3V_{DD2}, I_{LOL} = 50 \ \mu A$			4	kΩ
Driver voltage (boost voltage)	VLCD	During 3x boost	2.7 V _{DD}		3.0 V _{DD}	V
		During 4x boost	3.6 V _{DD}		4.0 V _{DD}	V
Current consumption (normal mode)	IDD11	fosc = 22 kHz, all display OFF data output, V _{DD} = V _{DD2} = 3.0 V during 3x boost mode, T _A = 25°C		60	110	μΑ
		fosc = 22 kHz, all display OFF data output, V _{DD} = V _{DD2} = 3.0 V during 4x boost mode, T _A = 25°C		90	135	μΑ
Current consumption (high-power mode)	IDD12	fosc = 22 kHz, all display OFF data output, V _{DD} = V _{DD2} = 3.0 V during 3x boost mode, T _A = 25°C		105	190	μΑ
		fosc = 22 kHz, all display OFF data output, V _{DD} = V _{DD2} = 3.0 V during 4x boost mode, T _A = 25°C		155	230	μΑ
Current consumption (standby mode)	IDD21	fosc = 22 kHz, V _{DD} = V _{DD2} = 3.0 V, T _A = 25°C		7	15	μΑ
Current consumption (sleep mode)	I _{DD22}	V _{DD} = V _{DD2} = 3.0 V, T _A = 25°C		0.2	5	μΑ
Oscillation frequency	fosc	$T_A = 25$ °C, $V_{DD} = V_{DD2} = 3.0 \text{ V} \pm 10\%$	17	22	25	kHz

Note The TYP. value is a reference value when T_A = 25°C.



Required timing conditions (unless otherwise specified, $T_A = -40$ to +85°C)

80 Series CPU





$(V_{DD} = 2.7 \text{ to } 4.5 \text{ V})$

Parameter	Symbol	Conditions	MIN.	TYP. Note	MAX.	Unit
Address hold time	t _{AH8}	A0	0			ns
Address setup time	t _{AS8}	A0	0			ns
System cycle time	tcyc8		300			ns
Control L pulse /width (/WR)	tcclw	/WR	60			ns
Control L pulse width (/RD)	tcclr	/RD	120			ns
Control H pulse width (/WR)	tcchw	/WR	60			ns
Control H pulse width (/RD)	tcchr	/RD	60			ns
Data setup time	t _{DS8}	Do to D7	40			ns
Data hold time	t _{DH8}	Do to D7	15			ns
/RD access time	t _{ACC8}	D ₀ to D ₇ , C _L = 100 pF			140	ns
Output disable time	tонв	Do to D7, CL = 100 pF	10		100	ns

Note The TYP. value is a reference value when $T_A = 25^{\circ}C$.


$(V_{DD} = 2.4 \text{ to } 2.7 \text{ V})$

Parameter	Symbol	Conditions	MIN.	TYP. Note	MAX.	Unit
Address hold time	t _{AH8}	A0	0			ns
Address setup time	t _{AS8}	A0	0			ns
System cycle time	tcyc8		1000			ns
Control L pulse width (/WR)	tcclw	/WR	120			ns
Control L pulse width (/RD)	tcclr	/RD	240			ns
Control H pulse width (/WR)	tcchw	/WR	120			ns
Control H pulse width (/RD)	tcchr	/RD	120			ns
Data setup time	t _{DS8}	D ₀ to D ₇	80			ns
Data hold time	t _{DH8}	D ₀ to D ₇	30			ns
/RD access time	t _{ACC8}	D ₀ to D ₇ , C _L = 100 pF			280	ns
Output disable time	tонв	D ₀ to D ₇ , C _L = 100 pF	10		200	ns

Note The TYP. value is a reference value when $T_A = 25$ °C.

- **Remarks 1.** The rise and fall times (t_r and t_f) of input signals are rated at 15 ns or less. When using a fast system cycle time, the rated value range is either ($t_r + t_f$) < ($t_{CYC8} t_{CCLW} t_{CCHW}$) or ($t_r + t_f$) < ($t_{CYC8} t_{CCLW} t_{CCHW}$).
 - **2.** All timing is rated based on 20% or 80% of V_{DD} .
 - 3. tccLw and tccLR are rated as the overlap time when /CS1 is at low level (CS2 = H) and /WR and /RD are also at low level.
 - **4.** D₀ to D₇ change to output regardless of the state of the E signal when R,/W becomes H in the state of /CS1 = L, CS2 = H (See **5.1.2 (2) 68 Series Parallel Interface.**).

68 Series CPU





$(V_{DD} = 2.7 \text{ to } 4.5 \text{ V})$

Paramete	r	Symbol	Conditions	MIN.	TYP. Note	MAX.	Unit
Address hold time		t _{AH6}	A0	0			ns
Address setup time		t _{AS6}	A0	0			ns
System cycle time		tcyc6		300			ns
Data setup time		t _{DS6}	Do to D7	40			ns
Data hold time		t _{DH6}	Do to D7	15			ns
Access time		t _{ACC6}	D ₀ to D ₇ , C _L = 100 pF			140	ns
Output disable time		t он6	D ₀ to D ₇ , C _L = 100 pF	10			ns
Enable H pulse width	Read	tewhr	E	120			ns
	Write	tewnw	E	60			ns
Enable L pulse width	Read	tewlr	E	60			ns
	Write	tewlw	E	60			ns

Note The TYP. value is a reference value when $T_A = 25^{\circ}C$.

$(V_{DD} = 2.4 \text{ to } 2.7 \text{ V})$


Paramete	r	Symbol	Conditions	MIN.	TYP. Note	MAX.	Unit
Address hold time		t _{AH6}	A0, R,/W	0			ns
Address setup time		t _{AS6}	A0, R,/W	0			ns
System cycle time		tcyc6		1000			ns
Data setup time		t _{DS6}	Do to D7	80			ns
Data hold time		t _{DH6}	Do to D7	30			ns
Access time		t _{ACC6}	D ₀ to D ₇ , C _L = 100 pF			280	ns
Output disable time		t он6	D ₀ to D ₇ , C _L = 100 pF	10			ns
Enable H pulse width	Read	tewhr	Е	240			ns
	Write	tewnw	E	120			ns
Enable L pulse width	Read	tewlr	Е	120			ns
	Write	tewlw	Е	120			ns

Note The TYP. value is a reference value when $T_A = 25^{\circ}C$.

Remarks 1. The rise and fall times (t_r and t_f) of input signals are rated at 15 ns or less. When using a fast system cycle time, the rated value range is either ($t_r + t_f$) \leq ($t_$

- **2.** All timing is rated based on 20% or 80% of V_{DD} .
- 3. tewhw and tewhw are rated as the overlap time when /CS1 is at low level (CS2 = H) and E is at high level.

Serial Interface





$(V_{DD} = 2.7 \text{ to } 4.5 \text{ V})$

Parameter	Symbol	Conditions	MIN.	TYP. Note	MAX.	Unit
Shift clock cycle	tscyc	SCL	250			ns
SCL H pulse width	tsнw	SCL	100			ns
SCL L pulse width	tslw	SCL	100			ns
Address setup time	tsas	A0	150			ns
Address hold time	t sah	A0	150			ns
Data setup time	tsps	SI	100			ns
Data hold time	tspн	SI	100			ns
CS-SCL time	tcss	/CS1,CS2	150			ns
	tсsн	/CS1,CS2	150			ns

Note The TYP. value is a reference value when T_A = 25°C.

$(V_{DD} = 2.4 \text{ to } 2.7 \text{ V})$

Parameter	Symbol	Conditions	MIN.	TYP. Note	MAX.	Unit
Shift clock cycle	tscyc	SCL	400			ns
SCL H pulse width	tsнw	SCL	150			ns
SCL L pulse width	tsLw	SCL	150			ns
Address setup time	tsas	A0	250			ns
Address hold time	tsah	A0	250			ns
Data setup time	tsps	SI	150			ns
Data hold time	tsрн	SI	150			ns
CS-SCL time	tcss	/CS1,CS2	250			ns
	tсsн	/CS1,CS2	250			ns

Note The TYP. value is a reference value when T_A = 25°C.

Remarks 1. The rise and fall times (tr and tr) of input signals are rated at 15 ns or less.

2. All timing is rated based on 20% or 80% of VDD.

Common

Parameter	Symbol	Conditions	MIN.	TYP. Note	MAX.	Unit
Oscillation frequency	fcL	C∟, When using external input,	17	22	25	kHz
		$T_A = 25^{\circ}C$, $V_{DD} = V_{DD2} = 3.0 \text{ V} \pm 10\%$				

Remarks 1. The rise and fall times (tr and tr) of input signals are rated at 15 ns or less.

2. The frame time can be determined using the following equation.


1 frame = 1/fosc or 1/fcl x 4 x duty value

Therefore, when fosc and f_{CL} = 22 kHz and the duty value is 1/65:

1 frame = $45.5 \mu s \times 4 \times 65 = 11.8 \text{ ms}$ (approximately 84.6 kHz)



Output timing for display output control



$(V_{DD} = 2.7 \text{ to } 4.5 \text{ V})$

Parameter	Symbol	Conditions	MIN.	TYP. Note	MAX.	Unit
FR delay time	tofr	FR, C _L = 50 pF		20	80	ns

Note The TYP. value is a reference value when $T_A = 25^{\circ}C$.

$(V_{DD} = 2.4 \text{ to } 2.7 \text{ V})$


Parameter	Symbol	Conditions	MIN.	TYP. Note	MAX.	Unit
FR delay time	tofr	FR, C _L = 50 pF		50	200	ns

Note The TYP. value is a reference value when $T_A = 25$ °C.

Remark All timing is rated based on 20% or 80% of VDD.



Reset input timing



$(V_{DD} = 2.7 \text{ to } 4.5 \text{ V})$

Parameter	Symbol	Conditions	MIN.	TYP. Note	MAX.	Unit
Reset time	tr				1.0	μs
Reset L pulse width	trw	/RESET	1.0			μs

Note The TYP. value is a reference value when $T_A = 25$ °C.

$(V_{DD} = 2.4 \text{ to } 2.7 \text{ V})$

Parameter	Symbol	Conditions	MIN.	TYP. Note	MAX.	Unit
Reset time	tr				1.5	μs
Reset L pulse width	trw	/RESET	1.5			μs

Note The TYP. value is a reference value when $T_A = 25$ °C.

Remark All timing is rated based on 20% or 80% of V_{DD}.

[MEMO]

[MEMO]

NOTES FOR CMOS DEVICES

1 PRECAUTION AGAINST ESD FOR SEMICONDUCTORS

Note:

Strong electric field, when exposed to a MOS device, can cause destruction of the gate oxide and ultimately degrade the device operation. Steps must be taken to stop generation of static electricity as much as possible, and quickly dissipate it once, when it has occurred. Environmental control must be adequate. When it is dry, humidifier should be used. It is recommended to avoid using insulators that easily build static electricity. Semiconductor devices must be stored and transported in an anti-static container, static shielding bag or conductive material. All test and measurement tools including work bench and floor should be grounded. The operator should be grounded using wrist strap. Semiconductor devices must not be touched with bare hands. Similar precautions need to be taken for PW boards with semiconductor devices on it.

② HANDLING OF UNUSED INPUT PINS FOR CMOS

Note:

No connection for CMOS device inputs can be cause of malfunction. If no connection is provided to the input pins, it is possible that an internal input level may be generated due to noise, etc., hence causing malfunction. CMOS devices behave differently than Bipolar or NMOS devices. Input levels of CMOS devices must be fixed high or low by using a pull-up or pull-down circuitry. Each unused pin should be connected to VDD or GND with a resistor, if it is considered to have a possibility of being an output pin. All handling related to the unused pins must be judged device by device and related specifications governing the devices.

③ STATUS BEFORE INITIALIZATION OF MOS DEVICES

Note:

Power-on does not necessarily define initial status of MOS device. Production process of MOS does not define the initial operation status of the device. Immediately after the power source is turned ON, the devices with reset function have not yet been initialized. Hence, power-on does not guarantee out-pin levels, I/O settings or contents of registers. Device is not initialized until the reset signal is received. Reset operation must be executed immediately after power-on for devices having reset function.



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов:
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001:
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина,

дом 2, корпус 4, литера А.