






PRODUCT NUMBER
SEE TABLE



Copyright FCI

mat'l. code		surface		tolerance		projection		product family	
NOTE 3		ISO 1302		ISO 406		ISO 1101		HPC	
ltr	ecr no	dr	date	tolerances unless otherwise specified				title	
P	V10824	JRW	2/6/01	angles	linear	XX±01/XX±03		4 ROW R/A RECEPTACLE	
R	V05-0460	DAI	7/13/05			.XXX±.005/XX±0.13		PRESS FIT	
S	V05-1003	DAI	11/1/05	0°±2'		.XXX±.0020/XXX±0.05		scale 1:1	
T	V05-1041	HTB	11/14/05	dr	D.INGRAM	7/13/05		dwg no	
U	M06-0255	MHT	7/06/06	engr	D.HORCHLER	7/13/05		sheet 1 of 7 size	
V	M06-0388	MHT	10/04/06	chr	T.BREWBAKER	7/13/05		50642 A3	
W	M08-0149	MHT	5/27/08	appd	D.HORCHLER	7/13/05		type Product Customer Drawing	
sheet	revision	W	W	W	W	W	W		
index	sheet	1	2	3	4	5	6		


PRODUCT NUMBER
SEE TABLE




RECOMMENDED PCB LAYOUT
(ALL HOLES LOCATED ON .100[2.54]
GRID UNLESS OTHERWISE SHOWN)

mat'l. code NOTE 3		surface ISO 1302	tolerance ISO 406 ISO 1101	projection 	product family HPC
ltr	ecn no	dr	date	tolerances unless otherwise specified	title 4 ROW R/A RECEPTACLE PRESS FIT
W				angles linear XX±.01/XX±.03 .XXX±.005/XX±.013 XXXX±.0020/XXX±.005	INCH/MM
				0°±2°	scale 1:1
		dr	D.INGRAM	7/13/05	
		enr	D.HORCHLER	7/13/05	
		chr	T.BREWBAKER	7/13/05	
		appd	D.HORCHLER	7/13/05	
sheet index	revision sheet				dwg no 50642 sheet 2 of 7 size A3 type Product Customer Drawing

PRODUCT NUMBER
SEE TABLE





$\phi .104$ [$\phi 2.64$]





SECTION A-A

SPECIAL FEATURE OPTION A
SEE NOTE 6





SECTION A-A

SPECIAL FEATURE OPTION B
SEE NOTE 6



SECTION A-A

SPECIAL FEATURE OPTION C
SEE NOTE 6




SECTION A-A


SPECIAL FEATURE OPTION D
SEE NOTE 6

mat'l. code NOTE 3		surface ISO 1302	tolerance ISO 406 ISO 1101	projection INCH/MM	product family HPC
ltr	ecm no	dr	date	tolerances unless otherwise specified	title 4 ROW R/A RECEPTACLE PRESS FIT
W				linear XX±.01/XX±.03 XXX±.005/XX±.013 XXXX±.0020/XXX±.005	scale 1:1
				angles 0°±2°	dwg no 50642
				dr D.INGRAM 7/13/05	sheet 3 of 7 size A3
				engr D.HORCHLER 7/13/05	type Product Customer Drawing
				chr T.BREWBAKER 7/13/05	
				appd D.HORCHLER 7/13/05	
sheet index	revision sheet				

PRODUCT NUMBER
SEE TABLE



SPECIAL FEATURE OPTION E
SEE NOTE 6



mat'l. code NOTE 3		surface ISO 1302	tolerance ISO 406 ISO 1101	projection 	product family HPC
ltr	ecn no	dr	date	tolerances unless otherwise specified	title 4 ROW R/A RECEPTACLE PRESS FIT
W				linear XX±.01/XX±.03 XXX±.005/XX±.013 XXXX±.0020/XXX±.005	INCH/MM scale 1:1
				angles 0°±2'	dwg no 50642
				dr D.INGRAM 7/13/05	sheet 4 of 7 size A3
				engr D.HORCHLER 7/13/05	type Product Customer Drawing
				chr T.BREWBAKER 7/13/05	
				appd D.HORCHLER 7/13/05	
sheet index	revision sheet				



Copyright FCJ

PRODUCT NUMBER	NUMBER OF POSITIONS NOTE 2	TAIL LENGTH	SPECIAL FEATURES SEE NOTE 6	SOLDER TAIL PLATING	CONTACT PLATING	EYELET PROTRUSION	GUIDE PINS
50642-1YYYE	YYY	.125±.010/3.18±.25	-	TIN LEAD	30u"/.76u Au	N/A	NONE
50642-1YYYELF	YYY	.125±.010/3.18±.25	-	TIN	30u"/.76u GXT	N/A	NONE
50642-1YYYEA	YYY	.125±.010/3.18±.25	"A"	TIN LEAD	30u"/.76u Au	N/A	NONE
50642-1YYYEALF	YYY	.125±.010/3.18±.25	"A"	TIN	30u"/.76u GXT	N/A	NONE
50642-1YYYEB	YYY	.125±.010/3.18±.25	"B"	TIN LEAD	30u"/.76u Au	.145/3.68	NONE
50642-1YYYEBLF	YYY	.125±.010/3.18±.25	"B"	TIN	30u"/.76u GXT	.145/3.68	NONE
50642-1YYYEC	YYY	.125±.010/3.18±.25	"C"	TIN LEAD	30u"/.76u Au	.115/2.92	NONE
50642-1YYYECLF	YYY	.125±.010/3.18±.25	"C"	TIN	30u"/.76u GXT	.115/2.92	NONE
50642-1YYYED	YYY	.125±.010/3.18±.25	"D"	TIN LEAD	30u"/.76u Au	.115/2.92	2
50642-1YYYEDLF	YYY	.125±.010/3.18±.25	"D"	TIN	30u"/.76u GXT	.115/2.92	2
50642-1YYYEE	YYY	.125±.010/3.18±.25	"E"	TIN LEAD	30u"/.76u Au	N/A	2
50642-1YYYEELF	YYY	.125±.010/3.18±.25	"E"	TIN	30u"/.76u GXT	N/A	2
50642-1YYYF	YYY	.145±.010/3.68±.25	-	TIN LEAD	30u"/.76u Au	N/A	NONE
50642-1YYYFLF	YYY	.145±.010/3.68±.25	-	TIN	30u"/.76u GXT	N/A	NONE
50642-1YYYFA	YYY	.145±.010/3.68±.25	"A"	TIN LEAD	30u"/.76u Au	N/A	NONE
50642-1YYYFALF	YYY	.145±.010/3.68±.25	"A"	TIN	30u"/.76u GXT	N/A	NONE
50642-1YYYFC	YYY	.145±.010/3.68±.25	"C"	TIN LEAD	30u"/.76u Au	.145/3.68	NONE
50642-1YYYFCLF	YYY	.145±.010/3.68±.25	"C"	TIN	30u"/.76u GXT	.145/3.68	NONE
50642-1YYYFD	YYY	.145±.010/3.68±.25	"D"	TIN LEAD	30u"/.76u Au	.145/3.68	2
50642-1YYYFDLF	YYY	.145±.010/3.68±.25	"D"	TIN	30u"/.76u GXT	.145/3.68	2
50642-1YYYFE	YYY	.145±.010/3.68±.25	"E"	TIN LEAD	30u"/.76u Au	N/A	2
50642-1YYYFELF	YYY	.145±.010/3.68±.25	"E"	TIN	30u"/.76u GXT	N/A	2
50642-XX004	240	.125±.010/3.18±.25	SEE SHEET 5	TIN LEAD	30u"/.76u Au	N/A	NONE
50642-XX004LF	240	.125±.010/3.18±.25	SEE SHEET 5	TIN	30u"/.76u GXT	N/A	NONE



FCIconnect.com

Copyright FCI

mat'l. code		surface		tolerance		projection		product family	
NOTE 3		ISO 1302		ISO 406 ISO 1101				HPC	
ltr	ecr no	dr	date	tolerances unless otherwise specified		INCH/MM		title	
W				angles	linear	scale 1:1		4 ROW R/A RECEPTACLE PRESS FIT	
				0°±2°				dwg no	
				dr	D.INGRAM	7/13/05		sheet 6 of 7 size	
				enr	D.HORCHLER	7/13/05		50642	
				chr	T.BREWBAKER	7/13/05		A3	
				appd	D.HORCHLER	7/13/05		type	
sheet	revision							Product Customer Drawing	
index	sheet								



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.