







7 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER
D.RENAUD/D.SINISI



RECOMMENDED PCB LAYOUT (THICKNESS: 1.6MM)
(DIMENSION TOLERANCE: 1 PLC: ± 0.1 , 2 PLC: ± 0.05)

OBsolete OBsolete OBsolete	TRAY	YELLOW	GREEN	50μ"	1734509-8
				30μ"	1734509-7
				15μ"	1734509-6
				6μ"	1734509-5
		GREEN	YELLOW	50μ"	1734509-4
				30μ"	1734509-3
				15μ"	1734509-2
				6μ"	1734509-1
PACKAGE	POSITION 2	POSITION 1	MIN. GOLD THICKNESS	PART NUMBER	
	INDICATOR COLOR				

DIMENSION : 0 PLC ±0.5 1 PLC ±0.30 2 PLC ±0.20 3 PLC ±0.10 ANGLES ±3'	DWN 03-OCT-2005	 TE Connectivity				
	CHK S. HOU 03-OCT-2005					
	MATERIAL SEE NOTE	APVD W.J. KE 03-OCT-2005	NAME MODULAR JACK RJ45 8P8C, WITH LED & SHIELD, DIP, REVERSE TYPE			
FINISH SEE NOTE	PRODUCT SPEC 108-57527	LOC DW		SIZE A ₃	DRAWING NO C-1734509	REV A2
	QUALIFICATION TEST REPORT 501-57603	SCALE --		SHEET 1 OF 4		
	WEIGHT					




RECOMMENDED PCB LAYOUT (THICKNESS: 1.6MM)
(DIMENSION TOLERANCE: 1 PLC: ± 0.1 , 2 PLC: ± 0.05)

NOTE:

1. MATERIAL:
HOUSING: HIGH THERMOPLASTIC, UL94V-0, COLOR: BLACK.
CONTACT: PHOSPHOR BRONZE, THICKNESS: 0.35mm.
SHELL: BRASS, THICKNESS: 0.25mm.
 2. FINISH:
CONTACT: GOLD PLATED (SEE TABLE) IN CONTACT AREA,
GOLD FLASH ON SOLDER TAILS,
50u" MIN. NICKEL UNDER PLATED ALL OVER.
SHIELD: 20u" MIN NICKEL PLATED.
 3. APPLIED TO WAVE SOLDERING PROCESS
 4. NET WEIGHT: 4.5g.
- 5. OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI**

 OBSOLETE	TAPE & REEL	50 μ "	1-1734509-4
		30 μ "	1-1734509-3
		15 μ "	1-1734509-2
		6 μ "	1-1734509-1
	PACKAGE	MIN. GOLD THICKNESS	PART NUMBER



DIMENSION : 0 PLC ±0.5 1 PLC ±0.30 2 PLC ±0.20 3 PLC ±0.10 ANGLES ±3'	DWN 03-OCT-2005	TE Connectivity			
	CHK 03-OCT-2005				
MATERIAL SEE SHEET 1.	APVD W.J. KE 03-OCT-2005	NAME MODULAR JACK RJ45 8P8C, WITH LED & SHIELD, DIP, REVERSE TYPE			
	PRODUCT SPEC 108-57527				
FINISH SEE SHEET 1.	QUALIFICATION TEST REPORT 501-57603	LOC DW	SIZE A ₃	DRAWING NO C-1734509	REV A2
	WEIGHT	SCALE --			SHEET 2 OF 4



LTR	REVISION RECORD	SEE SHEET 1.	ECO	DWN	CHK	DATE
-----	-----------------	--------------	-----	-----	-----	------

DIMENSION :		DWN	O. HU		 TE Connectivity		
0	PLC ±		03-OCT-2005				
1	PLC ±	CHK	S. HOU		NAME		
2	PLC ±		03-OCT-2005				
3	PLC ±				MODULAR JACK RJ45 8P8C, WITH LED & SHIELD, DIP, REVERSE TYPE		
ANGLES ±							
MATERIAL		APVD	W.J. KE				
SEE SHEET 1.			03-OCT-2005				
		PRODUCT SPEC					
FINISH		APPLICATION SPEC		LOC	SIZE	DRAWING NO	REV
SEE SHEET 1.				DW	A ₃	C-1734509	A2
		WEIGHT		SCALE		SHEET	
				--		3 OF 4	

DW | INIS | DIS



- A. THE DIRECTION OF JACKS PUT INTO CARRIER.
- B. 10 EMPTY CAVITIES FOR BOTH OF TOP AND BOTTOM OF THE CARRIER.
- C. 180 PCS PRODUCTS BE PACKAGED ON REEL.
- D. 1440 PCS PRODUCTS BE PACKAGED ONE CARTON.
CARTON SIZE: 345mm(L)X 345mm(W)X 315mm(H)
TOTOAL CROSS WEIGHT: 10 Kg REF.

DIMENSION : 0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± ANGLES ±	DWN	O. HU 03-OCT-2005	 TE Connectivity		
	CHK	S. HOU 03-OCT-2005			
MATERIAL SEE SHEET 1.	APVD	W.J. KE 03-OCT-2005	NAME MODULAR JACK RJ45 8P8C, WITH LED & SHIELD, DIP, REVERSE TYPE		
	PRODUCT SPEC				
FINISH SEE SHEET 1.	APPLICATION SPEC	LOC DW	SIZE A ₃	DRAWING NO C-1734509	REV A2
	WEIGHT	SCALE --		SHEET 4 OF 4	



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.