




R(28.2) CAM LEVER SWING AREA

(43.2)

Ø 56 MIN.

6



[illegible]

The diagram shows the rear panel of the device with a terminal block and a connector. The terminal block has 14 terminals arranged in two rows of seven. The top row is labeled 1 through 7, and the bottom row is labeled 8 through 14. The connector is a D-subminiature connector with 15 pins, labeled 1 through 15. The terminal block is labeled "TERMINAL BLOCK" and the connector is labeled "CONNECTOR".

Technical drawing of the rear view of the device. It shows a terminal block with 12 terminals arranged in two rows of six. The terminals are labeled with numbers 1 through 12. The drawing also shows the mounting points and the overall shape of the device's rear panel.

NOTE(S):

1. APPLICABLE TERMINAL PART NUMBERS (SOLD SEPARATELY):
FOR TIN APPLICATIONS: 1393367 AND 1393366.
FOR GOLD APPLICATIONS: 1393365 AND 1393364.
FOR TERMINATION AND REELING OPTIONS
SEE DRAWINGS 1393367, 1393366, 1393365, AND 1393364.
2. COMPATIBLE WIRE SIZES FOR MAT SEAL DESIGN 1.19 TO 2.06 O.D.
(22-18 AWG, 0.35-0.75 mm²)
3. TPA AND CAM LEVER ARE SHIPPED IN THEIR PRE-LOADED POSITION.
ALL ASSEMBLIES ARE TO BE TRAY PACKAGED.
4. CUSTOMER PART NUMBER AND TRACEABILITY CODE (YY = TWO DIGIT YEAR,
JJJ = JULIAN DAY, HH = TWO DIGIT MILITARY HOUR, A=ASSEMBLY PROCESS
USED) ARE PRINTED IN THIS LOCATION.
5. PART ASSEMBLY WEIGHT WITHOUT TERMINALS AND WITH STANDARD PIN-OUT
CONFIGURATION IS 26.09 GRAMS.
6. OPTIONAL WIRESHIELD P/N 8-1419157-8 (SOLD SEPARATELY). PLEASE CONTACT
YOUR TYCO ELECTRONICS SALES REPRESENTATIVE FOR AVAILABILITY AND PRICING.



DRAWING INFORMATION	DWN	20APR2002	 Tyco Electronics Tyco Electronics Harrisburg, PA 17105-3608			
	M. FORISKA					
UNLESS NOTED:	CHG		NAME	40 WAY ARM		
	M. FORISKA			PLUG ASSEMBLY WITH SHORTING BARS		
	APPR	20APR2002		CUSTOMER SPEC.		
	PRODUCT SPEC					
	APPLICATION SPEC					
	WEIGHT	-	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
31.3			A	00779	C=7-1419157-9	-
CUSTOMER DRAWING			SCALE	3:1	SHEET 2 of 3	REV B

[illegible]AMP 4805 REV 31MAR2000

	CAVITIES WITH A NUMERIC SYMBOL INDICATE CLOSED TERMINAL HOLE POSITIONS
	BLANK CAVITIES INDICATE OPEN TERMINAL HOLE POSITIONS

		APPLICATION SPEC		SIZE		CAGE CODE	DRAWING NO		RESTRICTED TO		
		-		A	00779	C	7-1419157-9		-		
MATERIAL SEE CHART		FINISH -		WEIGHT -		CUSTOMER DRAWING		SCALE	SHEET	OF	REV
								3:1	3	3	B



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.