


THIS DRAWING IS A CONTROLLED DOCUMENT

THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO TYCO ELECTRONICS, INC. AND ITS AFFILIATES. IT MAY NOT BE DISCLOSED TO ANY OTHER PERSON OR ENTITY WITHOUT THE WRITTEN AUTHORIZATION OF TYCO ELECTRONICS CORPORATION, HARRISBURG, PENNSYLVANIA.

LOC  
CE  
DIST  
16


Restricted to: General Release

USED ON



### Left Side

Connector(s): MT-RJ (No Pins)  
Mode: MM  
Housing Color: Black  
Geom. Spec: 115-1215



VIEW C-C  
NOT TO SCALE

### Fiber Path


Fiber A -  - Fiber B  
Fiber B -  - Fiber A

### Notes:

- 1 Product and Processing must meet requirements of Tyco Electronics Standard 230-702
- 2 Label 2 will not be present on any cable assembly less than 5 meters long.
- 3 Includes dust caps (not shown on print).

### Right Side

Connector(s): MT-RJ SECURE (No Pins)  
Mode: MM  
Housing Color: Green  
Geom. Spec: 115-1215



VIEW D-D  
NOT TO SCALE

| A |     | Rev Per EC#     | RELEASE | 8/7/2006 | -  | MK   |
|---|-----|-----------------|---------|----------|----|------|
| P | LTR | REVISION RECORD |         | DATE     | DN | APVD |

| DIMENSIONS: |  |
|-------------|--|
| meters      |  |

| TOLERANCES UNLESS OTHERWISE SPECIFIED: |     |
|----------------------------------------|-----|
| 0 PLC                                  | ± . |
| 1 PLC                                  | ± . |
| 2 PLC                                  | ± . |
| 3 PLC                                  | ± . |
| 4 PLC                                  | ± . |

Customer Print

|                         |               |                                                                                       |                                                                                               |       |
|-------------------------|---------------|---------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|-------|
| Cable Assy Configurator |               | MATERIAL                                                                              | HEAT TREAT                                                                                    |       |
| CHK                     | Michael Kepko |  |                                                                                               |       |
| APVD                    | Michael Kepko |                                                                                       |                                                                                               |       |
| NAME                    |               |                                                                                       | FO C/A - 2 fiber, XG - 50/125, OFNR (Riser) jacket, MT-RJ (No Pins) to MT-RJ SECURE (No Pins) |       |
| SCALE                   | SIZE          |                                                                                       | DRAWING NO                                                                                    | SHEET |
| NTS                     | A2            | C- 1754408                                                                            | 1 of 3                                                                                        | REV A |

USED ON

THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO TYCO ELECTRONICS CORPORATION AND ITS WORLDWIDE SUBSIDIARIES AND AFFILIATES. IT MAY NOT BE DISCLOSED TO ANYONE, OTHER THAN TYCO ELECTRONICS PERSONNEL, WITHOUT WRITTEN AUTHORIZATION FROM TYCO ELECTRONICS CORPORATION, HARRISBURG, PENNSYLVANIA

CAC Customer Layout Rev. D

|   |     |                 |         |          |     |
|---|-----|-----------------|---------|----------|-----|
|   |     |                 |         |          |     |
|   |     |                 |         |          |     |
|   | A   | Rev Per EC#     | RELEASE | 8/7/2006 | -   |
| P | LTR | REVISION RECORD |         | DATE     | DIN |

| DIMENSIONS;<br>meters                                                                 |       | TOLERANCES UNLESS<br>OTHERWISE SPECIFIED |   |
|---------------------------------------------------------------------------------------|-------|------------------------------------------|---|
|  | 0 PLC | ±                                        | - |
|                                                                                       | 1 PLC | ±                                        | - |
|                                                                                       | 2 PLC | ±                                        | - |
|                                                                                       | 5 PLC | ±                                        | - |
|                                                                                       | 4 PLC | ±                                        | - |

Customer Print

|                                                                                                    |               |                                                                                                                                           |            |     |
|----------------------------------------------------------------------------------------------------|---------------|-------------------------------------------------------------------------------------------------------------------------------------------|------------|-----|
| Cable Assy Configurator                                                                            |               | MATERIAL                                                                                                                                  | HEAT TREAT |     |
| CHK                                                                                                | Michael Kepko | -                                                                                                                                         | -          |     |
| APVD                                                                                               | Michael Kepko |  Tyco Electronics, Inc.<br>Harrisburg, PA 17105-3608 |            |     |
| NAME FO C/A - 2 fiber, XG - 50/125, OFNR (Riser) jacket, MT-RJ (No Pins) to MT-RJ SECURE (No Pins) |               |                                                                                                                                           |            |     |
| SCALE                                                                                              | SIZE          | DRAWING NO.                                                                                                                               | SHEET      | REV |
| NTS                                                                                                | A2            | C-1754408                                                                                                                                 | 2 of 3     | A   |

A

Label 1

Per specification 107-1645-1



Trace # - Bar Code  
Trace # - Human Readable  
Part Number  
Country of Origin

This label is used on all lengths on this drawing.

Label 2

Per specification 107-1645-1



Trace # - Bar Code  
Trace # - Human Readable  
Part Number  
Country of Origin

This label is used on all lengths on this drawing.

THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO TYCO ELECTRONICS CORPORATION. IT MAY NOT BE DISCLOSED TO ANY OTHERS WITHOUT THE WRITTEN AUTHORIZATION OF TYCO ELECTRONICS CORPORATION, HARRISBURG, PENNSYLVANIA.

LOC  
CE  
DIST  
16

|   |     |                 |         |          |     |      |
|---|-----|-----------------|---------|----------|-----|------|
|   |     |                 |         |          |     |      |
|   |     |                 |         |          |     |      |
|   | A   | Rev Per EC#     | RELEASE | 8/7/2006 | -   | MK   |
| P | LTR | REVISION RECORD |         | DATE     | DIN | APVD |

| DIMENSIONS: |  | TOLERANCES UNLESS OTHERWISE SPECIFIED: |     |
|-------------|--|----------------------------------------|-----|
| meters      |  | 0 P.L.C.                               | ± . |
|             |  | 1 P.L.C.                               | ± . |
|             |  | 2 P.L.C.                               | ± . |
|             |  | 3 P.L.C.                               | ± . |
|             |  | 4 P.L.C.                               | ± . |

|                                                                                                    |               |                                                                |              |     |
|----------------------------------------------------------------------------------------------------|---------------|----------------------------------------------------------------|--------------|-----|
| DIN Cable Assy Configurator                                                                        |               | MATERIAL -                                                     | HEAT TREAT - |     |
| OK                                                                                                 | Michael Kepko | <b>AMP</b> Tyco Electronics, Inc.<br>Harrisburg, PA 17105-3608 |              |     |
| APVD                                                                                               | Michael Kepko |                                                                |              |     |
| NAME FO C/A - 2 fiber, XG - 50/125, OFNR (Riser) jacket, MT-RJ (No Pins) to MT-RJ SECURE (No Pins) |               |                                                                |              |     |
| SCALE                                                                                              | SIZE          | DRAWING NO                                                     | SHEET        | REV |
| NTS                                                                                                | A2            | C- 1754408                                                     | 3 of 3       | A   |



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



#### Как с нами связаться

**Телефон:** 8 (812) 309 58 32 (многоканальный)

**Факс:** 8 (812) 320-02-42

**Электронная почта:** [org@eplast1.ru](mailto:org@eplast1.ru)

**Адрес:** 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.