





SCALE 2:1


SCALE 2:1




COMPANY LOGO

1. MATERIAL: SHIELD - 35% GLASS REINFORCED NYLON.
SEE TABLE BELOW FOR COLOR.
LEVER - 35% GLASS REINFORCED NYLON.
COLOR GRAY.
2. REFERENCE: RECEPTACLE CARRIER, 1326042-1,
USED WITH THIS ASSEMBLY.
3. REFERENCE: INTERFACE DETAIL PER DRAWING NO.
AAUTO1000-2962-0247
4. REFER TO INSTRUCTION SHEET 408-8662 FOR PRODUCT
ASSEMBLY AND DISASSEMBLY PROCEDURES.
5. REFER TO USCAR-2 REV 3 APRIL 2001 FOR PRODUCT
SPECIFICATIONS.


LOC	DIST	REVISIONS						
FX	00	P	LTR	DESCRIPTION	DATE	DWN	APVD	
			A	REVISED PER EC OK80-0281-02	01MAY2003	SPT	AME	
			B	REVISED PER EC OK80-0086-04	30MAR2004	RGV	AME	
			C	REVISED PER EC OK80-0196-04	14JUN2004	DLD	AME	
			C1	REV PER ECR-10-011823	28MAY2010	VSS	CS	



70° WIRE EXIT
SCALE 2:1






45° WIRE EXIT
SCALE 2:1




20° WIRE EXIT
SCALE 2:1

WIRE EXIT OPTIONS FOR REFERENCE ONLY


20°	BLUE	B-F	1326362-9
20°	GRAY	B-E	1326362-8
20°	BLACK	A-E	1326362-7
45°	BLUE	B-F	1326362-6
45°	GRAY	B-E	1326362-5
45°	BLACK	A-E	1326362-4
70°	BLUE	B-F	1326362-3
70°	GRAY	B-E	1326362-2
70°	BLACK	A-E	1326362-1
DIM V	COLOR	KEYING OPT.	PART NUMBER



KEY B-F SHOWN





KEY B-E SHOWN



KEY A-E SHOWN


KEYING OPTIONS FOR REFERENCE ONLY

TYPICAL DIMENSIONS TO CENTER LINE UNLESS OTHERWISE SPECIFIED.		DWN W. HOELSCHER CHK S. TOBEY APVD DS. TOBEY	22FEB02 22FEB02 22FEB02	Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS:		NAME		PRODUCT SPEC	
mm		APPLICATION SPEC		WEIGHT	
9 PLC 1 PLC 3 PLC 5 PLC 4 PLC ANGLES		TOLERANCES UNLESS OTHERWISE SPECIFIED:		CUSTOMER DRAWING	
±0.1 ±0.05 ± ± ±1°		SIZE		RESTRICTED TO	
-		A1 00779		SCALE 4:1	
-		C=1326362		SHEET 1 OF 2	
-		REV C1			




26 POSITION CONNECTOR FIXTURE
(SHOWN WITH CLEARANCE FOR ALL KEY OPTIONS)


- CONNECTOR FIXTURE SHOULD BE USED TO VERIFY THE RECEPTACLE CARRIER IS PROPERLY SEATED AND LOCKED INTO THE SHIELD ASSEMBLY. THE CONNECTOR WILL NOT FULLY MATE TO THE FIXTURE IF THE RECEPTACLE CARRIER IS OUT OF POSITION.
- RECOMMEND USING A SENSING DEVICE FOR VERIFYING FULLY MATED CONNECTORS. SHUCH A DEVICE IS UP TO THE CUSTOMERS DISCRESSION.
- RECOMMENDED MATERIAL: HARDEND STEEL
- NO RADII OR CHAMFER PERMITTED IN SPECIFIED AREA. MUST MAINTAIN 90° EDGE.
- RADII TO BE 0.5 UNLUSS OTHERWISE SPECIFIED.
- OPTIONAL CONSTRAINT FEATURE.



SCALE 3:1




SECTION W-W




DETAIL X
SCALE 4:1


LOC		DIST		REVISIONS				
FX		00		REV	DESCRIPTION	DATE	OWN	APVD
				-	SEE SHEET 1	-	-	-



KEY OPTION A-E



KEY OPTION B-E



KEY OPTION B-F

THIS DRAWING IS UNPUBLISHED. IT IS THE PROPERTY OF TYCO ELECTRONICS CORPORATION. IT IS TO BE USED ONLY FOR THE PURPOSES SPECIFIED IN THE ORDER. IT IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, WITHOUT PERMISSION IN WRITING FROM TYCO ELECTRONICS CORPORATION. SHOULD BE CONTACTED FOR THE LATEST REVISION.				DWN W. HOELSCHER 22FEB02		Tyco Electronics Harrisburg, PA 17105-3608	
ECHK S. TOBEY 22FEB02				NAME S. TOBEY 22FEB02		SHIELD ASSEMBLY, 0.64mm 26 POSITION, LEVER ASSISTED CONNECTOR	
APVD S. TOBEY 22FEB02				PRODUCT SPEC		SIZE A1	
				APPLICATION SPEC		CAGE CODE 00779	
				WEIGHT -		DRAWING NO C=1326362	
				CUSTOMER DRAWING		RESTRICTED TO -	
				SCALE 4:1		SHEET 2 OF 2	
						REV C1	



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.