










6. OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI.




△6	OBSOLETE	W/O	TAPE & REEL	YELLOW	GREEN	1.27um[50u"]	3-1734324		
						0.762um[30u"]	3-1734324		
						0.381um[15u"]	3-1734324		
						0.152um[6u"]	3-1734324		
	OBSOLETE			GREEN	YELLOW	1.27um[50u"]	3-1734324		
			0.762um[30u"]			3-1734324			
			0.381um[15u"]			3-1734324			
			0.152um[6u"]			3-1734324			
△6	OBSOLETE	W/	TRAY	YELLOW	GREEN	1.27um[50u"]	2-1734324		
						0.762um[30u"]	2-1734324		
						0.381um[15u"]	2-1734324		
						0.152um[6u"]	2-1734324		
						GREEN	YELLOW	1.27um[50u"]	2-1734324
								0.762um[30u"]	2-1734324
								0.381um[15u"]	2-1734324
								0.152um[6u"]	2-1734324
	RIB	PACKAGE	POSITION 2 INDICATOR	POSITION 1 COLOR	MIN. GOLD THICKNESS	PART NUMBER			

DWN	TE Connectivity								
CHK	NAME MODULAR JACK CONNECTOR RJ45 WITH LED, 8P8C, SHIELDED TAB DOWN, DIP TYPE, H=11.3mm								
APVD									
PRODUCT SPEC									
APPLICATION SPEC									
WEIGHT	<table border="1"> <tr> <td>SIZE</td> <td>CAGE CODE</td> <td>DRAWING NO</td> <td>RESTRICTED</td> </tr> <tr> <td>A3</td> <td>00779</td> <td>C=1734324</td> <td></td> </tr> </table>	SIZE	CAGE CODE	DRAWING NO	RESTRICTED	A3	00779	C=1734324	
SIZE	CAGE CODE	DRAWING NO	RESTRICTED						
A3	00779	C=1734324							
CUSTOMER DRAWING		SCALE	SHEET 2 OF 7	REV A5					







THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION


© COPYRIGHT 2010 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC
DW

DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
		SEE SHEET 1.			



NOTES:

1. MATERIAL:
TRAY: PVC.
BOX: CORRUGATED FIBER.
2. DIMENSION: SEE DRAWING
3. QUANTITY: SEE TABLE
4. WEIGHT: SEE TABLE

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	 TE Connectivity			
DIMENSIONS:		CHK	NAME			
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD				
	0 PLC ± —	PRODUCT SPEC				
	1 PLC ± 0.3	APPLICATION SPEC				
	2 PLC ± 0.2					
	3 PLC ± 0.15					
4 PLC ± —	ANGLE ± 3°	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO	
MATERIAL	FINISH	WEIGHT	A3 00779 C=1734324			—
CUSTOMER DRAWING		SCALE		SHEET		REV
		6 OF 7		A5		

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT 2010 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC
DW

DIST

REVISIONS

P

LTR





DESCRIPTION

DATE



DWN

APVD


SEE SHEET 1.



8.5KG	6.1KG	180	8	1440	6-1734324-5~8
					3-1734324-X
					1-1734324-X
GROSS WEIGHT	NET WEIGHT	PCS /REEL	REEL /BOX	PCS /BOX	PART NUMBER



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mmTOLERANCES UNLESS
OTHERWISE SPECIFIED:

0 PLC $\pm$ -
1 PLC ± 0.3
2 PLC ± 0.2
3 PLC ± 0.15
4 PLC $\pm$ -
ANGLES $\pm 3^{\circ}$

MATERIAL

FINISH

DWN

CHK

APVD

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

NAME

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A3

00779

C=1734324

SCALE

SHEET

7 of 7

REV A5

STE

TE Connectivity

MODULAR JACK CONNECTOR
RJ45 WITH LED, 8P8C, SHIELDED
TAB DOWN, DIP TYPE, H=11.3mm



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.