





DO NOT SCALE
DIMENSIONS IN mm


METRIC

THIRD ANGLE
PROJECTION

- NOTES:
- 1 SEE SHEET 2 FOR 216564-2, 6 POS./4 CONTACTS.
 - 2 TOLERANCES UNLESS OTHERWISE SPECIFIED: $\pm 0,15$
 - 3 FOR APPLICATION INFORMATION SEE AMP SPEC. 114-19019.
 - 4 FOR PERFORMANCE REQUIREMENTS SEE AMP SPEC. 108-19064



PRINTED CIRCUIT BOARD LAYOUT
[VIEW SHOWN IS CIRCUIT (NONCOMPONENT) SIDE OF BOARD.]
TOLERANCES UNLESS OTHERWISE SPECIFIED: $\pm 0,05$.
PRINTED CIRCUIT BOARD THICKNESS: 1,6 mm NOMINAL.




700pcs. ON A 60cm. DIA. REEL	6 POSITIONS/ 6 CONTACTS.	IN CONTACT AREA: 1,2µm MIN. SEL. GOLD OVER 1,2µm MIN. NICKEL SOLDER TINES: 2,0µm MIN. TIN-LEAD OVER 1,2µm MIN. NICKEL	HOUSING: PTB,UL 94-HB COLOR: BLACK CONTACTS: PHOSPHOR BRONZE	216564-1
REMARKS	REMARKS	FINISH	MATERIAL	PARTNUMBER
-	-	-	-	-
-	-	-	-	-
H2	ECR-08-013498	AEG	-	18-02-09
H1	OU60-0073-00	KV	KV	10 AUG 00
H	EH-1376-99	MVE	MVE	22 JUL 99
G	EH-0939-99	JG	TD	APR 99
F	EH-0244-96	MVE	G.C.	15 FEB 96
LTR.	REVISION RECORD	DR.	CHK.	DATE
DR.: L.v.d.HETDEN	CHK.: C.STERKEN	APP.: L.v.SOEST	DWG.No.	REV.LTR.
DATE: 29 AUG 89	DATE: -	DATE: -	C- 216564	H2
				SHEET 1 OF 2
				A2





DO NOT SCALE
DIMENSIONS IN mm

METRIC

THIRD ANGLE
PROJECTION



- NOTES:
- SEE SHEET 1 FOR 216564-1, 6 POS/6 CONTACTS.
 - TOLERANCES UNLESS OTHERWISE SPECIFIED: $\pm 0,15$
 - FOR APPLICATION INFORMATION SEE AMP SPEC. 114-19019.
 - FOR PERFORMANCE REQUIREMENTS SEE AMP SPEC. 108-19064




PRINTED CIRCUIT BOARD LAYOUT

[VIEW SHOWN IS CIRCUIT (NONCOMPONENT) SIDE OF BOARD.]

TOLERANCES UNLESS OTHERWISE SPECIFIED: $\pm 0,05$.

PRINTED CIRCUIT BOARD THICKNESS: 1,6 mm NOMINAL.



OBSOLETE	BULK PACKAGED 1000pcs. IN A BOX	6 POSITIONS/ 4 CONTACTS.	IN CONTACT AREA: 1,2µm MIN. SFL. GOLD OVER 1,2µm MIN. NICKEL			HOUSING: RTB, UL 94 HB COLOR: BLACK	216564-5
	700pcs. ON A 60cm DIA. REEL		SOLDER TINES: 2,0µm MIN. TIN-LEAD OVER 1,2µm MIN. NICKEL			CONTACTS: PHOSPHOR BRONZE	216564-2
PACKAGING		REMARKS		FINISH		MATERIAL	PARTNUMBER
-	-	-	-	-	-	CUSTOMER DRAWING FOR REFERENCE ONLY WILL NOT BE UPDATED © COPYRIGHT 19 BY AMP HOLLAND B.V. ALL INTERNATIONAL RIGHTS RESERVED. AMP PRODUCTS MAY BE COVERED BY U.S. AND FOREIGN AND/OR PATENTS PENDING. THIS DRAWING IS UNPUBLISHED RELEASED FOR PUBLICATION, 19	
-	-	-	-	-	-		
-	-	-	-	-	-		
-	-	-	-	-	-		
-	-	-	-	-	-		
-	SEE SHEET 1	-	-	-	-	AMP AMP HOLLAND B.V. 's-Hertogenbosch, The Netherlands.	
-	-	-	-	-	-		
LTR.		DR.		CHK.	DATE	NAME MODULAR JACK, 6 POS./4 CONT., TOP ENTRY, WITH PANEL STOPS, FOR PRINTED CIRCUIT BOARD.	
DR.: P.BEIJNON		CHK.: C.STERKEN		APP.: L.v.SOEST		DWG.No. C- 216564	REV.LTR. H2
DATE: -		DATE: -		DATE: -		SHEET 2 OF 2	A2



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.