

REVISIONS					
#	LYR	DESCRIPTION	DATE	DWN	APVD
F34		REVISED PER ECO-17-007768	30MAY2017	DLD	DCM
F35		REVISED PER ECO-17-014872	24OCT2017	JMS	CM
F36		REVISED PER ECO-18-005691	16APR2018	JMS	CM
F37		ECO-18-013134	13SEP2018	KP	CM

- 1






PRINT PART NUMBER (5S4T-14A464-L*-***, 5S4T-14A464-M*-***, 5S4T-14A464-N*-***) AND TRACEABILITY (YY : 2 DIGIT YEAR, JJJ = JULIAN DATE, HH = 2 DIGIT MILITARY HOUR CODE IN THE LOCATION AT ASSEMBLY. SEE SHEET 3 THRU 7 (-*) PART NUMBERS.
2.

APPLICABLE MOLEX (1.5) POWER TERMINAL PART NUMBERS:
33012-0002 TIN 0.50-1.50mm²
3.


CAM LEVER AND SPACER ARE SHIPPED IN THEIR PRE-ASSEMBLED POSITIONS.
4.

REFERENCE TE CONNECTIVITY INSTRUCTION SHEET 408-8893.
- 5

COMPANY LOGO.





APPLICABLE COMPONENTS (FOR REFERENCE ONLY)						
DESCRIPTION	NOMINAL TERMINAL SIZE	COLOR/ PLATING	FORD COMPONENT PART NUMBER	SUPPLIER PART NUMBER	MATERIAL/SPECIFICATION NUMBER	SAE WIRE SIZE
TERMINAL - FEMALE (Ag)	0.64 (CAT. 0)	SILVER	7S4T-14474-AA	I393366-2	COPPER ALLOY/SILVER PLATE	20AWG
						18AWG
TERMINAL - FEMALE (Ag)	0.64 (CAT. 0)	SILVER	7S4T-14474-BA	I393367-2	COPPER ALLOY/SILVER PLATE	22AWG
TERMINAL - FEMALE (Sn)	0.64 (CAT. 0)	TIN	1L2T-14474-AA	I393366-1	COPPER ALLOY/TIN PLATE	20AWG
						18AWG
TERMINAL - FEMALE (Sn)	0.64 (CAT. 0)	TIN	1L2T-14474-BA	I393367-1	COPPER ALLOY/TIN PLATE	22AWG
TERMINAL - FEMALE (Au)	0.64 (CAT. 0)	GOLD	1L2T-14474-CA	I393365-1	COPPER ALLOY/GOLD PLATE	20AWG
						18AWG
TERMINAL - FEMALE (Au)	0.64 (CAT. 0)	GOLD	1L2T-14474-DA	I393364-1	COPPER ALLOY/GOLD PLATE	22AWG




ANY DESIGN CHANGES ON THIS ASSEMBLY MAY ALSO BE REQUIRED ON ASSEMBLY DRAWING 1438691

THIS DRAWING IS A CONTROLLED DOCUMENT.			SEE TABLES SHEETS 3 THRU 7 PART NUMBER		
DWN R. VESTAL 15APR2005 CHK T. VALASEK 15APR2005 APVD T. VALASEK 15APR2005			NAME 50-WAY HARNESS ASSEMBLY, PCM		
DIMENSIONS: mm 0 PLC ±.3 1 PLC ±0.10 2 PLC ±.10 3 PLC ±.10 4 PLC ±.10 ANGLES ±1°			PRODUCT SPEC APPLICATION SPEC WEIGHT CUSTOMER DRAWING		
MATERIAL FINISH			SIZE CAGE CODE DRAWING NO A100779C=1438129 RESTRICTED TO		
			SCALE 1:1 SHEET 1 OF 10 REV F37		


REVISIONS					
P	LYR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-




1438129-1
KEYING OPTION "A"




1438129-2
KEYING OPTION "B"




1438129-3
KEYING OPTION "C"




1438129-4
KEYING OPTION "D"



1438129-5
KEYING OPTION "E"




1438129-6
KEYING OPTION "F"

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. VESTAL	15APR2005		TE Connectivity			
DIMENSIONS:		CHK T. VALASEK	15APR2005		NAME 50-WAY HARNESS ASSEMBLY, PCM			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD T. VALASEK	15APR2005					
mm		PRODUCT SPEC						
	0 PLC	±		APPLICATION SPEC	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
	1 PLC	±0.3						
	2 PLC	±0.10						
	3 PLC	±						
	4 PLC	±						
ANGLES		±°						
FINISH		WEIGHT		A100779C=1438129		-		
MATERIAL		CUSTOMER DRAWING		SCALE 2:1		SHEET 2 OF 10		REV 37
-								
-								

REVISIONS					
P	LYR	DESCRIPTION	DATE	OWN	APVD
-		SEE SHEET I	-	-	-

KEYING OPTION B

KEYING OPTION B				46		43	42											29	27	26	25	24	22											9	7						1	5-1438950-9	5S4T-14A464-MA-065																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
				46														28	27				22																	1	5-1438950-5	5S4T-14A464-MA-064																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
				46		43				39	38	37			34	32	31	29				24	22	20				15	14													5-1438950-4	5S4T-14A464-MA-063																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
				46		43				39		37			34	32	31	29				24	22	20				15														5-1438950-3	5S4T-14A464-MA-062																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
						43				39		37			34	32	31	29						20				15														5-1438950-2	5S4T-14A464-MA-061																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
				46		43				39		37			34	32	31	29					24	22				15														2	5-1438950-1	5S4T-14A464-MA-060																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
				46		43				39	38	37			34	32	31	29					24	22				15	14													2	5-1438950-0	5S4T-14A464-MA-059																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
						43				39		37			34	32	31	29										15															4-1438950-9	5S4T-14A464-MA-058																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
						43				39		37			34	32	31	30	29						20	19		15															4-1438950-8	5S4T-14A464-MA-057																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
							42										31											15	14											7			3	2	1	4-1438950-7	5S4T-14A464-MA-056																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
				46		43	42			39	38	37				33	31			27		25		22			18	16																2	4-1438950-3	5S4T-14A464-MA-055																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
				46					40							33			30	29	28			24	22		19	18	17	16	15	14	13												4-1438950-2	5S4T-14A464-MA-054																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
				46						39		37			34	32	31	29					24	22					15																4-1438950-0	5S4T-14A464-MA-053																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
				46						39	38	37			34	32	31	29					24	22					15	14															3-1438950-9	5S4T-14A464-MA-052																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
				46		43				39	38	37				33					27		25	22			18	16																	3-1438950-6	5S4T-14A464-MA-051																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
																33	32				27																							3	1	3-1438950-4	5S4T-14A464-MA-050																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
				46			42					37				33	31	30	29	28				24	22		19	18	17	16		14														3-1438950-0	5S4T-14A464-MA-049																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
				46			42					37				33	31	30	29	28				24	22		19	18	17	16		14														2-1438950-9	5S4T-14A464-MA-048																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
	50			46			42					37				33	31	30	29	28	27			24	22		19	18	17	16		14															2-1438950-8	5S4T-14A464-MA-047																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
						43						38									27		25		22			18	16																	1	2-1438950-7	5S4T-14A464-MA-046																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
	50	49								40	39	38	37	36	35		33	32	31	30			26			22	21	20	19	18																	2	1	2-1438950-6	5S4T-14A464-MA-045																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
	50	49		46	45	44	43	42		40	39	38	37	36	35	34	33	32	31	30	29	28	27	26			23	22		20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4				2	1	2-1438950-5	5S4T-14A464-MA-044																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
				46			43	42			39	38	37				33	32	31	30		28	27	26	25	24		22		20	19	18	17	16																	2-1438950-0	5S4T-14A464-MA-043																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
				46		43	42				39	38	37				34	33	32	31	30		28	27	26	25	24		22		20	19	18	17	16																1-1438950-8	5S4T-14A464-MA-042																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
				46		43	42					38	37				34		32	31	30	29	28	27	26	25	24		22		20	19	18	17	16																1-1438950-7	5S4T-14A464-MA-041																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
						43	42			39	38	37				33	32	31	30		28	27	26	25	24		22		20	19	18	17	16																			1-1438950-4	5S4T-14A464-MA-040																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
				46		43	42					38	37				32	31	30	29	28	27	26	25	24		22		20	19	18	17	16																			1-1438950-3	5S4T-14A464-MA-039																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
				46				41				37				33		30	29	28				24	22		19	18	17	16		14																		1	1-1438950-0	5S4T-14A464-MA-038																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
				46					40							33		30	29	28				24	22		19	18	17	16		14	13																								1438950-8	5S4T-14A464-MA-037																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
						43				39							33											20					15																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	</

THIS DRAWING IS A CONTROLLED DOCUMENT.										DWG R. VESTAL		15APR2005				TE Connectivity					
DIMENSIONS:				TOLERANCES UNLESS OTHERWISE SPECIFIED:				CW VALASEK		15APR2005											
mm								APUR T VALASEK		15APR2005		NAME		50-WAY HARNESS ASSEMBLY, PCM							
				0 PLC ± 1 PLC ±0.3 3 PLC ±0.10 4 PLC ± ANGLES ±°				PRODUCT SPEC		-											
								APPLICATION SPEC		-		SIZE		CAGE CODE		DRAWING NO		RESTRICTED TO			
MATERIAL				FINISH				WEIGHT		-		A1		00779		①=1438129		-			
-				-										SCALE		1:1		SHEET 4 OF 10		REF 3	
CUSTOMER DRAWING																					

8		7		6		5		4		3		2		1			
THIS DRAWING IS UNPUBLISHED.				RELEASED FOR PUBLICATION				2018									
© COPYRIGHT 2018				BY - TE CONNECTIVITY				ALL RIGHTS RESERVED.									
REVISIONS																	
P		LTR		DESCRIPTION								DATE		OWN		APVD	
		-		SEE SHEET 1								-		-		-	

KEYING OPTION C	50	49	48	47	46	45	44	43	42	41	39	38	37	36	35		33	32	31	30	28		25	24	23	22	21	20	19			15	14	13	12	11		9	8	7	6	5	4	3		1	5-1438950-8	5S4T-14A464-NA-065				
		49	48	47	46			42			39	38		36				32	31		28	27	26	25	24		22	21				17			13	12			9		7	6	5		3	2	1	5-1438950-7	5S4T-14A464-NA-064			
		49			46			42			39		37		35	34					27				23	22						16	15			12	11			8	7	6	5		3	2	1	5-1438950-6	5S4T-14A464-NA-063			
	50	49				45	44				40	38	37	36	35	34	33	32	31	30		26			23	22	21	20	19	18				14	12	11	10	9	8	7	6	5	4		2	1	4-1438950-6	5S4T-14A464-NA-062				
		49	48	47	46			42			39	38		36					32	31		28	27	26		24		22	21			17			13	12			9			6	5		3	2	1	4-1438950-5	5S4T-14A464-NA-061			
	50	49	48	47	46	45	44	43	42	41	40	39	38	37	36				32	31		28				24		22	21			17			13	12			9			6	5		3	2	1	4-1438950-4	5S4T-14A464-NA-060			
	50	49	48			45					40	39	38	37	36	35		33	32	31	30			26	25		23	22	21	20		18			14	13	12		10		8	7	6	5	4	3	2	1	4-1438950-1	5S4T-14A464-NA-059		
	50	49	48	47	46	45	44	43	42	41		39	38	37	36	35		33	32	31	30	28			24	23	22	21	20	19			15	14	13	12	11		9	8		6	5	4	3		1	3-1438950-8	5S4T-14A464-NA-058			
		49	48	47	46			42			39	38		36					32	31		28	27	26		24		22	21			17				12			9		7	6	5		3	2	1	3-1438950-7	5S4T-14A464-NA-057			
	50	49			46	45	44	43	42		40	39	38	37	36	35	34	33	32	31	30	29	28	27	26		23	22		20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4		2	1	3-1438950-5	5S4T-14A464-NA-056	
					46	45		43	42			39		37		35	34		32	31	30	29		27				22		20	19			16	15						6	5		3		1	3-1438950-3	5S4T-14A464-NA-055				
	50	49				45	44				40	39	38	37	36	35	34	33	32	31	30	28	26				22	21	20	19	18	17	16		14	13	12		10	9	8	7	6	5		3	2	1	3-1438950-1	5S4T-14A464-NA-054		
	50	49			46	45	44	43	42		40	39	38	37	36	35	34	33	32	31	30	29	28	27	26		23	22		20	19		17	16	15	14	13	12	11	10	9	8	7	6	5	4		2	1	2-1438950-4	5S4T-14A464-NA-053	
	50	49				45	44				40	39	38	37	36	35	34	33		31	30		26			23	22	21	20	19	18				14	13	12		10	9	8	7	6	5	4		2	1	2-1438950-1	5S4T-14A464-NA-052		
	50	49									40	39	38	37	36	35	34	33	32	31	30		26			23	22	21	20	19	18				14	13	12		10	9	8	7	6	5			2	1	1-1438950-6	5S4T-14A464-NA-050		
	50	49			46	45	44	43	42		40	39	38	37	36	35	34	33	32	31	30	29	28	27	26		23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4		2	1	1-1438950-5	5S4T-14A464-NA-049	
	50	49	48								40	39	38	37	36	35	34	33	32	31	30		26	25		23	22	21	20	19	18				14	13	12		10	9	8	7	6	5			2	1	1-1438950-2	5S4T-14A464-NA-048		
	50	49	48		46	45	44	43	42		40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25		23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4		2	1	1-1438950-1	5S4T-14A464-NA-047
					45	44					40	38	37	36	35	34	33	32	31	30		26					22	21	20		18			14					9	8	7	6	5							1438950-9	5S4T-14A464-NA-051	
	50	49	48		45						40	39	38	37	36	35		33	32	31	30		26	25		23	22	21	20		18			14	13	12		10		8			5	4	3	2	1	1438950-7	5S4T-14A464-NA-046			
	50	49	48		46	44	42						37	36		34	33		31	30		26	25	24	23	22	21						16			13	12	11	10	9	8	7	6	5	4	3	2	1	1438950-5	5S4T-14A464-NA-045		
	50	49	48		46	44	42						37	36		34	33		31	30		26	25	24	23	22	21						16			13	12	11	10	9	8	7	6	5	4		2	1	1438950-4	5S4T-14A464-NA-044		
	50	49			46	45	44	43	42		40	38	37	36	35	34			31	30	28	27	26			23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	1438950-3	5S4T-14A464-NA-043		
					46	45	44	43	42		40	38	37	36	35	34			31	30																																

REVISIONS				
#	LYR	DESCRIPTION	DATE	DWN
-	-	SEE SHEET 1	-	-

KEYING OPTION C

CAVITIES WITH A NUMERIC SYMBOL INDICATES CLOSED TERMINAL LOCATIONS

BLANK CAVITIES INDICATES OPEN TERMINAL HOLE LOCATIONS

TERMINAL HOLE POSITION

5S4T-14A464-N* PIN-OUT CHART

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm

MATERIAL
-
-

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±.3
1 PLC ±0.10
2 PLC ±.1
3 PLC ±.1
4 PLC ±.1
ANGLES ±1°
FINISH
-

DWN
R. VESTAL
CHK
T. VALASEK
APVD
T. VALASEK

15APR2005
15APR2005
15APR2005

PRODUCT SPEC
-
APPLICATION SPEC
-
WEIGHT
-

15APR2005

CUSTOMER DRAWING

TE Connectivity

NAME
50-WAY HARNESS ASSEMBLY, PCM

SIZE
A1

CAGE CODE
100779

DRAWING NO
C=1438129

RESTRICTED TO
-

SCALE
1:1

SHEET
7

OF
10


REV
F37


4805 (3/13)

P		LYR	DESCRIPTION	DATE	DWN	APVD
	-		SEE SHEET I	-	-	-



KEYING OPTION C

[illegible]


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWG NO. VESTAL 15APR2005 CHK. T. VALASEK 15APR2005 APP'D. T. VALASEK 15APR2005		 TE Connectivity	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±.3 1 PLC ±0.3 2 PLC ±0.10 3 PLC ±.1 4 PLC ±.1 ANGLES ±°		NAME 50-WAY HARNESS ASSEMBLY, PCM -	
		PRODUCT SPEC - APPLICATION SPEC -		SIZE CAGE CODE DRAWING NO. RESTRICTED TO A100779C=1438129 -	
MATERIAL - FINISH -		WEIGHT - CUSTOMER DRAWING		SCALE 1:1 SHEET 8 OF 10 REF 37	



SCALE 2:1




SECTION B-B



DETAIL E
SCALE 8:1

NOTES: UNLESS OTHERWISE SPECIFIED

- GENERAL TOLERANCE:
±0.3 ALL ONE PLACE DIMENSIONS
±0.10 ALL TWO PLACE DIMENSIONS
±1°00' ALL ANGULAR DIMENSIONS
- DRAFT ANGLE PERMISSIBLE ONLY WITHIN DRAWING TOLERANCE.
- SEALING SURFACE, NO WITNESS LINES OR DAMAGE PERMITTED.
- ALL UNMARKED RADIUS TO BE 0.5 MAX., UNLESS OTHERWISE SPECIFIED.
- VENT HOLE SIZE AND LOCATION IS OPTIONAL.
- THIS AREA TO REMAIN CLEAR FOR THE HARNESS ASSEMBLY.
- TERMINAL POSITION IDENTIFICATION.
- MATES WITH TYCO ELECTRONICS PART NUMBERS 1438129-★ & 1438950-★












SECTION A-A

SEE RECOMMENDED CONTACT
PIN 0.8 X 1.5 DETAIL

THIS DRAWING IS A CONTROLLED DOCUMENT.				DWN R. VESTAL 15APR2005		 TE Connectivity							
				CHK T. VALASEK 15APR2005									
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD T. VALASEK 15APR2005		NAME 50-WAY HARNESS ASSEMBLY, PCM							
mm				PRODUCT SPEC									
		0 PLC	±.	APPLICATION SPEC		SIZE		CAGE CODE		DRAWING NO		RESTRICTED TO	
		1 PLC	±0.3										
		2 PLC	±0.10										
		3 PLC	±.										
		4 PLC	±.										
ANGLES		±1°		WEIGHT		A100779C=1438129		SCALE		SHEET 9 of 10		REV 37	
FINISH													
MATERIAL				CUSTOMER DRAWING									

HEADER INTERFACE KEYING OPTIONS

REVISIONS					
#	LYR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. VESTAL 15APR2005	TE Connectivity		
DIMENSIONS:		CHK T. VALASEK 15APR2005			
mm		APVD T. VALASEK 15APR2005	NAME 50-WAY HARNESS ASSEMBLY, PCM		
		PRODUCT SPEC	SIZE A100779C=1438129		
		APPLICATION SPEC			
		WEIGHT			
		CUSTOMER DRAWING			
MATERIAL		FINISH	RESTRICTED TO		
			SCALE 1:1 SHEET 10 OF 10 REV F37		



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.