





LOC	DIST	REVISIONS					
AD	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
			G1	REVISED PER ECO-07-019793	04SEP07	DH	JE
			H	ECR-10-018652	10SEP10	SW	MQW
			J	ECO-11-024491	13DEC11	SY	MQW



FAR SIDE



RECOMMENDED PCB HOLE LAYOUT
COMPONENT SIDE SHOWN

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm

MATERIAL

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0-PLC ±

1-PLC ±

2-PLC ± 0.13

3-PLC ±

4-PLC ±

ANGLES

SEE TABLE

DWN B CARBO 12DEC05

CHK G SKIPPER 12DEC05

APVD G SKIPPER 12DEC05

PRODUCT SPEC 108-19082

APPLICATION SPEC 114-19029

WEIGHT

CUSTOMER DRAWING

Tyco Electronics

Tyco Electronics Corporation Harrisburg, PA 17105-3608

NAME RECEPTACLE ASSEMBLY, VERTICAL, 200 POSN., TYPE D/E, 8 ROW, Z-PACK 2mm HM

SIZE A1

CAGE CODE 00779

DRAWING NO 646773

RESTRICTED TO

SCALE 5:1

SHEET 1 OF 2

REV J

LOC		DIST		REVISIONS					
AD		00		P	LTR	DESCRIPTION	DATE	DWN	APVD
					—	SEE SHEET 1	—	—	—

- 1

MATERIAL:
CONTACT: PHOSPHOR BRONZE.
HOUSING: GLASS-FILLED POLYESTER.
- 2

GENERAL PLATING SPECIFICATION: UNDERPLATING
(ENTIRE CONTACT): 1.27µm MIN NICKEL AND ACTION
PIN: 0.5µm MIN TIN\LEAD.
FOR PLATING OF MATING SURFACES SEE APPLICABLE
SPECIFICATION REFERENCE FOR EACH DASH NUMBER.
- 3


CONFORMS TO ALL TESTING ACCORDING TO IEC 61076-4-101
PERFORMANCE LEVEL 2.
- 4

CONNECTOR TESTED AND QUALIFIED AGAINST TELCORDIA GR-1217-CORE QUALITY LEVEL 3,
CENTRAL OFFICE APPLICATIONS.
- 5

CONNECTOR MARKED WITH PART NUMBER AND DATE CODE.
ADDITIONAL CHARACTERS OR MARKINGS, AS WELL AS THE LOCATION OF THE MARKINGS,
MAY BE ADDED FOR TRACEABILITY BASED UPON MANUFACTURERS DISCRETION.
- 6

COLUMN 7 STRIPE INK MARKED (BLACK).
- 7

CONNECTOR LUBRICATED WITH BELCORE APPROVED LUBRICANT,
TECHNICAL REFERENCE: TR-NWT-001217 ISSUE 1, SEP 1992.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN B CARBO 12DEC05	 Tyco Electronics Corporation Harrisburg, PA 17105-3608	
		CHK G SKIPPER 12DEC05		
DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD G SKIPPER 12DEC05	NAME	
mm		PRODUCT SPEC	RECEPTACLE ASSEMBLY, VERTICAL, 200 POSN., TYPE D/E, 8 ROW, Z-PACK 2mm HM	
	0-PLG	±	SIZE	
	1-PLG	±	CAGE CODE	
	2-PLG	± 0.13	DRAWING NO	
	3-PLG	±	RESTRICTED TO	
MATERIAL	FINISH	114-19029	A1 00779	
	SEE TABLE	WEIGHT	646773	
CUSTOMER DRAWING		SCALE	5:1	SHEET 2 OF 2 REV J



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.