






LOC	DIST	REVISIONS							
FX	00	P	LTR	DESCRIPTION			DATE	DWN	APVD
			O	PROPOSAL PER D02-012			07MAR2002	JM	GM
			A	REV PER EC	OK80-0239-02		19AUG2002	RGV	GEM
			B	REV PER EC	OK80-0320-02		19NOV2002	RGV	TJV
			C	REV PER EC	OK80-0191-03		10JUN2003	DJA	TJV




- △ TO BE MEASURED AT 7.5mm FROM -Z-
2. POWER CIRCUITS 35 PLACES, SEE FIG. 1
3. FOR CIRCUIT NUMBERS SEE FIG. 1
- △ 4. DATE CODE
5. TO BE MATED SMOOTHLY WITH PLUG HOUSINGS
17 POS: 353027
24 POS: 353029
31 POS: 1318682, 353826
6. RECOMMENDED SCREW: PAN-HEADED, TYPE 2 TAPPING SCREW,
3.0 DIA X 6.0 LONG MAX. PER JIS B1115, B1122
7. FASTENING TORQUE FOR SCREW 0.392Nm MAX
- △ 8. TO BE DETERMINED BY CUSTOMER.
- △ 9. IDENTIFICATION NUMBER "0000" LOCATED APPROXIMATELY AS SHOWN.




RETURNABLE (BULK-BIN)	I-1438316-1
EXPENDABLE (BOX)	1438316-1
PACKAGING	PART NUMBER

NATURAL	PBT	TINE PLATE	3
PRE-TIN	COPPER ALLOY	TAB CONTACT	2
NATURAL	PBT	CAP HOUSING	1
FINISH/COLOR	MATERIAL	NAME	ITEM NO


THIS DRAWING IS A CONTROLLED DOCUMENT FOR TFC ELECTRONICS CORPORATION IT IS SUBJECT TO CHANGE WITHOUT NOTICE. CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.				DWN MCNEAL 07MAR2002		AMP		Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		CHK G MILLER 07MAR2002		NAME			
mm				APVD G MILLER 07MAR2002		HEADER ASY			
		0 PLC ±0.30 1 PLC ±0.30 2 PLC ±0.30 3 PLC ±0.30 4 PLC ±0.30 ALL ANGLES ±1°		PRODUCT SPEC 108-5673 411-5931		103 POSN, HD11 MULTILOCK -			
MATERIAL		FINISH		WEIGHT		SIZE		RESTRICTED TO	
-		-		42.2g		A 1 00779 C=1438316		-	
CUSTOMER DRAWING				SCALE		2:1		SHEET 1 OF 3	
								REV C	




DETAIL XX
SCALE 4:1




DETAIL VV
SCALE 4:1

[illegible]

LOC		DIST		REVISIONS					
FX		00		P	LTR	DESCRIPTION	DATE	DWN	APVD
				-	-	SEE SHEET I	-	-	-
							</		



SCALE 4:1



PC BOARD LAYOUT
RECOMMENDED THICKNESS: 1.57 MM
COMPONENT SIDE SHOWN

TYPICAL DIMENSIONS FOR THIS PRODUCT LINE THIS IS NOT A DIMENSIONAL SPECIFICATION FOR THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST NOTATION.		DRAWN J. MCNEAL 07MAR2002	Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS: mm		CHK. G. MILLER 07MAR2002	NAME HEADER ASY 103 POSN, HD111 MULTILOCK	
TOLERANCES UNLESS OTHERWISE SPECIFIED: 9 PLC ±0.30 1 PLC ±0.30 2 PLC ±0.30 3 PLC ±0.30 4 PLC ±0.30 ANGLES ±°		APVD G. MILLER 07MAR2002	SIZE A 00779 C=1438316	
MATERIAL -		PRODUCT SPEC -	RESTRICTED TO -	
FINISH -		APPLICATION SPEC -	SCALE 2:1	
WEIGHT -		CUSTOMER DRAWING	SHEET 3 OF 3	
			REV C	



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.