

# Crimp Information Sheet

Terminal Part Number: 02977131  
 Surface Plating: SN  
 Material Thickness [mm]: 1,02  
 Cross Section [mm<sup>2</sup>]: 3,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*



Cable Type codes: 1005  
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY  
 Insulation Range  $\Phi$ [mm]: 3,00 - 3,25  
 Seal(s): NONE

| Cable type / seal | Arrangement | Nominal Insul. diam [mm] | Tear-out force [N] | CCH [mm] | Tol CCH [mm] | CCW [mm] | Tol CCW [mm] | ICH [mm] | Tol ICH [mm] | ICW [mm] | Tol ICW [mm] |
|-------------------|-------------|--------------------------|--------------------|----------|--------------|----------|--------------|----------|--------------|----------|--------------|
| 1005 3,00         |             | 3,13                     | 250                | 3,20     | 0,05         | 5,15     | 0,10         | 4,80     | 0,10         | 6,70     | 0,20         |

## Cable type code legend:

1005:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, PVDF, XLPE  
 Insul. Wall Designator: THIN



# Crimp Information Sheet

Terminal Part Number: 02977131  
 Surface Plating: SN  
 Material Thickness [mm]: 1,02  
 Cross Section [mm<sup>2</sup>]: 3,00 | 5,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*



Cable Type codes: 1005  
 Crimp Process: (D) DIP SOLDER - TERMINAL IS CRIMPED ON BARE CORE  
 Insulation Range  $\Phi$ [mm]: 3,00 - 4,07  
 Seal(s): NONE

| Cable type / seal | Arrangement | Nominal Insul. diam [mm] | Tear-out force [N] | CCH [mm] | Tol CCH [mm] | CCW [mm] | Tol CCW [mm] | ICH [mm] | Tol ICH [mm] | ICW [mm] | Tol ICW [mm] |
|-------------------|-------------|--------------------------|--------------------|----------|--------------|----------|--------------|----------|--------------|----------|--------------|
| 1005 3,00         |             | 3,13                     | 250                | 3,20     | 0,05         | 5,15     | 0,10         | 4,80     | 0,10         | 6,70     | 0,20         |
| 1005 5,00         |             | 3,89                     | 300                | 3,50     | 0,05         | 5,25     | 0,10         | 5,10     | 0,10         | 6,80     | 0,20         |

Cable type code legend:

1005:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, PVDF, XLPE  
 Insul. Wall Designator: THIN



# Crimp Information Sheet

Terminal Part Number: 02977131  
 Surface Plating: SN  
 Material Thickness [mm]: 1,02  
 Cross Section [mm<sup>2</sup>]: 5,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*



Cable Type codes: 1005  
 Crimp Process: (S) SOLDER - CRIMP AND SWEAT - CORE IS DIP SOLDERED  
 Insulation Range  $\Phi$ [mm]: 3,70 - 4,07  
 Seal(s): NONE

| Cable type / seal | Arrangement | Nominal Insul. diam [mm] | Tear-out force [N] | CCH [mm] | Tol CCH [mm] | CCW [mm] | Tol CCW [mm] | ICH [mm] | Tol ICH [mm] | ICW [mm] | Tol ICW [mm] |
|-------------------|-------------|--------------------------|--------------------|----------|--------------|----------|--------------|----------|--------------|----------|--------------|
| 1005 5,00         |             | 3,89                     | 300                | 3,50     | 0,05         | 5,25     | 0,10         | 5,10     | 0,10         | 6,80     | 0,20         |

## Cable type code legend:

1005:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, PVDF, XLPE  
 Insul. Wall Designator: THIN



# Crimp Information Sheet

Terminal Part Number: 02977131  
 Surface Plating: SN  
 Material Thickness [mm]: 1,02  
 Cross Section [mm<sup>2</sup>]: 0,80 | 1,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*



Cable Type codes: 1005 + 1005  
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY  
 Seal(s): NONE

| Cable type / seal     | Arrangement | Nominal Insul. diam [mm] | Tear-out force [N] | CCH [mm] | Tol CCH [mm] | CCW [mm] | Tol CCW [mm] | ICH [mm] | Tol ICH [mm] | ICW [mm] | Tol ICW [mm] |
|-----------------------|-------------|--------------------------|--------------------|----------|--------------|----------|--------------|----------|--------------|----------|--------------|
| 1005 0,80 + 1005 1,00 |             | 2,03 + 2,23              | 90                 | 2,85     | 0,05         | 5,80     | 0,10         | 4,30     | 0,10         | 7,10     | 0,20         |

## Cable type code legend:

1005:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, PVDF, XLPE  
 Insul. Wall Designator: THIN



# Crimp Information Sheet

Terminal Part Number: 02977131  
 Surface Plating: SN  
 Material Thickness [mm]: 1,02  
 Cross Section [mm<sup>2</sup>]: 0,80 | 1,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*



Cable Type codes: 1005 + 1005  
 Crimp Process: (D) DIP SOLDER - TERMINAL IS CRIMPED ON BARE CORE  
 Seal(s): NONE

| Cable type / seal     | Arrangement | Nominal Insul. diam [mm] | Tear-out force [N] | CCH [mm] | Tol CCH [mm] | CCW [mm] | Tol CCW [mm] | ICH [mm] | Tol ICH [mm] | ICW [mm] | Tol ICW [mm] |
|-----------------------|-------------|--------------------------|--------------------|----------|--------------|----------|--------------|----------|--------------|----------|--------------|
| 1005 0,80 + 1005 1,00 |             | 2,03 + 2,23              | 90                 | 2,85     | 0,05         | 5,80     | 0,10         | 4,30     | 0,10         | 7,10     | 0,20         |

## Cable type code legend:

1005:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, PVDF, XLPE  
 Insul. Wall Designator: THIN



# Crimp Information Sheet

Terminal Part Number: 02977131  
 Surface Plating: SN  
 Material Thickness [mm]: 1,02  
 Cross Section [mm<sup>2</sup>]: 3,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*



Cable Type codes: 1007  
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY  
 Insulation Range  $\Phi$ [mm]: 3,45 - 3,81  
 Seal(s): NONE

| Cable type / seal | Arrangement | Nominal Insul. diam [mm] | Tear-out force [N] | CCH [mm] | Tol CCH [mm] | CCW [mm] | Tol CCW [mm] | ICH [mm] | Tol ICH [mm] | ICW [mm] | Tol ICW [mm] |
|-------------------|-------------|--------------------------|--------------------|----------|--------------|----------|--------------|----------|--------------|----------|--------------|
| 1007 3,00         |             | 3,63                     | 250                | 3,20     | 0,05         | 5,15     | 0,10         | 4,80     | 0,10         | 6,70     | 0,20         |

## Cable type code legend:

1007:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPA/PVDF, XLPE  
 Insul. Wall Designator: REGULAR



# Crimp Information Sheet

Terminal Part Number: 02977131  
 Surface Plating: SN  
 Material Thickness [mm]: 1,02  
 Cross Section [mm<sup>2</sup>]: 3,00 | 5,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*



Cable Type codes: 1007  
 Crimp Process: (D) DIP SOLDER - TERMINAL IS CRIMPED ON BARE CORE  
 Insulation Range  $\Phi$ [mm]: 3,45 - 4,70  
 Seal(s): NONE

| Cable type / seal | Arrangement | Nominal Insul. diam [mm] | Tear-out force [N] | CCH [mm] | Tol CCH [mm] | CCW [mm] | Tol CCW [mm] | ICH [mm] | Tol ICH [mm] | ICW [mm] | Tol ICW [mm] |
|-------------------|-------------|--------------------------|--------------------|----------|--------------|----------|--------------|----------|--------------|----------|--------------|
| 1007 3,00         |             | 3,63                     | 250                | 3,20     | 0,05         | 5,15     | 0,10         | 4,80     | 0,10         | 6,70     | 0,20         |
| 1007 5,00         |             | 4,45                     | 300                | 3,50     | 0,05         | 5,25     | 0,10         | 5,70     | 0,10         | 7,20     | 0,20         |

Cable type code legend:

1007:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPA/PVDF, XLPE  
 Insul. Wall Designator: REGULAR



# Crimp Information Sheet

Terminal Part Number: 02977131  
 Surface Plating: SN  
 Material Thickness [mm]: 1,02  
 Cross Section [mm<sup>2</sup>]: 5,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*



Cable Type codes: 1007  
 Crimp Process: (S) SOLDER - CRIMP AND SWEAT - CORE IS DIP SOLDERED  
 Insulation Range  $\Phi$ [mm]: 4,20 - 4,70  
 Seal(s): NONE

| Cable type / seal | Arrangement | Nominal Insul. diam [mm] | Tear-out force [N] | CCH [mm] | Tol CCH [mm] | CCW [mm] | Tol CCW [mm] | ICH [mm] | Tol ICH [mm] | ICW [mm] | Tol ICW [mm] |
|-------------------|-------------|--------------------------|--------------------|----------|--------------|----------|--------------|----------|--------------|----------|--------------|
| 1007 5,00         |             | 4,45                     | 300                | 3,50     | 0,05         | 5,25     | 0,10         | 5,70     | 0,10         | 7,20     | 0,20         |

## Cable type code legend:

1007:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPA/PVDF, XLPE  
 Insul. Wall Designator: REGULAR





# Crimp Information Sheet

Terminal Part Number: 02977131  
 Surface Plating: SN  
 Material Thickness [mm]: 1,02  
 Cross Section [mm<sup>2</sup>]: 0,80 | 1,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*



Cable Type codes: 1007 + 1007  
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY  
 Seal(s): NONE

| Cable type / seal     | Arrangement | Nominal Insul. diam [mm] | Tear-out force [N] | CCH [mm] | Tol CCH [mm] | CCW [mm] | Tol CCW [mm] | ICH [mm] | Tol ICH [mm] | ICW [mm] | Tol ICW [mm] |
|-----------------------|-------------|--------------------------|--------------------|----------|--------------|----------|--------------|----------|--------------|----------|--------------|
| 1007 0,80 + 1007 0,80 |             | 2,33 + 2,33              | 90                 | 2,80     | 0,05         | 5,80     | 0,10         | 4,30     | 0,10         | 7,00     | 0,20         |
| 1007 0,80 + 1007 1,00 |             | 2,33 + 2,58              | 90                 | 2,85     | 0,05         | 5,80     | 0,10         | 4,30     | 0,10         | 7,10     | 0,20         |

## Cable type code legend:

1007:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPA/PVDF, XLPE  
 Insul. Wall Designator: REGULAR



# Crimp Information Sheet

Terminal Part Number: 02977131  
 Surface Plating: SN  
 Material Thickness [mm]: 1,02  
 Cross Section [mm<sup>2</sup>]: 0,80 | 1,00 | 2,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*



Cable Type codes: 1007 + 1007  
 Crimp Process: (D) DIP SOLDER - TERMINAL IS CRIMPED ON BARE CORE  
 Seal(s): NONE

| Cable type / seal     | Arrangement | Nominal Insul. diam [mm] | Tear-out force [N] | CCH [mm] | Tol CCH [mm] | CCW [mm] | Tol CCW [mm] | ICH [mm] | Tol ICH [mm] | ICW [mm] | Tol ICW [mm] |
|-----------------------|-------------|--------------------------|--------------------|----------|--------------|----------|--------------|----------|--------------|----------|--------------|
| 1007 0,80 + 1007 0,80 |             | 2,33 + 2,33              | 90                 | 2,80     | 0,05         | 5,80     | 0,10         | 4,30     | 0,10         | 7,00     | 0,20         |
| 1007 0,80 + 1007 1,00 |             | 2,33 + 2,58              | 90                 | 2,85     | 0,05         | 5,80     | 0,10         | 4,30     | 0,10         | 7,10     | 0,20         |
| 1007 1,00 + 1007 1,00 |             | 2,58 + 2,58              | 120                | 2,95     | 0,05         | 5,80     | 0,10         | 4,70     | 0,10         | 7,70     | 0,20         |
| 1007 2,00 + 1007 2,00 |             | 2,98 + 2,98              | 200                | 3,15     | 0,05         | 5,85     | 0,10         | 4,90     | 0,10         | 7,50     | 0,20         |

## Cable type code legend:

1007:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPA/PVDF, XLPE  
 Insul. Wall Designator: REGULAR



# Crimp Information Sheet

Terminal Part Number: 02977131

Surface Plating: SN

Material Thickness [mm]: 1,02

Cross Section [mm<sup>2</sup>]: 1,00

*This document is non-contractual  
and for information only.*

*For more information, please  
consult your local sales office*

Cable Type codes: 1007 + 1007

Crimp Process: (R) SOLDER - REFLOW [NON-SIR CIRCUIT] CORE IS DIP SOLD

Seal(s): NONE

| Cable type / seal     | Arrangement | Nominal Insul. diam [mm] | Tear-out force [N] | CCH [mm] | Tol CCH [mm] | CCW [mm] | Tol CCW [mm] | ICH [mm] | Tol ICH [mm] | ICW [mm] | Tol ICW [mm] |
|-----------------------|-------------|--------------------------|--------------------|----------|--------------|----------|--------------|----------|--------------|----------|--------------|
| 1007 1,00 + 1007 1,00 |             | 2,58 + 2,58              | 120                | 2,95     | 0,05         | 5,80     | 0,10         | 4,70     | 0,10         | 7,70     | 0,20         |

Cable type code legend:

1007:



Industry Designator: SAE

Conductor Material: COPPER

Conductor Plating: NONE

Insul. Material: PVC, XLPA/PVDF, XLPE

Insul. Wall Designator: REGULAR



# Crimp Information Sheet

Terminal Part Number: 02977131  
 Surface Plating: SN  
 Material Thickness [mm]: 1,02  
 Cross Section [mm<sup>2</sup>]: 1,00 | 3,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*

Cable Type codes: 1007 + 1009  
 Crimp Process: (D) DIP SOLDER - TERMINAL IS CRIMPED ON BARE CORE  
 Seal(s): NONE

| Cable type / seal     | Arrangement | Nominal Insul. diam [mm] | Tear-out force [N] | CCH [mm] | Tol CCH [mm] | CCW [mm] | Tol CCW [mm] | ICH [mm] | Tol ICH [mm] | ICW [mm] | Tol ICW [mm] |
|-----------------------|-------------|--------------------------|--------------------|----------|--------------|----------|--------------|----------|--------------|----------|--------------|
| 1007 1,00 + 1009 3,00 |             | 2,58 + 4,13              | 120                | 3,20     | 0,05         | 5,80     | 0,10         | 5,00     | 0,10         | 8,80     | 0,20         |



## Cable type code legend:

### 1007:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPA/PVDF, XLPE  
 Insul. Wall Designator: REGULAR

### 1009:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPE  
 Insul. Wall Designator: SPECIAL



# Crimp Information Sheet

Terminal Part Number: 02977131  
 Surface Plating: SN  
 Material Thickness [mm]: 1,02  
 Cross Section [mm<sup>2</sup>]: 3,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*



Cable Type codes: 1009  
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY  
 Insulation Range  $\Phi$ [mm]: 4,00 - 4,25  
 Seal(s): NONE

| Cable type / seal | Arrangement | Nominal Insul. diam [mm] | Tear-out force [N] | CCH [mm] | Tol CCH [mm] | CCW [mm] | Tol CCW [mm] | ICH [mm] | Tol ICH [mm] | ICW [mm] | Tol ICW [mm] |
|-------------------|-------------|--------------------------|--------------------|----------|--------------|----------|--------------|----------|--------------|----------|--------------|
| 1009 3,00         |             | 4,13                     | 250                | 3,20     | 0,05         | 5,15     | 0,10         | 4,80     | 0,10         | 6,70     | 0,20         |

## Cable type code legend:

1009:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPE  
 Insul. Wall Designator: SPECIAL



# Crimp Information Sheet

Terminal Part Number: 02977131  
 Surface Plating: SN  
 Material Thickness [mm]: 1,02  
 Cross Section [mm<sup>2</sup>]: 3,00 | 5,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*



Cable Type codes: 1009  
 Crimp Process: (D) DIP SOLDER - TERMINAL IS CRIMPED ON BARE CORE  
 Insulation Range  $\Phi$ [mm]: 4,00 - 5,33  
 Seal(s): NONE

| Cable type / seal | Arrangement | Nominal Insul. diam [mm] | Tear-out force [N] | CCH [mm] | Tol CCH [mm] | CCW [mm] | Tol CCW [mm] | ICH [mm] | Tol ICH [mm] | ICW [mm] | Tol ICW [mm] |
|-------------------|-------------|--------------------------|--------------------|----------|--------------|----------|--------------|----------|--------------|----------|--------------|
| 1009 3,00         |             | 4,13                     | 250                | 3,20     | 0,05         | 5,15     | 0,10         | 4,80     | 0,10         | 6,70     | 0,20         |
| 1009 5,00         |             | 5,07                     | 300                | 3,50     | 0,05         | 5,25     | 0,10         | 5,70     | 0,10         | 7,20     | 0,20         |

Cable type code legend:

1009:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPE  
 Insul. Wall Designator: SPECIAL



# Crimp Information Sheet

Terminal Part Number: 02977131  
 Surface Plating: SN  
 Material Thickness [mm]: 1,02  
 Cross Section [mm<sup>2</sup>]: 5,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*



Cable Type codes: 1009  
 Crimp Process: (S) SOLDER - CRIMP AND SWEAT - CORE IS DIP SOLDERED  
 Insulation Range  $\Phi$ [mm]: 4,80 - 5,33  
 Seal(s): NONE

| Cable type / seal | Arrangement | Nominal Insul. diam [mm] | Tear-out force [N] | CCH [mm] | Tol CCH [mm] | CCW [mm] | Tol CCW [mm] | ICH [mm] | Tol ICH [mm] | ICW [mm] | Tol ICW [mm] |
|-------------------|-------------|--------------------------|--------------------|----------|--------------|----------|--------------|----------|--------------|----------|--------------|
| 1009 5,00         |             | 5,07                     | 300                | 3,50     | 0,05         | 5,25     | 0,10         | 5,70     | 0,10         | 7,20     | 0,20         |

## Cable type code legend:

1009:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPE  
 Insul. Wall Designator: SPECIAL



# Crimp Information Sheet

Terminal Part Number: 02977131  
 Surface Plating: SN  
 Material Thickness [mm]: 1,02  
 Cross Section [mm<sup>2</sup>]: 1,00 | 2,00 | 3,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*



Cable Type codes: 1009 + 1009  
 Crimp Process: (D) DIP SOLDER - TERMINAL IS CRIMPED ON BARE CORE  
 Seal(s): NONE

| Cable type / seal     | Arrangement | Nominal Insul. diam [mm] | Tear-out force [N] | CCH [mm] | Tol CCH [mm] | CCW [mm] | Tol CCW [mm] | ICH [mm] | Tol ICH [mm] | ICW [mm] | Tol ICW [mm] |
|-----------------------|-------------|--------------------------|--------------------|----------|--------------|----------|--------------|----------|--------------|----------|--------------|
| 1009 1,00 + 1009 1,00 |             | 3,17 + 3,17              | 120                | 2,95     | 0,05         | 5,80     | 0,10         | 4,70     | 0,10         | 7,70     | 0,20         |
| 1009 1,00 + 1009 3,00 |             | 3,17 + 4,13              | 120                | 3,20     | 0,05         | 5,80     | 0,10         | 5,00     | 0,10         | 8,60     | 0,20         |
| 1009 2,00 + 1009 2,00 |             | 3,73 + 3,73              | 200                | 3,15     | 0,05         | 5,85     | 0,10         | 4,90     | 0,10         | 7,50     | 0,20         |

## Cable type code legend:

1009:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPE  
 Insul. Wall Designator: SPECIAL





# Crimp Information Sheet

Terminal Part Number: 02977131  
 Surface Plating: SN  
 Material Thickness [mm]: 1,02  
 Cross Section [mm<sup>2</sup>]: 2,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*



Cable Type codes: 1009 + 1009  
 Crimp Process: (R) SOLDER - REFLOW [NON-SIR CIRCUIT] CORE IS DIP SOLD  
 Seal(s): NONE

| Cable type / seal     | Arrangement | Nominal Insul. diam [mm] | Tear-out force [N] | CCH [mm] | Tol CCH [mm] | CCW [mm] | Tol CCW [mm] | ICH [mm] | Tol ICH [mm] | ICW [mm] | Tol ICW [mm] |
|-----------------------|-------------|--------------------------|--------------------|----------|--------------|----------|--------------|----------|--------------|----------|--------------|
| 1009 2,00 + 1009 2,00 |             | 3,73 + 3,73              | 200                | 3,15     | 0,05         | 5,85     | 0,10         | 4,90     | 0,10         | 7,50     | 0,20         |

Cable type code legend:

1009:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPE  
 Insul. Wall Designator: SPECIAL



# Crimp Information Sheet

Terminal Part Number: 02977131  
 Surface Plating: SN  
 Material Thickness [mm]: 1,02  
 Cross Section [mm<sup>2</sup>]: 2,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*



Cable Type codes: 1009 + 1009  
 Crimp Process: (V) SOLDER - VARIAC - CORE IS BARE COPPER OR TINNED  
 Seal(s): NONE

| Cable type / seal     | Arrangement | Nominal Insul. diam [mm] | Tear-out force [N] | CCH [mm] | Tol CCH [mm] | CCW [mm] | Tol CCW [mm] | ICH [mm] | Tol ICH [mm] | ICW [mm] | Tol ICW [mm] |
|-----------------------|-------------|--------------------------|--------------------|----------|--------------|----------|--------------|----------|--------------|----------|--------------|
| 1009 2,00 + 1009 2,00 |             | 3,73 + 3,73              | 200                | 3,15     | 0,05         | 5,85     | 0,10         | 4,90     | 0,10         | 7,50     | 0,20         |

## Cable type code legend:

1009:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPE  
 Insul. Wall Designator: SPECIAL



# Crimp Information Sheet

Terminal Part Number: 02977131  
 Surface Plating: SN  
 Material Thickness [mm]: 1,02  
 Cross Section [mm<sup>2</sup>]: 3,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*



Cable Type codes: 1011  
 Crimp Process: (D) DIP SOLDER - TERMINAL IS CRIMPED ON BARE CORE  
 Insulation Range  $\Phi$ [mm]: 4,50 - 4,70  
 Seal(s): NONE

| Cable type / seal | Arrangement | Nominal Insul. diam [mm] | Tear-out force [N] | CCH [mm] | Tol CCH [mm] | CCW [mm] | Tol CCW [mm] | ICH [mm] | Tol ICH [mm] | ICW [mm] | Tol ICW [mm] |
|-------------------|-------------|--------------------------|--------------------|----------|--------------|----------|--------------|----------|--------------|----------|--------------|
| 1011 3,00         |             | 4,60                     | 250                | 3,20     | 0,05         | 5,15     | 0,10         | 5,40     | 0,10         | 7,10     | 0,20         |

## Cable type code legend:

1011:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: EAE, POLYOLEFIN, PVC, TPE, XLPE  
 Insul. Wall Designator: HEAVY DUTY



# Crimp Information Sheet

Terminal Part Number: 02977131  
 Surface Plating: SN  
 Material Thickness [mm]: 1,02  
 Cross Section [mm<sup>2</sup>]: 0,50 | 3,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*

Cable Type codes: 1011 + 1007  
 Crimp Process: (D) DIP SOLDER - TERMINAL IS CRIMPED ON BARE CORE  
 Seal(s): NONE

| Cable type / seal     | Arrangement | Nominal Insul. diam [mm] | Tear-out force [N] | CCH [mm] | Tol CCH [mm] | CCW [mm] | Tol CCW [mm] | ICH [mm] | Tol ICH [mm] | ICW [mm] | Tol ICW [mm] |
|-----------------------|-------------|--------------------------|--------------------|----------|--------------|----------|--------------|----------|--------------|----------|--------------|
| 1011 0,50 + 1007 3,00 |             | 2,78 + 3,63              | 80                 | 3,15     | 0,05         | 5,85     | 0,10         | 5,30     | 0,10         | 8,00     | 0,20         |



## Cable type code legend:

1011:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: EAE, POLYOLEFIN, PVC, TPE, XLPE  
 Insul. Wall Designator: HEAVY DUTY

1007:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPA/PVDF, XLPE  
 Insul. Wall Designator: REGULAR



# Crimp Information Sheet

Terminal Part Number: 02977131  
 Surface Plating: SN  
 Material Thickness [mm]: 1,02  
 Cross Section [mm<sup>2</sup>]: 0,50 | 3,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*

Cable Type codes: 1011 + 1009  
 Crimp Process: (D) DIP SOLDER - TERMINAL IS CRIMPED ON BARE CORE  
 Seal(s): NONE

| Cable type / seal     | Arrangement | Nominal Insul. diam [mm] | Tear-out force [N] | CCH [mm] | Tol CCH [mm] | CCW [mm] | Tol CCW [mm] | ICH [mm] | Tol ICH [mm] | ICW [mm] | Tol ICW [mm] |
|-----------------------|-------------|--------------------------|--------------------|----------|--------------|----------|--------------|----------|--------------|----------|--------------|
| 1011 0,50 + 1009 3,00 |             | 2,78 + 4,13              | 80                 | 3,15     | 0,05         | 5,85     | 0,10         | 5,30     | 0,10         | 8,00     | 0,20         |



## Cable type code legend:

1011:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: EAE, POLYOLEFIN, PVC, TPE, XLPE  
 Insul. Wall Designator: HEAVY DUTY

1009:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPE  
 Insul. Wall Designator: SPECIAL



# Crimp Information Sheet

Terminal Part Number: 02977131  
 Surface Plating: SN  
 Material Thickness [mm]: 1,02  
 Cross Section [mm<sup>2</sup>]: 0,50 | 0,80 | 1,00 | 2,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*



Cable Type codes: 1011 + 1011  
 Crimp Process: (D) DIP SOLDER - TERMINAL IS CRIMPED ON BARE CORE  
 Seal(s): NONE

| Cable type / seal     | Arrangement | Nominal Insul. diam [mm] | Tear-out force [N] | CCH [mm] | Tol CCH [mm] | CCW [mm] | Tol CCW [mm] | ICH [mm] | Tol ICH [mm] | ICW [mm] | Tol ICW [mm] |
|-----------------------|-------------|--------------------------|--------------------|----------|--------------|----------|--------------|----------|--------------|----------|--------------|
| 1011 0,50 + 1011 0,50 |             | 2,78 + 2,78              | 80                 | 2,80     | 0,05         | 5,10     | 0,10         | 4,50     | 0,10         | 7,30     | 0,20         |
| 1011 0,80 + 1011 0,80 |             | 3,13 + 3,13              | 90                 | 2,80     | 0,05         | 5,80     | 0,10         | 4,50     | 0,10         | 7,80     | 0,20         |
| 1011 1,00 + 1011 1,00 |             | 3,45 + 3,45              | 120                | 2,95     | 0,05         | 5,80     | 0,10         | 4,70     | 0,10         | 8,20     | 0,20         |
| 1011 1,00 + 1011 2,00 |             | 3,45 + 3,90              | 120                | 3,10     | 0,05         | 5,80     | 0,10         | 4,80     | 0,10         | 7,80     | 0,20         |
| 1011 2,00 + 1011 2,00 |             | 3,90 + 3,90              | 200                | 3,15     | 0,05         | 5,85     | 0,10         | 4,90     | 0,10         | 7,50     | 0,20         |

## Cable type code legend:

1011:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: EAE, POLYOLEFIN, PVC, TPE, XLPE  
 Insul. Wall Designator: HEAVY DUTY



# Crimp Information Sheet

Terminal Part Number: 02977131  
 Surface Plating: SN  
 Material Thickness [mm]: 1,02  
 Cross Section [mm<sup>2</sup>]: 1,00 | 2,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*



Cable Type codes: 1011 + 1011  
 Crimp Process: (L) DIP SOLDER - TERMINAL CRIMPED ON SOLDERED CORE  
 Seal(s): NONE

| Cable type / seal     | Arrangement | Nominal Insul. diam [mm] | Tear-out force [N] | CCH [mm] | Tol CCH [mm] | CCW [mm] | Tol CCW [mm] | ICH [mm] | Tol ICH [mm] | ICW [mm] | Tol ICW [mm] |
|-----------------------|-------------|--------------------------|--------------------|----------|--------------|----------|--------------|----------|--------------|----------|--------------|
| 1011 1,00 + 1011 1,00 |             | 3,45 + 3,45              | 120                | 2,95     | 0,05         | 5,80     | 0,10         | 4,70     | 0,10         | 8,20     | 0,20         |
| 1011 1,00 + 1011 2,00 |             | 3,45 + 3,90              | 120                | 3,10     | 0,05         | 5,80     | 0,10         | 4,80     | 0,10         | 7,80     | 0,20         |

## Cable type code legend:

1011:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: EAE, POLYOLEFIN, PVC, TPE, XLPE  
 Insul. Wall Designator: HEAVY DUTY



# Crimp Information Sheet

Terminal Part Number: 02977131  
 Surface Plating: SN  
 Material Thickness [mm]: 1,02  
 Cross Section [mm<sup>2</sup>]: 3,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*



Cable Type codes: 1080  
 Crimp Process: (V) SOLDER - VARIAC - CORE IS BARE COPPER OR TINNED  
 Insulation Range  $\Phi$ [mm]: 4,28 - 4,54  
 Seal(s): NONE

| Cable type / seal | Arrangement | Nominal Insul. diam [mm] | Tear-out force [N] | CCH [mm] | Tol CCH [mm] | CCW [mm] | Tol CCW [mm] | ICH [mm] | Tol ICH [mm] | ICW [mm] | Tol ICW [mm] |
|-------------------|-------------|--------------------------|--------------------|----------|--------------|----------|--------------|----------|--------------|----------|--------------|
| 1080 3,00         |             | 4,41                     | 250                | 3,20     | 0,05         | 5,15     | 0,10         | 4,80     | 0,10         | 6,70     | 0,20         |

## Cable type code legend:

1080:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: SN  
 Insul. Material: XLPE  
 Insul. Wall Designator: HEAVY





# Crimp Information Sheet

Terminal Part Number: 02977131  
 Surface Plating: SN  
 Material Thickness [mm]: 1,02  
 Cross Section [mm<sup>2</sup>]: 1,00 | 3,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*

Cable Type codes: 1094 + 1009  
 Crimp Process: (D) DIP SOLDER - TERMINAL IS CRIMPED ON BARE CORE  
 Seal(s): NONE

| Cable type / seal     | Arrangement | Nominal Insul. diam [mm] | Tear-out force [N] | CCH [mm] | Tol CCH [mm] | CCW [mm] | Tol CCW [mm] | ICH [mm] | Tol ICH [mm] | ICW [mm] | Tol ICW [mm] |
|-----------------------|-------------|--------------------------|--------------------|----------|--------------|----------|--------------|----------|--------------|----------|--------------|
| 1094 1,00 + 1009 1,00 |             | 3,03 + 3,17              | 120                | 2,95     | 0,05         | 5,80     | 0,10         | 4,70     | 0,10         | 7,70     | 0,20         |
| 1094 1,00 + 1009 3,00 |             | 3,03 + 4,13              | 120                | 3,20     | 0,05         | 5,80     | 0,10         | 5,00     | 0,10         | 8,60     | 0,20         |



## Cable type code legend:

### 1094:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPE  
 Insul. Wall Designator: HEAVY DUTY

### 1009:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPE  
 Insul. Wall Designator: SPECIAL



# Crimp Information Sheet

Terminal Part Number: 02977131  
 Surface Plating: SN  
 Material Thickness [mm]: 1,02  
 Cross Section [mm<sup>2</sup>]: 1,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*



Cable Type codes: 1094 + 1094  
 Crimp Process: (D) DIP SOLDER - TERMINAL IS CRIMPED ON BARE CORE  
 Seal(s): NONE

| Cable type / seal     | Arrangement | Nominal Insul. diam [mm] | Tear-out force [N] | CCH [mm] | Tol CCH [mm] | CCW [mm] | Tol CCW [mm] | ICH [mm] | Tol ICH [mm] | ICW [mm] | Tol ICW [mm] |
|-----------------------|-------------|--------------------------|--------------------|----------|--------------|----------|--------------|----------|--------------|----------|--------------|
| 1094 1,00 + 1094 1,00 |             | 3,03 + 3,03              | 120                | 2,95     | 0,05         | 5,80     | 0,10         | 4,70     | 0,10         | 7,70     | 0,20         |

Cable type code legend:

1094:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPE  
 Insul. Wall Designator: HEAVY DUTY



# Crimp Information Sheet

Terminal Part Number: 02977131  
 Surface Plating: SN  
 Material Thickness [mm]: 1,02  
 Cross Section [mm<sup>2</sup>]: 4,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*

Cable Type codes: 2010  
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY  
 Insulation Range  $\Phi$ [mm]: 3,20 - 3,70  
 Seal(s): NONE

| Cable type / seal | Arrangement | Nominal Insul. diam [mm] | Tear-out force [N] | CCH [mm] | Tol CCH [mm] | CCW [mm] | Tol CCW [mm] | ICH [mm] | Tol ICH [mm] | ICW [mm] | Tol ICW [mm] |
|-------------------|-------------|--------------------------|--------------------|----------|--------------|----------|--------------|----------|--------------|----------|--------------|
| 2010 4,00         |             | 3,45                     | 350                | 3,60     | 0,05         | 5,20     | 0,10         | 5,40     | 0,10         | 6,60     | 0,20         |

## Cable type code legend:

2010: ACW0219, FIAT T2 FLRY, FL RENAULT R1, FL RENAULT R3, FLR (AGP0219), FLR2X-A, FLR4Y-A, FLR9Y, FLRX-B, FLRY-A, FLRYB, FLRY-B



Industry Designator: DIN

Conductor Material: COPPER

Conductor Plating: NONE

Insul. Material: PA, POLYOLEFIN, PP, PVC, SYNTHRESIN, XLCOPOLY, XLPBT, XLPE, XLPE/PVDF, XLPVC

Insul. Wall Designator: THIN



# Crimp Information Sheet

Terminal Part Number: 02977131  
 Surface Plating: SN  
 Material Thickness [mm]: 1,02  
 Cross Section [mm<sup>2</sup>]: 4,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*

Cable Type codes: 2010  
 Crimp Process: (D) DIP SOLDER - TERMINAL IS CRIMPED ON BARE CORE  
 Insulation Range  $\Phi$ [mm]: 3,20 - 3,70  
 Seal(s): NONE

| Cable type / seal | Arrangement | Nominal Insul. diam [mm] | Tear-out force [N] | CCH [mm] | Tol CCH [mm] | CCW [mm] | Tol CCW [mm] | ICH [mm] | Tol ICH [mm] | ICW [mm] | Tol ICW [mm] |
|-------------------|-------------|--------------------------|--------------------|----------|--------------|----------|--------------|----------|--------------|----------|--------------|
| 2010 4,00         |             | 3,45                     | 350                | 3,15     | 0,05         | 5,20     | 0,10         | 4,90     | 0,10         | 6,80     | 0,20         |

## Cable type code legend:

2010: ACW0219, FIAT T2 FLRY, FL RENAULT R1, FL RENAULT R3, FLR (AGP0219), FLR2X-A, FLR4Y-A, FLR9Y, FLRX-B, FLRY-A, FLRYB, FLRY-B



Industry Designator: DIN

Conductor Material: COPPER

Conductor Plating: NONE

Insul. Material: PA, POLYOLEFIN, PP, PVC, SYNTHRESIN, XLCOPOLY, XLPBT, XLPE, XLPE/PVDF, XLPVC

Insul. Wall Designator: THIN



# Crimp Information Sheet

Terminal Part Number: 02977131  
 Surface Plating: SN  
 Material Thickness [mm]: 1,02  
 Cross Section [mm<sup>2</sup>]: 3,00 | 4,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*



Cable Type codes: 2010  
 Crimp Process: (V) SOLDER - VARIAC - CORE IS BARE COPPER OR TINNED  
 Insulation Range  $\Phi$ [mm]: 2,80 - 3,70  
 Seal(s): NONE

| Cable type / seal | Arrangement | Nominal Insul. diam [mm] | Tear-out force [N] | CCH [mm] | Tol CCH [mm] | CCW [mm] | Tol CCW [mm] | ICH [mm] | Tol ICH [mm] | ICW [mm] | Tol ICW [mm] |
|-------------------|-------------|--------------------------|--------------------|----------|--------------|----------|--------------|----------|--------------|----------|--------------|
| 2010 3,00         |             | 3,10                     | 240                | 2,90     | 0,05         | 5,10     | 0,10         | 4,40     | 0,10         | 6,80     | 0,20         |
| 2010 4,00         |             | 3,45                     | 350                | 3,15     | 0,05         | 5,20     | 0,10         | 4,90     | 0,10         | 6,80     | 0,20         |

## Cable type code legend:

2010: ACW0219, FIAT T2 FLRY, FL RENAULT R1, FL RENAULT R3, FLR (AGP0219), FLR2X-A, FLR4Y-A, FLR9Y, FLRX-B, FLRY-A, FLRYB, FLRY-B

Industry Designator: DIN  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PA, POLYOLEFIN, PP, PVC, SYNTHRESIN, XLCOPOLY, XLPBT, XLPE, XLPE/PVDF, XLPVC  
 Insul. Wall Designator: THIN



# Crimp Information Sheet

Terminal Part Number: 02977131  
 Surface Plating: SN  
 Material Thickness [mm]: 1,02  
 Cross Section [mm<sup>2</sup>]: 1,50 | 2,50

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*



Cable Type codes: 2010 + 2010  
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY  
 Seal(s): NONE

| Cable type / seal     | Arrangement | Nominal Insul. diam [mm] | Tear-out force [N] | CCH [mm] | Tol CCH [mm] | CCW [mm] | Tol CCW [mm] | ICH [mm] | Tol ICH [mm] | ICW [mm] | Tol ICW [mm] |
|-----------------------|-------------|--------------------------|--------------------|----------|--------------|----------|--------------|----------|--------------|----------|--------------|
| 2010 1,50 + 2010 2,50 |             | 2,20 + 2,80              | 155                | 3,10     | 0,05         | 5,20     | 0,10         | 5,55     | 0,10         | 6,90     | 0,20         |

## Cable type code legend:

2010: ACW0219, FIAT T2 FLRY, FL RENAULT R1, FL RENAULT R3, FLR (AGP0219), FLR2X-A, FLR4Y-A, FLR9Y, FLRX-B, FLRY-A, FLRYB, FLRY-B

Industry Designator: DIN  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PA, POLYOLEFIN, PP, PVC, SYNTHRESIN, XLCOPOLY, XLPBT, XLPE, XLPE/PVDF, XLPVC  
 Insul. Wall Designator: THIN



# Crimp Information Sheet

Terminal Part Number: 02977131  
 Surface Plating: SN  
 Material Thickness [mm]: 1,02  
 Cross Section [mm<sup>2</sup>]: 4,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*



Cable Type codes: 2083  
 Crimp Process: (V) SOLDER - VARIAC - CORE IS BARE COPPER OR TINNED  
 Insulation Range  $\Phi$ [mm]: 3,40 - 3,80  
 Seal(s): NONE

| Cable type / seal | Arrangement | Nominal Insul. diam [mm] | Tear-out force [N] | CCH [mm] | Tol CCH [mm] | CCW [mm] | Tol CCW [mm] | ICH [mm] | Tol ICH [mm] | ICW [mm] | Tol ICW [mm] |
|-------------------|-------------|--------------------------|--------------------|----------|--------------|----------|--------------|----------|--------------|----------|--------------|
| 2083 4,00         |             | 3,60                     | 265                | 3,15     | 0,05         | 5,10     | 0,10         | 4,70     | 0,10         | 6,80     | 0,20         |

## Cable type code legend:

2083:

Industry Designator: ISO  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC (YW)  
 Insul. Wall Designator: THIN





Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



#### Как с нами связаться

**Телефон:** 8 (812) 309 58 32 (многоканальный)

**Факс:** 8 (812) 320-02-42

**Электронная почта:** [org@eplast1.ru](mailto:org@eplast1.ru)

**Адрес:** 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.