

CPA		PBT 15% GF	RED
PERIMETER SEAL		SILICONE	GREEN
GROMMET		SILICONE	BROWN
COVER		PA66 35% GF	BLACK
TPA WITH		SPS 30% GF	RED
3 SHORTING BAR POSITIONS CONFIGURATION			
PLUG WITH KEYING OPTION "F" AND		PA66 35% GF	BLACK
3 SHORTING BAR POSITIONS CONFIGURATION			
PLUG WITH KEYING OPTION "E" AND		PA66 35% GF	BLACK
3 SHORTING BAR POSITIONS CONFIGURATION			
PLUG WITH KEYING OPTION "D" AND		PA66 35% GF	BLACK
3 SHORTING BAR POSITIONS CONFIGURATION			
PLUG WITH KEYING OPTION "C" AND		PA66 35% GF	NATURAL
3 SHORTING BAR POSITIONS CONFIGURATION			
PLUG WITH KEYING OPTION "B" AND		PA66 35% GF	BLACK
3 SHORTING BAR POSITIONS CONFIGURATION			
PLUG WITH KEYING OPTION "A" AND		PA66 35% GF	GRAY
3 SHORTING BAR POSITIONS CONFIGURATION			
DESCRIPTION		MATERIAL	FINISH/COLOR
INVENT. : DES. OFFICED:	DWN M. FORISKA CHK M. FORISKA APVD A. VALASEK PRODUCT SPEC APPLICATION SPEC WEIGHT -	16APR2002 16APR2002 16APR2002 NAME 24 WAY ARM, PLUG ASSEMBLY WITHOUT SHORTING BARS, CUSTOMER SPEC. SIZE CAGE CODE DRAWING NO A 1 00779 C=3-1419157-9 SCALE 3:1	TE Connectivity RESTRICTED TO 2 3 REV BK
CUSTOMER DRAWING		SCALE 3:1	SHEET 2 OF 3 REV BK

6	CPA	PBT 15% GF	RED
5	PERIMETER SEAL	SILICONE	GREEN
4	GROMMET	SILICONE	BROWN
3	COVER	PA66 35% GF	BLACK
2	TPA WITH 3 SHORTING BAR POSITIONS CONFIGURATION	sPS 30% GF	RED
1	PLUG WITH KEYING OPTION "F" AND 3 SHORTING BAR POSITIONS CONFIGURATION	PA66 35% GF	BLACK
1	PLUG WITH KEYING OPTION "E" AND 3 SHORTING BAR POSITIONS CONFIGURATION	PA66 35% GF	BLACK
1	PLUG WITH KEYING OPTION "D" AND 3 SHORTING BAR POSITIONS CONFIGURATION	PA66 35% GF	BLACK
1	PLUG WITH KEYING OPTION "C" AND 3 SHORTING BAR POSITIONS CONFIGURATION	PA66 35% GF	NATURAL
1	PLUG WITH KEYING OPTION "B" AND 3 SHORTING BAR POSITIONS CONFIGURATION	PA66 35% GF	BLACK
1	PLUG WITH KEYING OPTION "A" AND 3 SHORTING BAR POSITIONS CONFIGURATION	PA66 35% GF	GRAY
ITEM	DESCRIPTION	MATERIAL	FINISH/COLOR

ED DOCUMENT:	DWN M FORISKA 16APR2002	 TE Connectivity		
RANGES UNLESS ELSE SPECIFIED:	CHK M FORISKA 16APR2002			
± ±0.3 ±0.10	APVD A VALASKE 16APR2002			
± ±0.3	PRODUCT SPEC			
± ±0.3	APPLICATION SPEC			
± ±0.3	WEIGHT	RESTRICTED TO		
CUSTOMER DRAWING	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
	A1	00779	C=3-1419157-9	-
	SCALE	3:1	SHEET	2 of 3
			REV	BK



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.