

Intel® PRO/1000 GT Desktop Adapter

Lead-Free Gigabit Performance to the Desktop

Now you can maximize system performance and increase end-user productivity for mainstream PCs with the new Intel® PRO/1000 GT Desktop Adapter. Today's desktops are weighed down with high-bandwidth applications including voice, data, streaming video, video conferencing, and long-distance storage area networks. The environmentally friendly Intel PRO/1000 GT Desktop Adapter's Gigabit bandwidth makes quick work of these network applications with power to spare.



Built on Intel lead-free technology, the Intel PRO/ 1000 GT Desktop Adapter is the environmentally friendly way to bring Gigabit performance to your desktop at no extra cost. The GT Desktop Adapter contains no lead and conforms to the European Union's Restrictions on the use of Hazardous Substances and Japan's White Goods Recycling Act.

■ Simplify installation and maintenance with Intel® SingleDriver™ technology: Intel offers a single driver across all Intel PRO/1000 Desktop and Server Adapters making it easier to administer



and upgrade to the latest generation of Intel adapters, simplifying network management and reducing maintenance costs.

■ High-performing, auto-negotiating 10/100/
1000 connection: Systems that are currently running at 10 Mbps or 100 Mbps can be upgraded with the Intel PRO/1000 GT Desktop Adapter now, whether Gigabit switching is currently available or not. By integrating an Intel® PRO Gigabit Network Connection now, information technology (IT) managers will save time, money and downtime when the network is upgraded later because the Intel PRO/1000 GT Desktop Adapter will automatically detect and run at the higher speed when it becomes available.



Features Benefits

Intel® 82541PI Gigabit Controller	Enhances high performance and reliability
Compatible with Fast Ethernet and Ethernet	Reduces deployment and training costs and enables easy, quick migration to Gigabit Ethernet
Peripheral Component Interconnect (PCI) 2.3 32-bit 33/66 MHz	Designed for high performance on desktop bus architecture
10/100/1000 Mbps	Allows easy migration to faster networks as current 10/100 Mbps networks move to Gigabit, without requiring reconfiguration by IT staff—saving time, money and downtime
Category-5 Cabling	Uses pre-existing 4-pair cabling and saves re-wiring cost
Interrupt Moderation	Significantly reduces CPU utilization and increases throughput
Advanced Configuration and Power Interface (ACPI), Wake on LAN* (WoL), Preboot Execution Environment (PXE)	Allows lower power consumption, remote wake and remote booting
Simple Network Management Protocol (SNMP)/Desktop Management Interface (DMI), Wired for Management (WfM)	Lowers Total Cost of Ownership (TCO) through improved manageability
Meets IEEE 802.3ab* Technology	Supports standards interoperability
Advanced Cable Diagnostics	Dynamically tests and reports network problems (interrupts, error rate, cable length) and automatically compensates for cable issues such as crossover cable, wrong pin-out and polarity
Support for Many Network Operating Systems (NOSs)	Enables widespread deployment

Specifications: Intel® PRO/1000 GT Desktop Adapter

General

General	
Product Codes	PWLA8391GT, PWLA8391GTBLK, PWLA8391GTLBLK
Connectors IEEE Standard/Network Topology	RJ-45 10BASE-T, 100BASE-TX, 1000BASE-T
Wiring	Cat-5, 4-pair
Adapter Product Features	
Intel® Lead-free Technology Intel® SingleDriver™ Technology	
Plug and Play Specification Support	Standard
Easy Installation, Intel® PROSet Utility	=
Auto-negotiation, Full-duplex Capable PCI 2.3	
Bus Speed	32-bit 33/66 MHz
Network Management	52 Sit 66, 66 IIII.2
WfM Baseline v2.0	
DMI 2.0 Support, Windows	
Management Instrumentation	
(WMI) & SNMP-manageable Offline Diagnostics	
Intel® Boot Agent	-
ACPI Power Management	=
Wake on LAN	-
NOS Software Support	
Microsoft Windows* 2000, XP	5
Microsoft Windows NT* 4.0 Microsoft Windows 98 SE. Me	
Disk Operating System (DOS) and	
Disk Operating System Optical	
Digital Image (DOSODI)	_
Linux* 2.2.5 or Later Novell Netware* 4.2, 5.1, 6.0	
Advanced Software Features	
IEEE 802.1Q Virtual Local Area	
Network (VLANs)	
IEEE 802.3x Flow Control	-
Transmission Control Protocol (TCP) Checksum Offload	-
IEEE 802.1p, Intel® Priority Packet II	
Technical Features	
Data Rate(s) Supported Per Port	10/100/1000 Mbps
Integrated Memory	64 KB
Interrupt Levels	INTA
IEEE Support Data Path Width	802.2 and 802.3ab 32-bit PCI
Hardware Certifications	FCC B, CE, BSMI B, VCCI B
Data Transfer Mode	Bus-master DMA
Controller—Processor	Intel® 82541PI
Typical Power Consumption Operating Temperature	800 mA @+5 VDC 0-55°C
Operating Humidity	85% at +55°C
Intel Backing	
Limited Lifetime Warranty	
	_
90-day Money-back Guarantee (U.S. and Canada)	-

Order Codes

- PWLA8391GT (Single Packs)
- PWLA8391GTBLK (20 Packs)
- PWLA8391GTLBLK (Low-Profile 20 Packs)

Companion Products

Consider these Intel products in your server and network planning:

- Intel® PRO/1000 MT Server Adapter
- Intel® PRO/1000 MF Server Adapter
- Intel® PRO/1000 MF Server Adapter (LX)
- Intel® PRO/1000 MF Dual Port Server Adapter
- Intel® PRO/1000 MT Dual Port Server Adapter
- Intel® PRO/1000 MT Quad Port Server Adapter
- Intel® Desktop Boards
- Intel® Pentium® 4 Processor with Hyper-Threading Technology

Network-Ready PCs

Top PC and server manufacturers offer Intel adapters in their new products. Specify or ask for Intel® PRO Network Connections with your next PC, server, or mobile PC purchase. For a list of preferred suppliers, visit us at www.intel.com/buy/wtb/wtb1019.htm.

Customer Support

Intel® Customer Support Services offers a broad selection of programs including phone support and warranty service. For more information, contact us at support.intel.com/support/network. Service and availability may vary by country.


Product Information

To speak to a customer service representative regarding Intel products, please call 1-800-538-3373 (U.S. and Canada) or visit www.intel.com/support/9089.htm for the telephone number in your area. For additional product information on the Intel® Networking and Communication products, visit www.intel.com/network/connectivity.

Online Documents

Information in this document is provided in connection with Intel® products. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by

For the latest product information, visit us at www.intel.com/ network/connectivity.







Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001:
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина,

дом 2, корпус 4, литера А.