




Quality Products. Service Excellence.

## Fan Top Panel *C2TF Series*

### Features



- Use with **C2, C2RR, C4, C4RR, H1** or **CLC** cabinet series.
  - H1 requires H1TC Series for mounting.
- 14 gauge steel construction.
- cURus Recognized to UL507 and CSA C22.2 No.113.

### Fan Tops for use with 4" Fans:

- 4" fan top panel - fans not included (see first table below).
- 4 or 6 opening depending on depth of rack.
- Maximum flexibility - add fans OR leave holes open (for cable access) OR use covers (see below) OR any combination.



### Pre-Wired Fan Tops:

- Available with (4) 4" fans or (1) 10" fan (factory wired).
- Long life, ball bearing, 4", 115 volt, 50/60 Hz. AC fan(s).
- Available in three depths and two colors.
- 4.7" versions are available with or without adjustable thermostats.
- 10" versions are available with or without cable entry holes.

### Gallery



### Accessories

- Tube Axial Fans
- Filter Fan Grills
- Metal Fan Guard

| Part No.<br>Black | Part No.<br>Light Gray | Description                   | Fan<br>Quantity    | Fan<br>Size | CFM | dB | Thermostat<br>Included | Cable<br>Entry |
|-------------------|------------------------|-------------------------------|--------------------|-------------|-----|----|------------------------|----------------|
| C2T1923FBK1       | C2T1923FLG1            | Cutout for Fan or Cable Entry | 4 (Opening Only)   | 4.70        | -   | -  | No                     | Optional       |
| C2T1931FBK1       | C2T1931FLG1            | Cutout for Fan or Cable Entry | 6 (Opening Only)   | 4.70        | -   | -  | No                     | Optional       |
| C2T1936FBK1       | C2T1936FLG1            | Cutout for Fan or Cable Entry | 6 (Opening Only)   | 4.70        | -   | -  | No                     | Optional       |
| C2T2423FBK1       | C2T2423FLG1            | Cutout for Fan or Cable Entry | 4 (Opening Only)   | 4.70        | -   | -  | No                     | Optional       |
| C2T2431FBK1       | C2T2431FLG1            | Cutout for Fan or Cable Entry | 6 (Opening Only)   | 4.70        | -   | -  | No                     | Optional       |
| C2T2436FBK1       | C2T2436FLG1            | Cutout for Fan or Cable Entry | 6 (Opening Only)   | 4.70        | -   | -  | No                     | Optional       |
| C2T1923VFBK1      | -                      | Fan Grill for Fan or Venting  | 4 (Fan Grill Only) | 4.70        | -   | -  | No                     | No             |
| C2T1931VFBK1      | -                      | Fan Grill for Fan or Venting  | 6 (Fan Grill Only) | 4.70        | -   | -  | No                     | No             |
| C2T1936VFBK1      | -                      | Fan Grill for Fan or Venting  | 6 (Fan Grill Only) | 4.70        | -   | -  | No                     | No             |
| C2T2423VFBK1      | C2T2423VFLG1           | Fan Grill for Fan or Venting  | 4 (Fan Grill Only) | 4.70        | -   | -  | No                     | No             |
| C2T2431VFBK1      | C2T2431VFLG1           | Fan Grill for Fan or Venting  | 4 (Fan Grill Only) | 4.70        | -   | -  | No                     | No             |
| C2T2436VFBK1      | C2T2436VFLG1           | Fan Grill for Fan or Venting  | 6 (Fan Grill Only) | 4.70        | -   | -  | No                     | No             |

| Part No.<br>Black | Part No.<br>Light Gray | Description                             | Fan<br>Quantity | Fan<br>Size | CFM | dB | Thermostat<br>Included | Cable<br>Entry |
|-------------------|------------------------|---|-----------------|-------------|-----|----|------------------------|----------------|
| C2T1923F10BK1     | C2T1923F10LG1          | Pre-Wired Fan                           | 1               | 10.00       | 550 | 60 | No                     | No             |
| C2T1931F10BK1     | C2T1931F10LG1          | Pre-Wired Fan                           | 1               | 10.00       | 550 | 60 | No                     | No             |
| C2T1936F10BK1     | C2T1936F10LG1          | Pre-Wired Fan                           | 1               | 10.00       | 550 | 60 | No                     | No             |
| C2T2431F10BK1     | C2T2431F10LG1          | Pre-Wired Fan                           | 1               | 10.00       | 550 | 60 | No                     | No             |
| C2T2436F10BK1     | C2T2436F10LG1          | Pre-Wired Fan                           | 1               | 10.00       | 550 | 60 | No                     | No             |
| C2T1923F10CEBK1   | C2T1923F10CELG1        | Pre-wired fan with cable entry grommets | 1               | 10.00       | 550 | 60 | No                     | Yes            |
| C2T1931F10CEBK1   | C2T1931F10CELG1        | Pre-wired fan with cable entry grommets | 1               | 10.00       | 550 | 60 | No                     | Yes            |
| C2T1936F10CEBK1   | C2T1936F10CELG1        | Pre-wired fan with cable entry grommets | 1               | 10.00       | 550 | 60 | No                     | Yes            |
| C2T2423F10CEBK1   | C2T2423F10CELG1        | Pre-wired fan with cable entry grommets | 1               | 10.00       | 550 | 60 | No                     | Yes            |
| C2T2431F10CEBK1   | C2T2431F10CELG1        | Pre-wired fan with cable entry grommets | 1               | 10.00       | 550 | 60 | No                     | Yes            |
| C2T2436F10CEBK1   | C2T2436F10CELG1        | Pre-wired fan with cable entry grommets | 1               | 10.00       | 550 | 60 | No                     | Yes            |
| C2T1923F4BK1      | C2T1923F4LG1           | Pre-wired fans                          | 4               | 4.70        | 400 | 64 | No                     | No             |
| C2T1931F4BK1      | C2T1931F4LG1           | Pre-wired fans                          | 4               | 4.70        | 400 | 64 | No                     | No             |
| C2T1936F4BK1      | C2T1936F4LG1           | Pre-wired fans                          | 4               | 4.70        | 400 | 64 | No                     | No             |
| C2T2431F4BK1      | C2T2431F4LG1           | Pre-wired fans                          | 4               | 4.70        | 400 | 64 | No                     | No             |
| C2T2436F4BK1      | C2T2436F4LG1           | Pre-wired fans                          | 4               | 4.70        | 400 | 64 | No                     | No             |
| C2T1923F4TBK1     | C2T1923F4TLG1          | Pre-wired fans with thermostat          | 4               | 4.70        | 400 | 64 | Yes                    | No             |
| C2T1931F4TBK1     | C2T1931F4TLG1          | Pre-wired fans with thermostat          | 4               | 4.70        | 400 | 64 | Yes                    | No             |
| C2T1936F4TBK1     | C2T1936F4TLG1          | Pre-wired fans with thermostat          | 4               | 4.70        | 400 | 64 | Yes                    | No             |
| C2T2423F4TBK1     | C2T2423F4TLG1          | Pre-wired fans with thermostat          | 4               | 4.70        | 400 | 64 | Yes                    | No             |
| C2T2431F4TBK1     | C2T2431F4TLG1          | Pre-wired fans with thermostat          | 4               | 4.70        | 400 | 64 | Yes                    | No             |
| C2T2436F4TBK1     | C2T2436F4TLG1          | Pre-wired fans with thermostat          | 4               | 4.70        | 400 | 64 | Yes                    | No             |

## Cabinet Compatibility

| Part No.<br>Black | Part No.<br>Light Gray | C2 Cabinet |       | C4 Cabinet |       | DCZ4 Cabinet |       | H1 Cabinet |
|-------------------|------------------------|------------|-------|------------|-------|--------------|-------|------------|
|                   |                        | Width      | Depth | Width      | Depth | Width        | Depth |            |
| C2T1923*          | C2T1923*               | 23         | 23.63 | 24         | 31.5  | -            | -     | All Sizes  |
| C2T1931*          | C2T1931*               | 23         | 31.5  | 24         | 36    | -            | -     | -          |
| C2T1936*          | C2T1936*               | 23         | 36    | 24         | 42    | -            | -     | -          |
| C2T2423*          | C2T2423*               | 28         | 23.63 | 30         | 31.5  | -            | -     | -          |
| C2T2431*          | C2T2431*               | 28         | 31.5  | 30         | 36    | 30           | 42    | -          |
| C2T2436*          | C2T2436*               | 28         | 36    | 30         | 42    | -            | -     | -          |

## Fan Cover Plate

|          |         |
|----------|---------|
| Part No. | DNFPBK1 |
|----------|---------|

Individually packaged 4 inch hole cover (hardware included)

*Data subject to change without notice*

© 2020. Hammond Manufacturing Ltd. All rights reserved.



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



#### Как с нами связаться

**Телефон:** 8 (812) 309 58 32 (многоканальный)

**Факс:** 8 (812) 320-02-42

**Электронная почта:** [org@eplast1.ru](mailto:org@eplast1.ru)

**Адрес:** 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.