

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

ALL RIGHTS RESERVED.



LOC

DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	C1	REVISED PER ECO-11-005033	16APR2011	RK	HMR
	D	REVISED	06JAN2012	Y.W	S.K
	D1	REVISED PER ECO-13-009541	07JUN2013	R.W	S.Y



HALOGEN FREE
LOGO
ONLY FOR
1827684-2




- 1 MATERIAL
CONTACT COPPER ALLOY
HOUSING THERMOPLASTIC RESINdUL94V-0 BLACK
- 2 FINISH
CONTACT NICKEL ALL OVER UNDER PLATING,
GOLD PLATING AT CONTACT AREA,
TIN PLATING AT LEAD AREA,

REFERENCE P.C BOARD LAYOUT
P.C.BOARD THK. 0.8~1.2
(VIEW FROM CONNECTOR MOUNTING SIDE)

SMT TYPE




A-A
SCALE 5:1



THERMOPLASTIC RESIN(HALOGEN FREE)	2.60	1.80	1-1827684-3
THERMOPLASTIC RESIN(HALOGEN FREE)	4.0	3.20	1-1827684-2
THERMOPLASTIC RESIN(HALOGEN FREE)	2.60	1.80	1827684-3
THERMOPLASTIC RESIN(HALOGEN FREE)	4.0	3.20	1827684-2
THERMOPLASTIC RESIN	4.0	3.20	1827684-1
HOUSING MATERIAL	DIM,B	DIM,A	P/N

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm



MATERIAL



TOLERANCES UNLESS
OTHERWISE SPECIFIED:
±0.3

0-PLC	±
1-PLC	±0.1
2-PLC	±0.01
3-PLC	±0.001
4-PLC	±0.0001
ANGLES	±3

FINISH



DWN 04JUL05

CHK 04JUL05

APVD 04JUL05

PRODUCT SPEC

108-78292

APPLICATION SPEC

—

WEIGHT

0.7g

CUSTOMER DRAWING



TE Connectivity

NAME
RECEPTACLE ASSEMBLY 7POS.
2mm PITCH BATTERY CONNECTOR
—

SIZE CAGE CODE DRAWING NO RESTRICTED TO

A3 00779 ©=1827684 —

SCALE 2:1 SHEET 1 OF 2 REV D1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

ES

—

P

LTR

DESCRIPTION

DATE

DWN

APVD

—

SEE SHEET 1

—

—

—

SEE DETAIL A

295

PITCH28.5X8=228

182

115.5

PITCH16.5X7=

X

PITCH40X2=80


X
Y

PITCH40X5=200

71.1

Y-Y

174



DETAIL A
SCALE 1:1

127.3

11

11.6

286.5

X-X

1. 72PCS/TRAY

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN T.KATANO 04JUL05

CHK T.KIMURA 04JUL05

APVD T.KIMURA 04JUL05

PRODUCT SPEC

108-78292

APPLICATION SPEC

WEIGHT 0.7g

CUSTOMER DRAWING



TE Connectivity

NAME
RECEPTACLE ASSEMBLY 7POS.
2mm PITCH BATTERY CONNECTOR

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A3

00779

©=1827684

—


SCALE 2:1

SHEET 2 OF 2

REV D1

DIMENSIONS:
mm

TOLERANCES UNLESS
OTHERWISE SPECIFIED:
± 0.3



0-PLC ±
1-PLC ±0.1
2-PLC ±0.01
3-PLC ±0.001
4-PLC ±0.0001
ANGLES ±3
FINISH —

MATERIAL

—



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.