

NEW! Convenience Pack Terminals



These convenience packs are ideal for construction and MRO applications.

- Easy to use – locate and manage terminals with a clear package showing industry color coding
- Convenient storage – accessible smaller packaging is resealable and reusable
- Compatible with Panduit terminal kits – delivers ultimate flexibility for a range of job site applications
- Smaller packaging option provides high quality product at an affordable price

| Part Number | UPC Codes | Wire Range | Stud Size | Description | Pkg. Qty. |
|------------------|------------|-------------|-----------|--|-----------|
| Terminals | | | | | |
| PN18-6R-E | 7498336502 | 22 – 18 AWG | #6 | Ring terminal, nylon insulated | 20 |
| PN18-8R-E | 7498336504 | 22 – 18 AWG | #8 | Ring terminal, nylon insulated | 20 |
| PN18-10R-E | 7498336499 | 22 – 18 AWG | #10 | Ring terminal, nylon insulated | 20 |
| PN14-6R-E | 7498336555 | 16 – 14 AWG | #6 | Ring terminal, nylon insulated | 20 |
| PN14-8R-E | 7498336559 | 16 – 14 AWG | #8 | Ring terminal, nylon insulated | 20 |
| PN14-10R-E | 7498336552 | 16 – 14 AWG | #10 | Ring terminal, nylon insulated | 20 |
| PN14-14R-E | 7498336553 | 16 – 14 AWG | 1/4" | Ring terminal, nylon insulated | 20 |
| PN10-8R-E | 7498336550 | 12 – 10 AWG | #8 | Ring terminal, nylon insulated | 20 |
| PN10-10R-E | 7498336545 | 12 – 10 AWG | #10 | Ring terminal, nylon insulated | 20 |
| PN10-12R-E | 7498336546 | 12 – 10 AWG | 1/2" | Ring terminal, nylon insulated | 20 |
| PN10-14R-E | 7498336547 | 12 – 10 AWG | 1/4" | Ring terminal, nylon insulated | 20 |
| PN10-38R-E | 7498336548 | 12 – 10 AWG | 3/8" | Ring terminal, nylon insulated | 20 |
| PNF14-10R-E | 7498336505 | 16 – 14 AWG | #10 | Ring terminal, nylon insulated, funnel entry | 20 |
| PN18-6F-E | 7498336500 | 22 – 18 AWG | #6 | Fork terminal, nylon insulated | 20 |
| PN18-8F-E | 7498336503 | 22 – 18 AWG | #8 | Fork terminal, nylon insulated | 20 |
| PN14-6F-E | 7498336554 | 16 – 14 AWG | #6 | Fork terminal, nylon insulated | 20 |
| PN14-8F-E | 7498336556 | 16 – 14 AWG | #8 | Fork terminal, nylon insulated | 20 |
| PN14-10F-E | 7498336551 | 16 – 14 AWG | #10 | Fork terminal, nylon insulated | 20 |
| PN10-8F-E | 7498336549 | 12 – 10 AWG | #8 | Fork terminal, nylon insulated | 20 |
| PN10-10F-E | 7498336543 | 12 – 10 AWG | #10 | Fork terminal, nylon insulated | 20 |
| PN18-6LF-E | 7498336501 | 22 – 18 AWG | #6 | Locking fork terminal, nylon insulated | 20 |
| PN14-8LF-E | 7498336558 | 16 – 14 AWG | #8 | Locking fork terminal, nylon insulated | 20 |
| PN10-10LF-E | 7498336544 | 12 – 10 AWG | #10 | Locking fork terminal, nylon insulated | 20 |
| PNF14-8F-E | 7498336506 | 16 – 14 AWG | #8 | Fork terminal, nylon insulated, funnel entry | 20 |
| PK18-6R-E | 7498336542 | 22 – 18 AWG | #6 | Ring terminal, KYNAR* insulated | 20 |
| PK14-8R-E | 7498336541 | 16 – 14 AWG | #8 | Ring terminal, KYNAR* insulated | 20 |
| PK14-10R-E | 7498336540 | 16 – 14 AWG | #10 | Ring terminal, KYNAR* insulated | 20 |
| PK10-10R-E | 7498336495 | 12 – 10 AWG | #10 | Ring terminal, KYNAR* insulated | 20 |
| PV18-6R-E | 7498336361 | 22 – 18 AWG | #6 | Ring terminal, vinyl insulated | 20 |
| PV18-8R-E | 7498336363 | 22 – 18 AWG | #8 | Ring terminal, vinyl insulated | 20 |
| PV18-10R-E | 7498336359 | 22 – 18 AWG | #10 | Ring terminal, vinyl insulated | 20 |
| PV18-14R-E | 7498336364 | 22 – 18 AWG | 1/4" | Ring terminal, vinyl insulated | 20 |
| PV14-6R-E | 7498336255 | 16 – 14 AWG | #6 | Ring terminal, vinyl insulated | 20 |
| PV14-8R-E | 7498336357 | 16 – 14 AWG | #8 | Ring terminal, vinyl insulated | 20 |
| PV14-10R-E | 7498336244 | 16 – 14 AWG | #10 | Ring terminal, vinyl insulated | 20 |
| PV14-14R-E | 7498336377 | 16 – 14 AWG | 1/4" | Ring terminal, vinyl insulated | 20 |
| PV14-10RX-E | 7498336376 | 16 – 14 AWG | #10 | Ring terminal, vinyl expanded insulation | 20 |
| PV10-6R-E | 7498336691 | 12 – 10 AWG | #6 | Ring terminal, vinyl insulated | 20 |
| PV10-8R-E | 7498336243 | 12 – 10 AWG | #8 | Ring terminal, vinyl insulated | 20 |
| PV10-10R-E | 7498336239 | 12 – 10 AWG | #10 | Ring terminal, vinyl insulated | 20 |
| PV10-14R-E | 7498336241 | 12 – 10 AWG | 1/4" | Ring terminal, vinyl insulated | 20 |
| PV10-56R-E | 7498336426 | 12 – 10 AWG | 5/16" | Ring terminal, vinyl insulated | 20 |
| PV10-38R-E | 7498336425 | 12 – 10 AWG | 3/8" | Ring terminal, vinyl insulated | 20 |
| PV18-6F-E | 7498336360 | 22 – 18 AWG | #6 | Fork terminal, vinyl insulated | 20 |
| PV18-6LF-E | 7498336365 | 22 – 18 AWG | #6 | Locking fork terminal, vinyl insulated | 20 |
| PV18-8F-E | 7498336362 | 22 – 18 AWG | #8 | Fork terminal, vinyl insulated | 20 |
| PV18-8LF-E | 7498336366 | 22 – 18 AWG | #8 | Locking fork terminal, vinyl insulated | 20 |
| PV18-10F-E | 7498336358 | 22 – 18 AWG | #10 | Fork terminal, vinyl insulated | 20 |

Unified Physical Infrastructure



building a smarter, unified business foundation
Connect. Manage. Automate.

PANDUIT[®]

| Part Number | UPC Codes | Wire Range | Stud Size | Description | Pkg. Qty. |
|----------------------|------------|-------------|-----------|--|-----------|
| Terminals | | | | | |
| PV14-6F-E | 7498336254 | 16 – 14 AWG | #6 | Fork terminal, vinyl insulated | 20 |
| PV14-6LF-E | 7498336378 | 16 – 14 AWG | #6 | Locking fork terminal, vinyl insulated | 20 |
| PV14-8F-E | 7498336348 | 16 – 14 AWG | #8 | Fork terminal, vinyl insulated | 20 |
| PV14-8LF-E | 7498336422 | 16 – 14 AWG | #8 | Locking fork terminal, vinyl insulated | 20 |
| PV14-10F-E | 7498336374 | 16 – 14 AWG | #10 | Fork terminal, vinyl insulated | 20 |
| PV14-10LF-E | 7498336375 | 16 – 14 AWG | #10 | Locking fork terminal, vinyl insulated | 20 |
| PV10-6F-E | 7498336427 | 12 – 10 AWG | #6 | Fork terminal, vinyl insulated | 20 |
| PV10-8F-E | 7498336242 | 12 – 10 AWG | #8 | Fork terminal, vinyl insulated | 20 |
| PV10-8LF-E | 7498336428 | 12 – 10 AWG | #8 | Locking fork terminal, vinyl insulated | 20 |
| PV10-10F-E | 7498334424 | 12 – 10 AWG | #10 | Fork terminal, vinyl insulated | 20 |
| PV10-10LF-E | 7498336424 | 12 – 10 AWG | #10 | Locking fork terminal, vinyl insulated | 20 |
| PV10-14F-E | 7498336240 | 12 – 10 AWG | 1/4" | Fork terminal, vinyl insulated | 20 |
| P14-10R-E | 7498336539 | 16 – 14 AWG | #10 | Ring terminal, non-insulated | 20 |
| P14-14R-E | 7498336689 | 16 – 14 AWG | 1/4" | Ring terminal, non-insulated | 20 |
| P10-10R-E | 7498336492 | 12 – 10 AWG | #10 | Ring terminal, non-insulated | 20 |
| P10-10RHT6-E | 7498336493 | 12 – 10 AWG | #10 | Ring terminal, non-insulated, high temperature | 20 |
| P10-14R-E | 7498336494 | 12 – 10 AWG | 1/4" | Ring terminal, non-insulated | 20 |
| P14-8F-E | 7498336690 | 16 – 14 AWG | #8 | Fork terminal, non-insulated | 20 |
| Pin Terminals | | | | | |
| PV18-P47-E | 7498336367 | 22 – 18 AWG | — | Pin terminal, vinyl insulated | 20 |
| PV14-P47-E | 7498336423 | 16 – 14 AWG | — | Pin terminal, vinyl insulated | 20 |
| PV10-P55-E | 7498336429 | 12 – 10 AWG | — | Pin terminal, vinyl insulated | 20 |
| Disconnects | | | | | |
| DNF18-110FIB-E | 7498336439 | 22 – 18 AWG | — | Female disconnect, nylon F.I. | 20 |
| DNF18-111FIB-E | 7498336440 | 22 – 18 AWG | — | Female disconnect, nylon F.I. | 20 |
| DNF18-250FIB-E | 7498334196 | 22 – 18 AWG | — | Female disconnect, nylon F.I. | 20 |
| DNF14-188FIB-E | 7498336435 | 16 – 14 AWG | — | Female disconnect, nylon F.I. | 20 |
| DNF14-250FIB-E | 7498334192 | 16 – 14 AWG | — | Female disconnect, nylon F.I. | 20 |
| DNF10-250FIB-E | 7498336432 | 12 – 10 AWG | — | Female disconnect, nylon F.I. | 20 |
| DNF10-250FI-E | 7498334190 | 12 – 10 AWG | — | Female disconnect, nylon F.I. | 20 |
| DNF10-250FIMB-E | 7498336433 | 12 – 10 AWG | — | Male disconnect, nylon F.I. | 20 |
| DNF18-110-E | 7498336438 | 22 – 18 AWG | — | Female disconnect, nylon barrel insulated | 20 |
| DNF18-250-E | 7498336441 | 22 – 18 AWG | — | Female disconnect, nylon barrel insulated | 20 |
| DNF14-110-E | 7498336434 | 16 – 14 AWG | — | Female disconnect, nylon barrel insulated | 20 |
| DNF14-250-E | 7498336436 | 16 – 14 AWG | — | Female disconnect, nylon barrel insulated | 20 |
| DNF18-250FIM-E | 7498334298 | 22 – 18 AWG | — | Male disconnect, nylon F.I. | 20 |
| DNF14-250FIM-E | 7498334193 | 16 – 14 AWG | — | Male disconnect, nylon F.I. | 20 |
| DNF14-250M-E | 7498336437 | 16 – 14 AWG | — | Male disconnect, nylon barrel insulated | 20 |
| DNFR18-250FIB-E | 7498336443 | 22 – 18 AWG | — | Female disconnect, right angle, nylon F.I. | 20 |
| DNFR14-250FIB-E | 7498336442 | 16 – 14 AWG | — | Female disconnect, right angle, nylon F.I. | 20 |
| DV18-250B-E | 7498336490 | 22 – 18 AWG | — | Female disconnect, vinyl barrel insulated | 20 |
| DV14-250B-E | 7498334355 | 16 – 14 AWG | — | Female disconnect, vinyl barrel insulated | 20 |
| DV14-250MB-E | 7498336444 | 16 – 14 AWG | — | Male disconnect, vinyl barrel insulated | 20 |
| DV10-250-E | 7498334354 | 12 – 10 AWG | — | Female disconnect, vinyl barrel insulated | 20 |
| DV18-250P-E | 7498336491 | 22 – 18 AWG | — | Piggyback disconnect, vinyl barrel insulated | 20 |
| DV14-250P-E | 7498336489 | 16 – 14 AWG | — | Piggyback disconnect, vinyl barrel insulated | 20 |
| Butt Splices | | | | | |
| BS14-E | 7498336430 | 16 – 14 AWG | — | Butt splice, non-insulated | 20 |
| BS10-E | 7498336431 | 12 – 10 AWG | — | Butt splice, non-insulated | 20 |
| BSN18-E | 7498334185 | 22 – 18 AWG | — | Butt splice, nylon insulated | 20 |
| BSN14-E | 7498329325 | 16 – 14 AWG | — | Butt splice, nylon insulated | 20 |
| BSN10-E | 7498329299 | 12 – 10 AWG | — | Butt splice, nylon insulated | 20 |
| BSV18X-E | 7498334189 | 22 – 18 AWG | — | Butt splice, vinyl insulated | 20 |
| BSV14X-E | 7498334188 | 16 – 14 AWG | — | Butt splice, vinyl insulated | 20 |
| BSV10X-E | 7498334186 | 12 – 10 AWG | — | Butt splice, vinyl insulated | 20 |

WORLDWIDE SUBSIDIARIES AND SALES OFFICES

PANDUIT CANADA
Markham, Ontario
cs-cdn@panduit.com
Phone: 800.777.3300

PANDUIT EUROPE LTD.
London, UK
cs-emea@panduit.com
Phone: 44.20.8601.7200

PANDUIT SINGAPORE PTE. LTD.
Republic of Singapore
cs-ap@panduit.com
Phone: 65.6305.7575

PANDUIT JAPAN
Tokyo, Japan
cs-japan@panduit.com
Phone: 81.3.6863.6000

PANDUIT LATIN AMERICA
Jalisco, Mexico
cs-la@panduit.com
Phone: 52.33.3777.6000

PANDUIT AUSTRALIA PTY. LTD.
Victoria, Australia
cs-aus@panduit.com
Phone: 61.3.9794.9020

For a copy of Panduit product warranties, log on to www.panduit.com/warranty

For more information

Visit us at www.panduit.com

Contact Customer Service by email: cs@panduit.com
or by phone: 800-777-3300 and reference TMFL05

© 2009 Panduit Corp.
ALL RIGHTS RESERVED.
Printed in the U.S.A.

WW-TMFL05

9/2009

PANDUIT[®]



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.