




LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
GP	00		H	REVISED PER ECO-12-011010	13JUN2012	JY	CW
			J	REVISED PER ECO-14-000886	20FEB2014	JW	SH
			J1	REVISED PER ECO-14-010419	11JUL2014	JW	SH
			K	REVISED PER ECO-15-013594	22SEP2015	JW	SH

- 1 MATERIAL: 0.25 THICK COPPER ALLOY.
- 2 FINISH: TIN PLATING PER ASTM B 545, 1.25µm MINIMUM THICKNESS
ALL OVER NICKEL FLASH PER QQ-N-290. NONPLATED EDGES PERMISSIBLE.
- 3 PADS AND VIAS CHASSIS GROUND.
- 4 DATUM AND BASIC DIMENSION ESTABLISHED BY CUSTOMER.
- 5 REFERENCE APPLICATION SPEC 114-13120, HOLE A, FOR RECOMMENDED
DRILL HOLE DIAMETER AND PLATING THICKNESSES.
- 6 REFERENCE APPLICATION SPEC 114-13120, HOLE B, FOR RECOMMENDED
DRILL HOLE DIAMETER AND PLATING THICKNESSES.
- 7 COMPANY LOGO IN APPROXIMATE AREA SHOWN
- 8 PATTERN REPEATS FOR EACH PORT. SPACING BETWEEN PORTS IS 14.25 mm.
- 9 DATE CODE AND PART NUMBER IN APPROXIMATE AREA SHOWN.
- 10 MATERIAL: 0.25 THICK NICKEL SILVER ALLOY(NO PLATING).

SCALE 3:1




SECTION A-A

1658744-1&-3
1X4 CAGE ASSEMBLY
SCALE 6:1

SUPERSEDED BY:
1658744-3

NO	10	1X4	1658744-3
2	1	1X4	1658744-1
FINISH	MATERIAL	POSITION	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN M. SHIRK 04JUN03	 TE Connectivity	
DIMENSIONS: mm		CHK J. KOPPENHEFFER 06MAY04		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD M. WALMSLEY 06MAY04	NAME CAGE ASSEMBLY, 1X4 PRESS FIT, SFP	
0 PLC ± 1 PLC ± 2 PLC ±0.1 3 PLC ± 4 PLC ±		PRODUCT SPEC 108-1950	SIZE A100779	
ANGLES ±2°		APPLICATION SPEC 114-13120	CAGE CODE C=1658744	
MATERIAL		FINISH	WEIGHT	
1		2	Customer Drawing	
			SCALE 5:1	
			SHEET 1 OF 2	
			REV K	



LOC	DIST	REVISIONS				
		P	LYR	DESCRIPTION	DATE	OWN
GP	00	-	-	SEE SHEET 1	-	-

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN M. SHIRK 04JUN03	TE Connectivity	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		CHK J. KOPPENHEFFER 06MAY04		
DIMENSIONS:	mm	APVD M. WALMSLEY 06MAY04	NAME	
	0 PLC ±	PRODUCT SPEC	CAGE ASSEMBLY, 1X4	
	1 PLC ±0.1	108-1950	PRESS FIT, SFP	
MATERIAL	2 PLC ±	APPLICATION SPEC	SIZE	CAGE CODE
	3 PLC ±	114-13120	A100779	1658744
FINISH	4 PLC ±	WEIGHT	RESTRICTED TO	
	ANGLES ±2°	-	-	
Customer Drawing		SCALE 1:1	SHEET 2 OF 2	REV K



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.