






CIRCUIT SIZE	DIM. A	DIM. B	DIM. C
02	NA	0.21/5.4	0.37/9.4
04	0.165/4.20	0.38/9.6	0.535/13.60
06	0.331/8.40	0.54/13.8	0.701/17.80
08	0.496/12.60	0.71/18.0	0.866/22.00
10	0.661/16.80	0.87/22.2	1.031/26.20
12	0.827/21.00	1.04/26.4	1.197/30.40
14	0.992/25.20	1.21/30.6	1.362/34.60
16	1.160/29.40	1.37/34.8	1.528/38.80
18	1.323/33.60	1.54/39.0	1.693/43.00
20	1.488/37.80	1.70/43.2	1.858/47.20
22	1.654/42.00	1.87/47.4	2.024/51.40
24	1.819/46.20	2.03/51.6	2.189/55.60



ISOMETRIC VIEW
(12 CKT - SHOWN)



LAYOUT FOR
4-24 CIRCUIT



LAYOUT FOR
2 CIRCUIT

NOTES:

- MATERIALS:
HOUSING - LIQUID CRYSTAL POLYMER (LCP), COLOR: BLACK
TERMINAL - BRASS ALLOY
- TERMINAL PLATING:
TIN= .000100/0.00254 MIN MATTE TIN OVER
.000050/0.00127 MIN NICKEL OVERALL
GOLD= .000030/0.00076 MIN. SELECT GOLD OVER
.000100/0.00254 MIN. SELECT MATTE TIN OVER
.000050/0.00127 MIN NICKEL OVERALL
- PRODUCT SPECIFICATION: PS-46207-001
- PACKAGING SPECIFICATION: TRAY PACK PER PK-46207-001
TAPE AND REEL PACK PER PK-46207-002
- PART CONFORMS TO CLASS "B" REQUIREMENTS OF COSMETIC SPECIFICATION PS-45499-002.

RECOMMENDED PCB HOLE LAYOUT COMPONENT SIDE
(SCALE 3:1)

ADD TOL TO DIM C EC NO: UCP2011-3188 DRAWN:MSTR0H CHKD:JBELL APPR:FSMTH 2011/04/14 2011/04/18 2011/05/18 D5	DESCRIPTION ▽=0 ▽=0 ▽=0	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE IN/MM		SCALE 4:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION			
						DRAWN BY DATE DROSCA 08/07/2006		TITLE MINI-FIT RTC HI-TEMP VERTICAL HEADER IN LCP, W/PCB PEGS					
						CHECKED BY DATE BWIRKUS 08/07/2006							
						APPROVED BY DATE BWIRKUS 08/07/2006							molex MOLEX INCORPORATED
			ANGULAR ±1/2°			MATERIAL NO.		DOCUMENT NO.					
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SEE TABLE		SD-46207-001					1 OF 2
			SIZE C			THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							

	13	12	11	10	9	8	7	6	5	4	3	2	1														
J	GOLD PLATING					TIN PLATING									J												
	CIRCUIT SIZE	TAPE & REEL MATERIAL NUMBER	TRAY PACKED MATERIAL NUMBER	DIM. D	PCB THICKNESS											CIRCUIT SIZE	TAPE & REEL MATERIAL NUMBER	TRAY PACKED MATERIAL NUMBER	DIM. D	PCB THICKNESS							
I	02	462077002	* 462075002	* 0.144/3.66	0.062	I	02	462073002	* 462070002	* 0.144/3.66	0.062	I															
	04	462077004	* 462075004	* 0.144/3.66	0.062		04	462073004	* 462070004	* 0.144/3.66	0.062																
	06	462077006	* 462075006	* 0.144/3.66	0.062		06	462073006	* 462070006	* 0.144/3.66	0.062																
	08	462077008	* 462075008	* 0.144/3.66	0.062		08	462073008	* 462070008	* 0.144/3.66	0.062																
	10	462077010	* 462075010	* 0.144/3.66	0.062		10	462073010	* 462070010	* 0.144/3.66	0.062																
	12	462077012	* 462075012	* 0.144/3.66	0.062		12	462073012	* 462070012	* 0.144/3.66	0.062																
	14	462077014	* 462075014	* 0.144/3.66	0.062		14	462073014	* 462070014	* 0.144/3.66	0.062																
	16	462077016	* 462075016	* 0.144/3.66	0.062		16	462073016	* 462070016	* 0.144/3.66	0.062																
	18	462077018	* 462075018	* 0.144/3.66	0.062		18	462073018	* 462070018	* 0.144/3.66	0.062																
	20	462077020	* 462075020	* 0.144/3.66	0.062		20	462073020	* 462070020	* 0.144/3.66	0.062																
H	22	462077022	* 462075022	* 0.144/3.66	0.062	22	462073022	* 462070022	* 0.144/3.66	0.062	H																
	24	462077024	* 462075024	* 0.144/3.66	0.062	24	462073024	* 462070024	* 0.144/3.66	0.062																	
	02					02		462070102	* 0.176/4.46	0.093																	
	04					04		462070104	* 0.176/4.46	0.093																	
G	06					06		462070106	* 0.176/4.46	0.093	G																
	08					08		462070108	* 0.176/4.46	0.093																	
	10					10		462070110	* 0.176/4.46	0.093																	
	12					12		462070112	* 0.176/4.46	0.093																	
	14					14		462070114	* 0.176/4.46	0.093																	
	16					16		462070116	* 0.176/4.46	0.093																	
	18					18		462070118	* 0.176/4.46	0.093																	
	20					20		462070120	* 0.176/4.46	0.093																	
F	22					22		462070122	* 0.176/4.46	0.093	F																
	24					24		462070124	* 0.176/4.46	0.093																	
	02					02		462070202	* 0.207/5.26	0.125																	
	04					04		462070204	* 0.207/5.26	0.125																	
E	06					06		462070206	* 0.207/5.26	0.125	E																
	08					08		462070208	* 0.207/5.26	0.125																	
	10					10		462070210	* 0.207/5.26	0.125																	
	12					12		462070212	* 0.207/5.26	0.125																	
	14					14		462070214	* 0.207/5.26	0.125																	
	16					16		462070216	* 0.207/5.26	0.125																	
	18					18		462070218	* 0.207/5.26	0.125																	
	20					20		462070220	* 0.207/5.26	0.125																	
D	22					22		462070222	* 0.207/5.26	0.125	D																
	24					24		462070224	* 0.207/5.26	0.125																	
	* DESIGNATES PART NOT RELEASED CONTACT FACTORY FOR AVAILABILITY.					* DESIGNATES PART NOT RELEASED CONTACT FACTORY FOR AVAILABILITY.																					
C														C													
B														B													
A														A													
1b_frame_C_P_AM_T Rev. F 2009/06/18														12	11	10	9	8	7	6	5	4	3	2	1		
SEE SHEET 1 EC NO: UCP2011-3188 DRAWN:WSTROH 2011/04/14 CHKD:JBELL 2011/04/18 APPR:FSMITH 2011/05/18 D5														QUALITY SYMBOLS ▽=0 ▽=0 ▽=0		GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ±.--- ±.--- 3 PLACES ±.--- ±.005 2 PLACES ±.013 ±.010 1 PLACE ±.025 ±.--- ANGULAR ±1/2°		DIMENSION STYLE IN/MM DRAWN BY DATE DROSCA 08/07/2006 CHECKED BY DATE BWIRKUS 08/07/2006 APPROVED BY DATE BWIRKUS 08/07/2006		SCALE 1:1 TITLE MINI-FIT RTC HI-TEMP VERTICAL HEADER IN LCP, W/PCB PEGS MOLEX INCORPORATED		DESIGN UNITS METRIC		THIRD ANGLE PROJECTION		DOCUMENT NO. SD-46207-001 SHEET NO. 2 OF 2	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS														SIZE C		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.