









ENTER DESCRIPTION		QUALITY SYMBOLS		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE		DESIGN UNITS		THIRD ANGLE PROJECTION	
EC NO: 12009-0082		DRAWN BY: SUMESH		DATE: 2008/08/13		MM ONLY		---		METRIC		THIRD ANGLE PROJECTION	
DRWNSJ		CHECKED BY: KPRASAD		DATE: 2008/08/13		DRAWN BY: SUMESH		DATE: 2008/08/13		TITLE: 48 POS. FEMALE CONNECTOR		SHEET NO. 1 OF 1	
CHKD: KPRASAD		APPROVED BY: KPRASAD		DATE: 2008/08/13		CHECKED BY: KPRASAD		DATE: 2008/08/13		DIMENSIONS		MATERIAL NO. 850426115	
APPR: KPRASAD		DATE: 2008/08/13		APPROVED BY: KPRASAD		DATE: 2008/08/13		MATERIAL NO. 850426115		DOCUMENT NO. SD-85042-0002		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	
REV		DESCRIPTION		ANGULAR ±---°		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE A2		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			

View on mating side

[illegible]

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16

A = 48 standard contacts L=4,5

Marking	Standard
Performance level	G2/0 = Contact area level2 / Termination tin
Flux proof	no
Fixing clip	yes
Dimensions	SDA-85042-0002 sht.1
Technical Data	PS-85042-0001

A	G2/0	a1-16	b1-16 c1-16
Contact symbol	Perform. level	Contact position number	

ECN MC1998-2748	first release	REVISIONS	FOR PREVIOUS REVISIONS SEE MRL LIST				UNLESS OTHERWISE SPECIFIED TOLERANCES: ANGULAR $\pm 2^\circ$		DRWG BY	SIGN	CAD/CAM PROJECT NAME		SH.	REV.	
			INCH		METRIC		s8504242 s31	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. & SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							
			3 PLACE $\pm$	$\pm$	KN										
			2 PLACE $\pm$	$\pm$											
A	LTR	REVISIONS	FOR PREVIOUS REVISIONS SEE MRL LIST				UNLESS OTHERWISE SPECIFIED TOLERANCES: ANGULAR $\pm 2^\circ$		DRWG BY	SIGN	TITLE	MOLEX [®] MOLEX EUROPE	SHEET NO. 1 OF 1	DATE 98/03/09	SIZE A
			INCH		METRIC		85042-4232	SD-85042-4232							
			3 PLACE $\pm$	$\pm$	Ca										
			2 PLACE $\pm$	$\pm$											
		REVISIONS	FOR PREVIOUS REVISIONS SEE MRL LIST				UNLESS OTHERWISE SPECIFIED TOLERANCES: ANGULAR $\pm 2^\circ$		DRWG BY	SIGN	48 pos. female connector DIN 41612, style C/2 contacts arrangement	MOLEX [®] MOLEX EUROPE	SHEET NO. 1 OF 1	DATE 98/03/09	SIZE A
			INCH		METRIC		85042-4232	SD-85042-4232							
			3 PLACE $\pm$	$\pm$	Ca										
			2 PLACE $\pm$	$\pm$											
		REVISIONS	FOR PREVIOUS REVISIONS SEE MRL LIST				UNLESS OTHERWISE SPECIFIED TOLERANCES: ANGULAR $\pm 2^\circ$		DRWG BY	SIGN	48 pos. female connector DIN 41612, style C/2 contacts arrangement	MOLEX [®] MOLEX EUROPE	SHEET NO. 1 OF 1	DATE 98/03/09	SIZE A
			INCH		METRIC		85042-4232	SD-85042-4232							
			3 PLACE $\pm$	$\pm$	Ca										
			2 PLACE $\pm$	$\pm$											



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.