









spec ref		-		dr	Andrew Yong	2010/12/29	projection		MM		size	A3	scale	10:1	
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Guo-Min Sun	2014/08/27					ecn no	ELX-N-18666-1			
				chr	-	-									
ISO 406				appr	Rick Bian	2014/08/27	product family		MINITEK		rel level		Released		
surface	linear	0.X		± -			title	MINITEK 11		dwg no	10115395		rev	B	
		0.XX		±0.25											
		0.XXX		± -											
	ISO 1302		angular		0°										
				www.fci.com		cat. no.		-		Product - Customer Drw		sheet 1 of 3			



Copyright FCI.

1			2				3		4	
PRODUCT NO SEE NOTES 5, 9 & 10.		POS	POL. POS	DIM X	DIM Y	DIM F	DIM W	PLATING		
10115395-001TRLF		2X25	-	48	50	2.4	2.2 ±0.13	2.54-5.08µm MATTE TIN OVER Ni		



RECOMMENDED HOLE LAYOUT





FIG. 1
SEE NOTE 3



KAPTON TAPE
SEE NOTE 8.

NOTES:

1. MATERIAL:
BODY : HIGH TEMPERATURE PLASTIC UL 94V-0 BLACK
PIN : COPPER ALLOY
2. TOLERANCE UNLESS OTHERWISE NOTED ±0.25
3. STAND-OFF DESIGN FOR 2X2 POS. REFERS TO FIG. 1.
4. POLARISED BY OMISSION OF PINS. REFER TO TABLE FOR POSITION.
5. 10115395-XXXLF IS SAME TO 10115395-XXX. THE 'LF' IS ADDED JUST FOR EASY LEAD FREE IDENTIFICATION
6. THE HOUSING WILL WITHSTAND EXPOSURE TO 255°C PEAK TEMPERATURE FOR 10 SECONDS IN A CONVECTION, INFRA-RED OR VAPOR PHASE REFLOW OVEN.
7. THE HOUSING WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR 10 SECONDS IN A WAVE SOLDERING APPLICATION WITH A 1.57MM MINIMUM THICK CIRCUIT BOARD.
8. KAPTON TAPE (10114546-002) DIMENSIONS: (6 X 15 X 0.125 mm). APPLY KAPTON TAPE TO THE CENTRE OF THE CONNECTOR.
9. 'TR'- TAPE & REEL PACKAGING USED FOR THIS PRODUCT, DETAILS AS SPECIFIED IN PAGE 3 & 4.
10. THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
11. A $\triangle$ SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW OR NOTE WHICH HAS BEEN MODIFIED WITH THE CURRENT DRAWING REVISION.

spec ref -				dr Andrew Yong		2010/12/29		projection	MM	size A3		scale 10:1			
tolerance std ISO 406 ISO 1101 TOLERANCES UNLESS OTHERWISE SPECIFIED				eng Guo-Min Sun		2014/08/27				ecn no ELX-N-18666-1					
				chr -		-				rel level Released					
				appr Rick Bian		2014/08/27									
surface ✓ ISO 1302				FCI www.fci.com		title MINITEK II R/A HEADER		dwg no 10115395		rev B		Product - Customer Drw		sheet 2 of 3	
linear		0.X ± -													
		0.XX ±0.25													
		0.XXX ± -													
angular		0° ± -°													


PACKAGING SPEC

A

B

C



D




SECTION A-A

3 REF
10 REF
8.66 REF


SEE DETAIL




DETAIL SCALE 6:1



SECTION B-B



TAPE WITH CONNECTORS



SCALE 2:1
PART INSIDE CARRIER TAPE

spec ref		-		dr		Andrew Yong	2010/12/29	projection		MM		size	A3	scale	1:1		
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng		Guo-Min Sun	2014/08/27					ecn no	ELX-N-18666-1				
				chr		-	-										
ISO 406				appr		Rick Bian	2014/08/27	product family		PACKAGING		rel level		Released			
ISO 1101																	
surface	- ✓	linear	0.X		±-			title	MINITEK II				dwg no	10115395		rev	B
			0.XX		±0.25												
			0.XXX		±-												
		ISO 1302	angular	0°		±-°		www.fci.com		cat. no.	-	Product - Customer Drw				sheet 3 of 3	



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.