




LOC	DIST	REVISIONS					
GP	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
			6	UPDATE	25JUN2013	JY	AC
			A	INITIAL RELEASE	16DEC2014	JY	MC



1. COMPONENTS
CAGE ASSEMBLY: NICKEL-SILVER ALLOY
HEAT SINK: ALUMINUM/NICKEL PLATE
HEAT SINK CLIP: STAINLESS STEEL
EMI SPRING: COPPER ALLOY/TIN PLATE
FRONT FLANGE: STAINLESS STEEL
EMI GASKET: SILVER PLATED URETHANE

2. REFERENCE APPLICATION SPECIFICATION 114-32046 FOR RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESS
3. DATUM AND BASIC DIMENSION ESTABLISHED BY CUSTOMER
4. WITH MODULE INSERTED IN CAGE
5. HEAT SINKS, HEAT SINK CLIPS ARE SHIPPED ASSEMBLED ON CAGE



18.61	2227359-2
16.66	2227359-1
DIM A	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN M.E. COWHER 10OCT2012	TE Connectivity			
DIMENSIONS:		CHK M.D. MORRISON 10OCT2012				
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD M.D. MORRISON 10OCT2012	NAME RECEPTACLE ASSEMBLY, THRU BEZEL, 1X4, QSP28			
	0 PLC ±	PRODUCT SPEC	SIZE			
	1 PLC ±	108-19428	CAGE CODE			
	2 PLC ±	APPLICATION SPEC	DRAWING NO			
	3 PLC ±	-	A200779			
	4 PLC ±	WEIGHT	RESTRICTED TO			
	ANGLES ±	-	-			
MATERIAL	FINISH	Customer Drawing	SCALE			
SEE NOTES	SEE NOTES		3:1			
			SHEET			
			1 OF 5			
			REV			
			A			

1471-9 (3/11)

D

D

C


C

B

B

A

A



RECOMMENDED PCB LAYOUT
SINGLE SIDE MOUNTED CONFIGURATION
SCALE 3:1

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm

MATERIAL

SEE NOTES

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	±
1 PLC	±
2 PLC	±
3 PLC	±
4 PLC	±
ANGLES	±
FINISH	±

SEE NOTES

DWN

10OCT2012

M.E. COWHER

CHK

10OCT2012

M.D. MORRISON

APVD

10OCT2012

M.D. MORRISON

PRODUCT SPEC

108-19428

APPLICATION SPEC

-

WEIGHT

-

Customer Drawing

TE Connectivity

NAME

RECEPTACLE ASSEMBLY, THRU BEZEL, 1X4, QSFP28

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A200779

C-2227359

-

SCALE

3:1

SHEET

3

OF


5

REV

A



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 100CT2012 M.E. COWHER		 TE Connectivity	
DIMENSIONS: mm		CHK 100CT2012 M.D. MORRISON		NAME RECEPTACLE ASSEMBLY, THRU BEZEL, 1X4, QSFP28	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD 100CT2012 M.D. MORRISON			
		PRODUCT SPEC 108-19428			
0 PLC ±. 1 PLC ±. 2 PLC ±. 3 PLC ±. 4 PLC ±. ANGLES ±. FINISH		APPLICATION SPEC -			
MATERIAL SEE NOTES		WEIGHT -		SIZE CAGE CODE DRAWING NO A200779 C-2227359	
SEE NOTES		Customer Drawing		RESTRICTED TO -	
				SCALE 3:1 SHEET 4 OF 5 REV A	



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 10OCT2012 M.E. COWHER	TE Connectivity			
DIMENSIONS:		CHK 10OCT2012 M.D. MORRISON				
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD 10OCT2012 M.D. MORRISON	NAME			
	0 PLC ±-	PRODUCT SPEC	RECEPTACLE ASSEMBLY, THRU BEZEL, 1X4, QSFP28			
	1 PLC ±-	108-19428	-			
	2 PLC ±-	APPLICATION SPEC	-			
MATERIAL	3 PLC ±-	WEIGHT	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
	4 PLC ±-	-	A2	00779	C-2227359	-
SEE NOTES	ANGLES ±-	Customer Drawing	SCALE	SHEET	OF	REV
	FINISH		3:1	5	5	A



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.